



Notes

1. Record existing splice arrangements in Existing Splice Enclosures and Signal Cabinets prior to beginning work associated with splicing in the new fiber. If discrepancies exist, contact the Engineer to determine how to proceed prior to re-splicing.
2. Contact the Division 6 Traffic Signal Supervisor at 910-364-0606, and provide a minimum of 5 working days notice prior to disturbing the existing fiber splices.
3. Remove the Existing Messenger and Communications Cable after the New Fiber is Operational.

* ALL NCDOT ATTACHMENT POINTS ARE 40" BELOW POWER FRONT SIDE OF POLE, UNLESS OTHERWISE NOTED.
 ** ATTACH COMMUNICATIONS MESSENGER CABLE 12" ABOVE SIGNAL CABLE.

NC Dept of Transportation
 Division of Highways
 Final Drawing Date: _____
 ITS & Signals Unit

SEPI
 Engineering & Construction, Inc.
 1 Glenwood Avenue
 Raleigh, NC 27603
 Tel: 919.789.9977
 Fax: 919.789.9591
 License: C-2197

Prepared for the Offices of:

 750 N. Greenfield Pkwy, Garner, NC 27529

COMMUNICATIONS CABLE AND CONDUIT ROUTING PLANS

DIVISION 6		COLOMBUS COUNTY	WHITEVILLE
PLAN DATE: March 2020	REVIEWED BY: G. G. Murr, Jr.		
PREPARED BY: M. Ishak	REVIEWED BY:		
REVISIONS	INIT.	DATE	

SEAL

 SEAL 14543
 G. G. MURR, JR.
 ENGINEER
 STATE OF NORTH CAROLINA
 DocuSigned by:
 G. G. Murr, Jr.
 SIGNATURE DATE
 CADD Filename:

