

WBS ELEMENT SHEET NO.


2022CPT.08.12.10621
2022CPT.08.12.20621
34352.2.S2





TYPICAL SECTION NO. 3

NOTE: USE FOR MAP #1 FROM PAVEMENT JOINT 550 FT SOUTH OF SR 1003 TO 1,185 FT NORTH OF SR 1640



PAVEMENT SCHEDULE	
C1	PROP. APPROX. 1.5" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ. YD.
C2	PROP. APPROX. 1.5" ASPHALT CONCRETE SURFACE COURSE, TYPE \$9.5C, AT AN AVERAGE RATE OF 168 LBS. PER \$Q. YD.
C3	PROP. APPROX. 2.0" ASPHALT CONCRETE SURFACE COURSE, TYPE \$9.5D, AT AN AVERAGE RATE OF 224 LBS. PER \$Q. YD.
M1	CENTERLINE MILLED RUMBLE STRIPS (SEE DETAIL)
S	AGGREGATE SHOULDER BORROW
U	EXISTING PAVEMENT.
V1	MILLING 1.5" IN DEPTH
V2	MILLING 3.5" IN DEPTH
V3	MILLING 0-4.75" IN DEPTH
V4	MILLING 2.0" IN DEPTH