STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

PAVEMENT MARKING PLAN ROBESON COUNTY

TIP NO. SHEET NO. PMP - 1 R-5751



DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

INDEX

SHEET NO.

DESCRIPTION

PAVEMENT MARKING PLAN TITLE AND

SCHEDULE SHEET

PMP-2 THRU PMP-9

PAVEMENT MARKING DETAIL

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" -PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

| STD. NO. | <u>TITLE</u> | | | | |
|----------|--|--|--|--|--|
| 1205.01 | PAVEMENT MARKINGS - LINE TYPES AND OFFSETS | | | | |
| 1205.02 | PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS | | | | |
| 1205.03 | PAVEMENT MARKINGS - EXIT AND ENTRANCE RAMPS | | | | |
| 1205.04 | PAVEMENT MARKINGS - INTERSECTIONS | | | | |
| 1205.12 | PAVEMENT MARKINGS - BRIDGES | | | | |
| 1205.14 | PAVEMENT MARKINGS - ROUNDABOUTS | | | | |
| 1250.01 | RAISED PAVEMENT MARKERS - INSTALLATION SPACING | | | | |
| 1251.01 | RAISED PAVEMENT MARKERS - PERMANENT AND TEMPORARY | | | | |
| 1261.01 | GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING | | | | |
| 1261.02 | GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING | | | | |
| 1262.01 | GUARDRAIL END DELINEATION | | | | |
| 1264.01 | OBJECT MARKERS - TYPES | | | | |
| 1264.02 | OBJECT MARKERS - INSTALLATION | | | | |

GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:

> MARKER MARKING ROAD NAME ALL ROADS THERMOPLASTIC PERMANENT RAISED BRIDGE POLYUREA

- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS AND MARKERS.
- D) PASSING ZONES WILL BE DETERMINED IN THE FIELD AND MUST BE APPROVED BY THE ENGINEER.
- E) STOP BAR LOCATION AT NON-SIGNALIZED INTERSECTIONS MAY BE ADJUSTED AS DIRECTED BY THE ENGINEER.
- F) REMOVE ALL RESIDUE AND SURFACE LAITANCE BY ACCEPTABLE METHODS ON CONCRETE BRIDGE DECKS PRIOR TO PLACING THERMOPLASTIC PAVEMENT MARKING MATERIAL.
- G) UNLESS OTHERWISE SPECIFIED, HEATED-IN-PLACE THERMOPLASTIC MAY BE USED IN LIEU OF EXTRUDED THERMOPLASTIC FOR STOP BARS, SYMBOLS, CHARACTERS AND DIAGONALS. IF HEATED-IN-PLACE IS USED, IT SHALL BE PAID FOR USING THE EXTRUDED THERMOPLASTIC PAY ITEM.


PAVEMENT MARKING SCHEDULE

| T20 | WHITE EDGELINE | THERMOPLASTIC (6", 90 MIL) | T61 | 24" WHITE STOPBAR | THERMOPLASTIC (90 MIL) |
|-----|-------------------------|-----------------------------|------|--|------------------------|
| T22 | 10' WHITE SKIP | THERMOPLASTIC (6", 90 MIL) | T79 | MERGE ARROW | THERMOPLASTIC (90 MIL) |
| T23 | 3'-9'/SP WHITE MINISKIP | THERMOPLASTIC (6", 90 MIL) | T103 | 24" YIELD LINE TRIANGLE | THERMOPLASTIC (90 MIL) |
| T24 | 2'-6'/SP WHITE MINISKIP | THERMOPLASTIC (6", 90 MIL) | T112 | FISH-HOOK RIGHT/STRAIGHT ARROW | THERMOPLASTIC (90 MIL) |
| T30 | YELLOW EDGELINE | THERMOPLASTIC (6", 90 MIL) | T117 | FISH-HOOK W/CIRCLE LEFT/STRAIGHT ARROW | THERMOPLASTIC (90 MIL) |
| T31 | YELLOW SINGLE CENTER | THERMOPLASTIC (6", 90 MIL) | T118 | FISH-HOOK W/CIRCLE LEFT/RIGHT/STRAIGHT ARROW | THERMOPLASTIC (90 MIL) |
| T32 | 10' YELLOW SKIP | THERMOPLASTIC (6", 90 MIL) | V20 | WHITE EDGELINE | POLYUREA (6", 20 MIL) |
| T33 | YELLOW DOUBLE CENTER | THERMOPLASTIC (6", 90 MIL) | V33 | YELLOW DOUBLE CENTER | POLYUREA (6", 20 MIL) |
| T50 | WHITE GORELINE | THERMOPLASTIC (12", 90 MIL) | | | |

N.C.D.O.T. CONTACT INFORMATION

AYMAN I. ALQUDWAH, PE SIGNING AND DELINEATION REGIONAL ENGINEER SIGNING AND DELINEATION PROJECT DESIGN ENGINEER

3'-3'/SP WHITE MINISKIP



THERMOPLASTIC (12", 90 MIL)

PLAN PREPARED BY:

DREW MORROW, PE

PROJECT ENGINEER

JARED BOND, PE

PROJECT DESIGNER

RS&H

