



NOTES: ANY DEVIATION FROM OPTIONS GIVEN WILL REQUIRE PRIOR APPROVAL BY ENGINEER.

ADDITIONAL EROSION CONTROL DEVICES MAY NEED TO BE INSTALLED AS DIRECTED BY THE ENGINEER.

Place Matting for Erosion Control on Slope as Work Allows.
 -YIC- Sta. 46+00 to Sta. 48+25 RT
 -YIC- Sta. 46+00 to Sta. 47+46 LT



FROM -SRB- STA. 11+54 TO STA. 12+32 LT
 FROM -SRB- STA. 12+68 TO STA. 14+00 LT

Type of Liner = CL "B" Rip-Rap
 FROM -SRB- STA. 12+07 TO STA. 12+38 RT
 EST 21 TON CL "B" RIP RAP
 EST 37 SY GEOTEXTILE

-YIC- CURVE DATA
 PI Sta 49+05.07
 $\Delta = 37^{\circ} 35' 51.9"$ (LT)
 D = 2' 28" 10.7"
 L = 1,522.39'
 T = 789.74'
 R = 2,320.00'
 SE = 06
 RO = SEE PLANS
 DS = 60 MPH

-SRB- CURVE DATA
 PI Sta 11+17.83
 $\Delta = 50^{\circ} 28' 17.2"$ (RT)
 D = 22' 55" 05.9"
 L = 220.22'
 T = 117.83'
 R = 250.00'
 SE = 02
 RO = SEE PLANS

-DRI- CURVE DATA
 PI Sta 10+47.96
 $\Delta = 7^{\circ} 19' 02.3"$ (LT)
 D = 7' 38" 22.0"
 L = 95.78'
 T = 47.96'
 R = 750.00'
 SE = NC

REVISIONS
 06-SEP-2022 10:07 AM
 C:\Users\jcm\OneDrive\Documents\Projects\Transportation\1030036026-R-5751-US-74-NC-72-NC-130-Final-Design\Design\Environmental\Design\PSH\R5751_EC_PSH_EC-20.dgn
 \$\$\$\$\$\$USERNAME\$\$\$\$\$\$