

R:\15BPR61\Structures\FinalPlans\401_039_15BPR61_SMU_B3C_S20_190009.dgn ksedai

CHECKED BY : ______S.AGUILA HERNANDEZ

	CONCRETE REPAIR AREA
	SHOTCRETE REPAIR AREA
SPAN D SPAN C	EPOXY RESIN INJECTION (ERI)

AS-BUILT REPAIR QUANTITY TABLE								
BENT 3 SPAN C FACE	QUANTITIES							
DENT 5 SPAN C FACE	ESTIMATE		ACTUAL					
SHOTCRETE REPAIRS	AREA SF	VOLUME CF	AREA SF	VOLUME CF				
CAP	0.0	0.0						
COLUMN	10.0	5.0						
CONCRETE REPAIRS	AREA SF	VOLUME CF	AREA SF	VOLUME CF				
САР	0.0	0.0						
EPOXY RESIN INJECTION		LIN. FT.		LIN. FT.				
САР		0.0						
COLUMN		0.0						
EPOXY COATING		SQ. FT.	SQ. FT.					
TOP OF BENT CAP		93.0						

VALUES IN CHART REPRESENT ESTIMATED REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MINIMUM OF 1" BEHIND REBAR AND MINIMUM OF 2" CLEARANCE TO SAWCUT. FOR REPAIR DETAILS, SEE ``TYPICAL CAP AND COLUMN REPAIR DETAILS'' SHEET.

NOTES:

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE BASED ON THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER WILL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATIONS AND DESCRIPTION OF THE REPAIRS AND ENTER THE ACTUAL QUANTITIES INTO THE AS-BUILT REPAIR QUANTITY TABLE.

SHOTCRETE REPAIRS MAY BE REPLACED WITH CONCRETE REPAIRS WITH THE APPROVAL OF THE ENGINEER.

FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR CONCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.

CLEAN AND REMOVE DEBRIS FROM THE TOP OF THE CAP AND APPLY EPOXY PROTECTIVE COATING. EPOXY COATING SHALL BE APPLIED TO THE TOP SURFACE OF THE CAP. THE CONTRACTOR SHALL NOT COAT THE AREA OF THE CAP BENEATH THE MASONRY PLATES. FOR EPOXY COATING, SEE SPECIAL PROVISIONS.

PROJECT NO. <u>15BPR.61</u> <u>CHEROKEE</u> COUNTY BRIDGE NO. <u>190009</u> SHEET 1 OF 2							
12/12/2022	STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH						
	REVISIONS SHEET NO.						
OCUMENT NOT CONSIDERED	NO. BY:	DATE:	NO. BY:	DATE:	S1-20		
FINAL UNLESS ALL SIGNATURES COMPLETED	1		<u> ৩</u> ব্ৰ		total sheets 25		