

PLAN OF SPAN B

NOTES

REPAIR LOCATIONS AND ESTIMATED QUANTITIES ARE GIVEN WITH THE BEST INFORMATION AVAILABLE. IF ADDITONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER WILL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATIONS AND DESCRIPTION OF THE REPAIRS AND ADJUST THE ACTUAL QUANTITES ENTERED INTO THE AS-BUILT REPAIR QUANTITY TABLE.

FOR SECTION A-A AND B-B, SEE "JOINT REPAIR DETAILS" SHEET.

DRAWN BY: D.A.GLADDEN DATE: 5/21
CHECKED BY: E.MURRAY DATE: 12/22

AS-BUILT REPAIR QUANTITY TABLE

TOP OF DECK REPAIRS

SPAN B

	ESTIMATE	ACTUAL
SCARIFYING BRIDGE DECK	213.6 SY	
SHOTBLASTING OF BRIDGE DECK	213.6 SY	
CLASS II SURFACE PREPARATION	6.0 SY	
GROOVING BRIDGE FLOORS	1765.6 SF	
CONCRETE DECK REPAIR FOR PC OVERLAY	6.0 SY	
POLYMER CONCRETE MATERIALS	10.4 CY	
PLACING AND FINISHING POLYMER CONCRETE OVERLAY	213 . 6 SY	

UNDERSIDE OF DECK REPAIRS

	ESTIMATE		ACTUAL	
SHOTCRETE REPAIRS	AREA SF	VOLUME CF	AREA SF	VOLUME CF
UNDERSIDE OF DECK	0.0	0.0		
OVERHANG DIAPHRAGMS	0.0	0.0		
UNDERSIDE OF OVERHANG	0.0	0.0		
INTERIOR DIAPHRAGMS	6.0	3.0		
	ESTIMATE		ACTUAL	
UNDERSIDE EPOXY RESIN INJECTION	0.0	LF		

QUANTITIES IN TABLE REPRESENT ESTIMATED VALUES OF CLASS II SURFACE PREPARATION AND CONCRETE DECK REPAIR FOR POLYMER OVERLAY AFTER REMOVAL OF UNSOUND CONCRETE (MIN. 2" CLEAR TO SAW CUT). SEE OVERLAY SURFACE PREPARATION FOR POLYMER CONCRETE SPECIAL PROVISION.

APPROXIMATE CLASS II AREA

UNDERSIDE REPAIR

SEAL 025516

SUCINEER

-A689F83FD9D74F8... 1/11/2023

TEST LOCATION

PROJECT NO. 1-5927 POLK COUNTY

BRIDGE NO. 740050

SHEET 2 OF 6

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

PLAN OF SPAN B

OLKERT

5430 Wade Park Blvd, Suite 410 Raleigh, NC 27607 Tel. 919-854-0344 Fax. 919-854-0355 NC License No. F-0765	DOCUMENT NOT CON FINAL UNLESS ALL SIGNATURES COMPL

	REVISIONS				SHEET NO		
MENT NOT CONSIDERED	NO.	BY:	DATE:	NO.	BY:	DATE:	S-57
UNLESS ALL	1			3			TOTAL SHEETS
ATURES COMPLETED	2			4			79