

AS-BUILT REPAIR QUANTITY TABLE SPANS A, B AND C					
TOP OF DECK REPAIRS					
	ESTIM	ESTIMATE		ACTUAL	
SCARIFYING BRIDGE DECK			7 SY		
HYDRO-DEMOLITION OF BRIDGE DECK			7 SY		
CLASS II SURFACE PREPARATION			6 SY		
LATEX MODIFIED CONCRETE OVERLAY- VERY EARLY STRENGTH			.1 CY		
PLACING & FINISHING LMC-VES OVERLAY			7 SY		
BRIDGE JOINT DEMOLITION			.1 SF		
GROOVING BRIDGE FLOORS		784	8 SF		
REMOVE AND REPLACE CURB AND GUTTER		1	0 LF		
UNDERSIDE OF DECK REPAIRS					
SHOTCRETE REPAIRS	QUANTITIES				
	ESTIMATE		ACTUAL		
	AREA SF	VOLUME CF			VOLUME CF
UNDERSIDE OF DECK	0.0	0.0			
OVERHANG DIAPHRAGMS	0.0	0.0			
UNDERSIDE OF OVERHANG	3.0	1.5			
INTERIOR DIAPHRAGMS	0.0	0.0			
	ESTIMATE		ACTUAL		
UNDERSIDE EPOXY RESIN INJECTION	0.0 LF				

VALUES IN CHART REPRESENT ESTIMATED UNDERSIDE OF DECK REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MINIMUM OF 1"BEHIND REBAR AND MINIMUM 2"CLEAR TO SAW CUT. SEE REPAIR DETAILS.


## PLAN OF SPANS

BRIDGE JOINT DEMOLITION

CLASS II SURFACE PREPARATION

DECK SCARIFICATION, HYDRO-DEMOLITION AND LATEX MODIFIED CONCRETE OVERLAY-VES

UNDERSIDE OF DECK REPAIR



## NOTES:

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE BASED ON THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER WILL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATIONS AND DESCRIPTION OF THE REPAIRS AND ENTER THE ACTUAL QUANTITIES INTO THE AS-BUILT REPAIR QUANTITY TABLE.

PAYMENT FOR CLASS II SURFACE PREPARATION IS BASED ON THE SQUARE YARDS OF ADDITIONAL DEMOLITION REQUIRED FOLLOWING HYDRO-DEMOLITION OF THE BRIDGE DECK. SEE "LMC OVERLAY SURFACE PREPARATION" SPECIAL PROVISIONS.

FOR SECTIONS A-A AND B-B, SEE "JOINT DETAILS" SHEET.

QUANTITIES SHOWN IN THE BILL OF MATERIAL ARE BASED ON ESTIMATED CURB AND GUTTER REMOVAL AND REPLACEMENT. REMOVE AND REPLACE DIMENSIONS SHOWN ON PLANS. CONTRACTOR SHALL FIELD VERIFY DIMENSIONS WITH THE ENGINEER AND SHALL ADJUST QUANTITIES AS NECESSARY.

EXISTING DAMAGED CURB AND GUTTER SHALL BE REMOVED AND REPLACED WITH CURB AND GUTTER IN ACCORDANCE WITH SECTION 846 OF THE STANDARD SPECIFICATIONS AND 2018 ROADWAY STANDARD DRAWING 846.01.

PROJECT NO. I-6052

MECKLENBURG COUNTY

BRIDGE NO. 590337



DEPARTMENT OF TRANSPORTATION
RALEIGH
SUPERSTRUCTURE
SURFACE PREPARATION

SURFACE PREPARATION SPANS A, B AND C

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED



MI ENGINEERING

1011 SCHAUB DRIVE, SUITE 100
RALEIGH, NC 27606
(919) 851-6606
FIRM PE NUMBER: P-0671

REVISIONS

NO. BY: DATE: NO. BY: DATE:

3 TOTAL SHEETS
2 4 108

DRAWN BY: B.E. LANNING

CHECKED BY: B.E. ATKINSON

DATE: 10/2022

DATE: 10/2022

DATE: 10/2022

DATE: 10/2022

reservation\Structures\404\_00

001.39\_I-6052\_(10) Meck

1,12,2023 9:18:37 AM User: blanning Filename: N:\NC Bri