


NEW AERIAL SPLICE ENCLOSURE
 US 401 (LOUISBURG ROAD) NORTH OF
 SR 2006 (PERRY CREEK ROAD)
 SIG. INV. # 05-1250

LEGEND

COLOR CODE TIA/EIA 598-A	X = NEW FUSION SPLICE INDIVIDUAL FIBER
(1) BLUE (7) RED	C = CAP, COIL, AND SEAL
(2) ORANGE (8) BLACK	
(3) GREEN (9) YELLOW	
(4) BROWN (10) VIOLET	
(5) SLATE (11) ROSE	
(6) WHITE (12) AQUA	

Notes:
 Unused fibers left coiled and stored in splice tray.
 Unused Buffer Tubes left coiled and stored in splice tray.



- FIVE (5) DAYS PRIOR TO BEGINNING WORK ON THE SIGNAL SYSTEM, CONTACT THE RALEIGH SIGNAL SYSTEM OFFICE, CHRIS JEFFERSON, AT (919) 996-4064 TO ARRANGE FOR THE ENGINEER TO PROGRAM THE NEW FIELD ETHERNET SWITCHES WITH THE NECESSARY NETWORK CONFIGURATION DATA, INCLUDING BUT NOT LIMITED TO: THE PROJECT IP ADDRESS, DEFAULT GATEWAY, SUBNET MASK AND VLAN ID INFORMATION. NOTIFY THE ENGINEER AFTER ALL WORK IS PERFORMED TO ENSURE THAT ALL FIBER CIRCUITS ARE FUNCTIONING PROPERLY. WORK IS NOT COMPLETE UNTIL THE SIGNAL SYSTEM IS BACK UP AND OPERATIONAL.
- CONTRACTOR TO RECORD EXISTING SPLICE ARRANGEMENT FOR COMPARISON TO THE SUPPLIED SPLICE DETAILS. IF DISCREPANCIES EXIST, CONTACT THE ENGINEER TO DETERMINE HOW TO PROCEED WITH RESPLICING. PROVIDE AS-BUILT PLANS TO THE ENGINEER IF FINAL SPLICE ARRANGEMENT DIFFERS FROM THE SUPPLIED SPLICE DETAILS.
- ETHERNET SWITCH TERMINATION CONFIGURATIONS ARE GENERIC. CONTRACTOR IS RESPONSIBLE FOR DETERMINING \ ENSURING PROPER TERMINATIONS.
- INCLUDE ON THE COVER OF EACH SPLICE TRAY THE FOLLOWING:
 REFERENCE SECTION 1731 "FIBER OPTIC SPLICE ENCLOSURE"
 1) SPLICE LOCATION
 2) DATE
 3) COMPANY NAME
 4) NAME OF INDIVIDUAL PERFORMING THE SPLICING

PRIOR TO INSTALLING THE COVER ON THE SPLICE TRAY TAKE A DIGITAL PHOTOGRAPH SHOWING THE SPLICE TRAY AND INFORMATION SHOWN ABOVE (1-4) AND SUBMIT PHOTOGRAPH ALONG WITH OTDR TEST RESULTS.

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

 250 N. Greenfield Place, Garner, NC 27529 NC Firm License No.: F-0342 5438 Wade Park Boulevard Suite 200 Raleigh, NC 27607 Phone: 919-461-1100	Prepared for the Offices of: Post-Let Raleigh Signal System Splice Details		SEAL H. M. Surti ENGINEER 1/24/2023
	Division 5 Wake County Raleigh PLAN DATE: Jan 2023 REVIEWED BY: H.M. Surti PREPARED BY: A. Raviipati REVIEWED BY:		
SCALE 0 NA N.T.S.	REVISIONS _____ _____	INIT. DATE _____ _____	DocuSigned by: H. M. Surti 1/24/2023 CADD File Name:

1/24/2023 10:45:11 AM ***AECOM-nc-pw-bentl\ey.com-AECOM.DS21_NA_2020\Documents\60609754-U-5748_L1.dgn M:\1\4000-CAD 6154910-CAD\70-NCDDT-TIP\TR-off\c451\gna1\splic\gna1\splic_15_POST.dgn