


6/2/2023

PAVEMENT SCHEDULE	
C1	PROP. APPROX. 1 1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C
C2	PROP. APPROX. 3" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C
D1	PROP. APPROX. 4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0C
E1	PROP. APPROX. 4" ASPHALT CONCRETE BASE COURSE, TYPE B25.0C
R1	2'-6" CONCRETE CURB AND GUTTER.
R3	5" MONOLITHIC CONCRETE ISLAND (KEYED IN)
T	EARTH MATERIAL.
U	EXISTING PAVEMENT.
V	MILLING EXISTING PAVEMENT, SEE THIS SHEET FOR DETAIL
W	WEDGING EXISTING PAVEMENT, SEE SHEET 2A-1 FOR DETAILS
Y1	4" CONCRETE WITH WELDED WIRE MESH


PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE.



TYPICAL SECTION NO. 4


USE TYPICAL SECTION NO. 4

*	STA. TO STA.
24'-0"	-Y- 21+27.71 TO -Y- STA. 23+08.00 LT
24'-0" TO 14'-7"	-Y- 23+08.00 TO -Y- STA. 25+58.84 LT
12'-0"	-Y- 21+27.71 TO -Y- STA. 25+06.06 RT




TYPICAL SECTION NO. 5

USE TYPICAL SECTION NO. 5
-Y- STA. 26+28.00 TO -Y- STA. 26+78.00 LT



TYPICAL SECTION NO. 6

USE TYPICAL SECTION NO. 6
-SVC- STA. 10+55.00 TO -SVC- STA. 12+02.51
-SVC- STA. 12+40.66 TO -SVC- STA. 15+10.00



NOTE: MIRROR FOR END OF CONSTRUCTION

USE MILLING DETAIL

-L- STA. 19+46.00 TO -L- STA. 19+96.00
-L- STA. 29+50.00 TO -L- STA. 30+00.00
-Y- STA. 11+00.00 TO -Y- STA. 11+50.00
-Y- STA. 25+78.00 TO -Y- STA. 26+28.00

PROJECT REFERENCE NO. U-5775	SHEET NO. 2A-2
ROADWAY DESIGN ENGINEER 	PAVEMENT DESIGN ENGINEER
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	
 TGS ENGINEERS 201 W. MARION ST. STE 200 SHELBY, NC 28150 PH (704) 476-0003 CORP. LICENSE NO.: C-0275	

5:\N\6067\U-5775\Roadway\Proj\U-5775_Rdy_tjy.dgn
 User: tjy