

SHEET NO TMP - 1

TMP-1A

TMP-1B TMP-3



TRAFFIC LANE SHOU WEEK WOR

CONTRACT INTE



TITLE SHEET, VICINITY MAP, INDEX OF SHEETS AND MANAGEMENT STRATEGIES LIST OF APPLICABLE ROADWAY STANDARD DRAWINGS AND LEGEND GENERAL NOTES PHASING	SHEET NO. TMP-1
D. <u>TITLE</u> TITLE SHEET, VICINITY MAP, INDEX OF SHEETS AND MANAGEMENT STRATEGIES LIST OF APPLICABLE ROADWAY STANDARD DRAWINGS AND LEGEND GENERAL NOTES PHASING MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	TMP-1
TITLE SHEET, VICINITY MAP, INDEX OF SHEETS AND MANAGEMENT STRATEGIES LIST OF APPLICABLE ROADWAY STANDARD DRAWINGS AND LEGEND GENERAL NOTES PHASING MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
MANAGEMENT STRATEGIES LIST OF APPLICABLE ROADWAY STANDARD DRAWINGS AND LEGEND GENERAL NOTES PHASING MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
AND LEGEND GENERAL NOTES	
PHASING <b>EXAMPLE 1</b> A STATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
<b>VAGEMENT STRATEGIES:</b> E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
MANAGEMENT STRATEGIES: E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
E SHIFTS OR CLOSURES ULDER CLOSURES KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
KEND WORK K HOUR RESTRICTIONS FOR PEAK TRAVEL ING & INNOVATIVE CONTRUCTION STRATEGIES:	
ING & INNOVATIVE CONTRUCTION STRATEGIES:	
	0011
	0 0
	•
	C
	E
	$\mathbf{O}$
	<b>N</b>
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	•
APPROVED: Benjamin a. White 68F776221617443	
DATE: 9/6/2023   DATE: 9/6/2023   DATE: 9/6/2023   DATE: 9/6/2023   SEAL 044594   NG INE F. NG INE F.	

# ROADWAY STANDARD DRAWI

THE FOLLOWING ROADWAY STANDARDS AS SHOWN IN "ROADWAY STANDARD DRA N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSID A PART OF THESE PLANS:

STD. NO.


TITLE

1101.01	WORK ZONE WARNING SIGNS
1101.02	TEMPORARY LANE CLOSURES
1101.04	TEMPORARY SHOULDER CLOSURES
1101.05	WORK ZONE VEHICLE ACCESSES
1101.11	TRAFFIC CONTROL DESIGN TABLES
1110.01	STATIONARY WORK ZONE SIGNS
1110.02	PORTABLE WORK ZONE SIGNS
1115.01	FLASHING ARROW BOARDS
1130.01	DRUMS
1145.01	BARRICADES
1165.01	TRUCK MOUNTED ATTENUATOR
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSET
1205.02	PAVEMENT MARKINGS - TWO LANE AND MULTILAN
1205.04	PAVEMENT MARKINGS - INTERSECTIONS
1205.05	PAVEMENT MARKINGS - TURN LANES
1205.08	PAVEMENT MARKINGS - SYMBOLS AND WORD MESS
1205.09	PAVEMENT MARKINGS - PAINTED ISLANDS
1205.15	PAVEMENT MARKINGS - SUPERSTREETS
1250.01	RAISED PAVEMENT MARKERS - INSTALLATION SP
1251.01	RAISED PAVEMENT MARKERS - (PERMANENT AND

INGS	LEGEND
AWINGS" -    2018	GENERAL
DERED	DIRECTION OF TRAFFIC FLOW
	DIRECTION OF PEDESTRIAN TRAFFIC FLOW
	NORTH ARROW
	PROPOSED PVMT.
	TEMP. SHORING (LOCATION PURPOSES ONLY)
	WORK AREA
	REMOVAL
TS ANE ROADWAYS	USER DEFINED (IF NEEDED)
SAGES	USER DEFINED (IF NEEDED)
SPACING	SIGNALS
) TEMPORARY)	$ \begin{array}{c} \textcircled{0}\\ \textcircled{0}\\ \textcircled{0}\\ \end{array} \end{array} = \begin{array}{c} \textcircled{0}\\ \textcircled{0}\\ \end{array} \end{array} + \begin{array}{c} \textcircled{0}\\ \textcircled{0}\\ \textcircled{0}\\ \end{array} \end{array} + \begin{array}{c} \textcircled{0}\\ \textcircled{0}\\ \textcircled{0}\\ \end{array} + \begin{array}{c} \textcircled{0}\\ \textcircled{0}\\ \end{matrix} + \begin{array}{c} \textcircled{0}\\ \end{matrix} + \begin{array}{c} \textcircled{0}\\ \textcircled{0}\\ \end{matrix} + \begin{array}{c} \textcircled{0}\\ \end{matrix} + \begin{array}{c} \textcircled{0}\\ \textcircled{0}\\ \end{matrix} + \begin{array}{c} \textcircled{0}\\ \end{matrix} + \begin{array}{c} \textcircled{0}\\ \textcircled{0}\\ \end{matrix} + \begin{array}{c} \end{array} + \begin{array}{c} \textcircled{0}\\ \end{matrix} + \begin{array}{c} \textcircled{0}\\ \end{matrix} + \begin{array}{c} \end{array} + \begin{array}{c} \end{array} + \begin{array}{c} \textcircled{0}\\ \end{array} + \begin{array}{c} \end{array} + \begin{array}{c} \textcircled{0}\\ \end{array} + \begin{array}{c} \end{array} + \begin{array}{c} \textcircled{0}\\ \end{array} + \begin{array}{c} \end{array} + \end{array} + \begin{array}{c} \end{array} + \begin{array}{c} \end{array} + \begin{array}{c} \end{array} + \begin{array}{c} \end{array} + \end{array}{} \end{array} + \begin{array}{c} \end{array} + \begin{array}{c} \end{array} + \begin{array}{c} \end{array} + \end{array}{} \end{array} + \begin{array}{c} \end{array} + \begin{array}{c} \end{array} + \end{array}{} \end{array} + \begin{array}{c} \end{array} + \end{array}{} + \begin{array}{c} \end{array} + \begin{array}{c} \end{array} + \end{array}{} + \end{array}{} + \end{array}{} + \begin{array}{c} \end{array} + \end{array}{} +$
	PAVEMENT MARKINGS
	EXISTING LINES
	TEMPORARY LINES
	TEMPORARY PAVEMENT I
	DocuSigned by:
	APPROVED: Benjamin a. White 68F776221617443
	DATE: 9/6/2023 SEAL SEAL
	SEAL SEAL
	GANNETT One Glenwood Avenue Suite 900 Raleigh, NC 27603 919-420-7660 DOCUMENT NOT CONSIDERED
	<b>CLIC. No. F-0270</b> UNLESS ALL SIGNATURES CON

	PROJ. REFERENCE	
	HE-0011	TMP-1A
TRAFF	IC CONTROL DEVICES	
	BARRICADE (TYPE III)	
	CONE	
	DRUM () SKINNY DRUM () TUBULAR MARKE	ER
-~~	TEMPORARY CRASH CUSHION	
	FLASHING ARROW BOARD	
	FLAGGER	
	LAW ENFORCEMENT	
	TRUCK MOUNTED ATTENUATOR (TMA)	
	CHANGEABLE MESSAGE SIGN	
TEMPO	RARY SIGNING	
	ABLE SIGN	
⊢ STAT	IONARY SIGN	
b stat	IONARY OR PORTABLE SIGN	
PAVEM	ENT MARKERS	
CRY	STAL/CRYSTAL	
CRY	STAL/RED	
YEL	LOW/YELLOW	
	ENT MARKING SYMBOLS	
1441	PAVEMENT MARKING SYMBOLS	

MARKING



## ROADWAY STANDARD DRAWINGS & LEGEND

# GENERAL NOTES

CHANGES MAY BE REQUIRED WHEN PHYSICAL DIMENSIONS IN THE DETAIL DRAWINGS, STANDARD DETAILS, AND ROADWAY DETAILS ARE NOT ATTAINABLE TO MEET FIELD CONDITIONS OR RESULT IN DUPLICATE OR UNDESIRED OVERLAPPING OF DEVICES. MODIFICATION MAY INCLUDE: MOVING, SUPPLEMENTING, COVERING, OR REMOVAL OF DEVICES AS DIRECTED BY THE ENGINEER.

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT EXCEPT WHEN OTHERWISE NOTED IN THE PLAN OR DIRECTED BY THE ENGINEER.

#### TIME RESTRICTIONS

A) DO NOT CLOSE OR NARROW TRAVEL LANES AS FOLLOWS:

ROAD NAME

DAY AND TIME RESTRICTIONS

US 64 (-L-)

MONDAY THRU FRIDAY 6:00 A.M. TO 9:00 A.M.

4:00 P.M. TO 6:00 P.M.

B) DO NOT CLOSE OR NARROW TRAVEL LANES DURING HOLIDAYS AND SPECIAL EVENTS AS FOLLOWS:

#### ROAD NAME

US 64 (-L-)

### HOLIDAY

- 1. FOR ANY UNEXPECTED OCCURRENCE THAT CREATES UNUSUALLY HIGH TRAFFIC VOLUMES, AS DIRECTED BY THE ENGINEER.
- 2. FOR NEW YEAR'S, BETWEEN THE HOURS OF 6:00 A.M. DECEMBER 31st TO 7:00 P.M. JANUARY 2ND. IF NEW YEAR'S DAY IS ON A FRIDAY. SATURDAY. SUNDAY. OR MONDAY THEN UNTIL 7:00 P.M. THE FOLLOWING TUESDAY.
- 3. FOR EASTER, BETWEEN THE HOURS OF 6:00 A.M. THURSDAY AND 7:00 P.M. MONDAY.
- 4. FOR MEMORIAL DAY, BETWEEN THE HOURS OF 6:00 A.M. FRIDAY TO 7:00 P.M. TUESDAY.
- 5. FOR INDEPENDENCE DAY, BETWEEN THE HOURS OF 6:00 A.M. THE DAY BEFORE INDEPENDENCE DAY AND 7:00 P.M. THE DAY AFTER INDEPENDENCE DAY.

IF INDEPENDENCE DAY IS ON A FRIDAY, SATURDAY, SUNDAY OR MONDAY THEN BETWEEN THE HOURS OF 6:00 A.M. THE THURSDAY BEFORE INDEPENDENCE DAY AND 7:00 P.M. THE TUESDAY AFTER INDEPENDENCE DAY.

- 6. FOR LABOR DAY, BETWEEN THE HOURS OF 6:00 A.M. FRIDAY AND 7:00 P.M. TUESDAY.
- 7. FOR THANKSGIVING DAY, BETWEEN THE HOURS OF 6:00 A.M. TUESDAY TO 7:00 P.M. MONDAY.
- 8. FOR CHRISTMAS, BETWEEN THE HOURS OF 6:00 A.M. THE FRIDAY BEFORE THE WEEK OF CHRISTMAS DAY AND 7:00 P.M. THE FOLLOWING TUESDAY AFTER THE WEEK OF CHRISTMAS.

LANE AND SHOULDER CLOSURE REQUIREMENTS

- C) REMOVE LANE CLOSURE DEVICES FROM THE LANE WHEN WORK IS NOT BEING PERFORMED BEHIND THE LANE CLOSURE OR WHEN A LANE CLOSURE IS NO LONGER NEEDED OR AS DIRECTED BY THE ENGINEER.
- D) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING WITHIN 15 FT OF AN OPEN TRAVEL LANE, CLOSE THE NEAREST OPEN SHOULDER USING ROADWAY STANDARD DRAWING NO. 1101.04 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL OR A LANE CLOSURE IS INSTALLED.

- E) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING ON THE SHOULDER ADJACENT TO AN UNDIVIDED FACILITY AND WITHIN 5 FT OF AN OPEN TRAVEL LANE, CLOSE THE NEAREST OPEN TRAVEL LANE USING ROADWAY STANDARD DRAWING NO. 1101.02 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL.
- WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING ON THE SHOULDER ADJACENT TO A DIVIDED FACILITY AND WITHIN 10 FT OF AN OPEN TRAVEL LANE, CLOSE THE NEAREST OPEN TRAVEL LANE USING ROADWAY STANDARD DRAWING NO. 1101.02 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL.
  - F) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING WITHIN A LANE OF TRAVEL OF AN UNDIVIDED OR DIVIDED FACILITY, CLOSE THE LANE ACCORDING TO THE TRAFFIC CONTROL PLANS, ROADWAY STANDARD DRAWINGS, OR AS DIRECTED BY THE ENGINEER. CONDUCT THE WORK SO THAT ALL PERSONNEL AND/OR EQUIPMENT REMAIN WITHIN THE CLOSED TRAVEL LANE.
- G) DO NOT WORK SIMULTANEOUSLY WITHIN 15 FT ON BOTH SIDES OF AN OPEN TRAVELWAY, RAMP, OR LOOP WITHIN THE SAME LOCATION UNLESS PROTECTED WITH GUARDRAIL OR BARRIER.

### PAVEMENT EDGE DROP OFF REQUIREMENTS

H) BACKFILL AT A 6:1 SLOPE UP TO THE EDGE AND ELEVATION OF EXISTING PAVEMENT IN AREAS ADJACENT TO AN OPENED TRAVEL LANE THAT HAS AN EDGE OF PAVEMENT DROP-OFF AS FOLLOWS:

BACKFILL DROP-OFFS THAT EXCEED 2 INCHES ON ROADWAYS WITH POSTED SPEED LIMITS OF 45 MPH OR GREATER.

BACKFILL DROP-OFFS THAT EXCEED 3 INCHES ON ROADWAYS WITH POSTED SPEED LIMITS LESS THAN 45 MPH.

> BACKFILL WITH SUITABLE COMPACTED MATERIAL, AS APPROVED BY THE ENGINEER, AT NO EXPENSE TO THE DEPARTMENT.

I) DO NOT EXCEED A DIFFERENCE OF 2 INCHES IN ELEVATION BETWEEN OPEN LANES OF TRAFFIC FOR NOMINAL LIFTS OF 1.5 INCHES. INSTALL ADVANCE WARNING "UNEVEN LANES" SIGNS (W8-11) IN ADVANCE AND A MINIMUM OF EVERY HALF MILE THROUGHOUT THE UNEVEN AREA.

#### TRAFFIC PATTERN ALTERATIONS

J) NOTIFY THE ENGINEER THIRTY (30) CALENDAR DAYS PRIOR TO ANY TRAFFIC PATTERN ALTERATION.

#### SIGNING

- K) INSTALL ADVANCE WORK ZONE WARNING SIGNS WHEN WORK IS WITHIN 40 FT FROM THE EDGE OF TRAVEL LANE AND NO MORE THAN THREE (3) DAYS PRIOR TO THE BEGINNING OF CONSTRUCTION.
- L) ENSURE ALL NECESSARY SIGNING IS IN PLACE PRIOR TO ALTERING ANY TRAFFIC PATTERN.

### TRAFFIC CONTROL DEVICES

M) WHEN LANE CLOSURES ARE NOT IN EFFECT SPACE CHANNELIZING DEVICES IN WORK AREAS NO GREATER IN FEET THAN TWICE THE POSTED SPEED LIMIT (MPH) EXCEPT. 10 FT ON-CENTER IN RADII, AND 3 FT OFF THE EDGE OF AN OPEN TRAVELWAY. REFER TO STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES SECTIONS 1130 (DRUMS), 1135 (CONES) AND 1180 (SKINNY DRUMS) FOR ADDITIONAL REQUIREMENTS.

APPROVED:	DocuSigned by: Berjamin a. White 68F776221617443	
DATE:	9/6/2023	— (1111)
	SEAL	Munnum BET
	MENT NOT C	



### PAVEMENT MARKINGS AND MARKERS

- LINES.

P) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS AND MARKERS BY THE END OF EACH DAY'S OPERATION.


LOCAL NOTES

ONCE THE PROPOSED CAROLINA CORE PARKWAY (-Y1-) AND THE U-TURN AND BULB OUT FOR WB US 64 TRAFFIC TO EB US 64 HAVE BEEN CONSTRUCTED AND ARE READY FOR TRAFFIC, COORDINATE WITH WOLFSPEED SITE CONTRACTOR TO INITIATE REMOVAL OF TEMPORARY MEDIAN TURN-AROUND AND BULB-OUT AND PREPARE FOR CONSTRUCTION OF REMAINDER OF REDUCED CONFLICT INTERSECTION.

PROJ. REFERENCE NO. SHEET NO.	PROJ. REFERENCE NO.	PROJ. R
HE-0011 TMP-1B	HE-0011	Н

N) PLACE ONE APPLICATION OF PAINT FOR TEMPORARY TRAFFIC PATTERNS. PLACE A SECOND APPLICATION OF PAINT SIX (6) MONTHS AFTER THE INITIAL APPLICATION AND EVERY SIX MONTHS AS DIRECTED BY THE ENGINEER.

0) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING



5 ////2023 w:\\gfn

\_\_\_\_\_

# PHASING

NOTE: BEFORE BEGINNING CONSTRUCTION, THE CONTRACTOR SHALL PLACE ADVANCE WORK ZONE WARNING SIGNS ALONG US 64. SEE ROADWAY STANDARD DRAWING 1101.01, SHEET 2 OF 3.

FOR INSTALLATION OF LANE CLOSURES ALONG US 64, USE ROADWAY STANDARD DRAWING 1101.02, SHEET 3 OF 14.

## PHASE I

- STEP 1: CONSTRUCT CAROLINA CORE PARKWAY (-Y1-). INSTALL LANE CLOSURES ALONG US 64 AS NECESSARY TO COMPLETE TIE-IN.
- STEP 2: INSTALL LANE CLOSURES AND CONSTRUCT PROPOSED U-TURN AND BULBOUT FOR WB US 64 TRAFFIC TO EB US 64.

## PHASE II

NOTE: ONCE U-TURN AND BULB OUT FROM PHASE 1, STEP 2 HAVE BEEN CONSTRUCTED, COORDINATE WITH WOLFSPEED SITE CONTRACTOR TO DIRECT TEMPORARY SITE TRAFFIC ONTO PROPOSED TURNAROUND AND PREPARE FOR CONSTRUCTION OF REMAINDER OF PROPOSED REDUCED CONFLICT INTERSECTION.

- STEP 1: USING LANE CLOSURES, CONSTRUCT REMAINDER OF REDUCED CONFLICT INTERSECTION AND OPEN TO TRAFFIC.
- STEP 2: USING LANE CLOSURES, COMPLETE ANY REMAINING PAVEMENT OVERLAY WORK ALONG US 64 AND INSTALL FINAL PAVEMENT MARKINGS AND MARKERS.





TH CARO	ON OF HIGH		
SEAL 044594 WO INE WO R F COMPLETED	ALL OF TRANSPORCO	PHASIN	G

PROJ. REFERENCE NO.

HE-0011

SHEET NO.

TMP-3