PROJECT REFERENCE NO. SHEET NO. 2024CPT.05.03.10321.1, etc. 33 DETECTABLE WARNING SURFACE (SEE RDWY. STD. 848.05) PAY LIMITS FOR 2 OR 3 CURB RAMPS (CALCULATE BASED ON NUMBER OF SETS OF TRUNCATED DOMES) **MONOLITHIC** 90^ CONCRETE ISLAND 90^ EXPANSION JOINT -7'-0" MIN DIAMETER LANDING 5**'-0''** MIN (TYP) TRIANGULAR ISLANDS MAY BE CONSTRUCTED WITH ONLY 2 POINTS OF ENTRY AND EXIT AS SHOWN IN THE ROADWAY PLANS OR AS DIRECTED BY THE ENGINEER. TRIANGULAR ISLAND WITH CUT THROUGH TYPE 6 MONOLITHIC CONCRETE ISLAND (SEE STANDARD 852.01) -PAVEMENT-Shared Landing /-5:|SLOPE-EXPANSION JOINT (BOTH SIDES) DETECTABLE WARNING SURFACE - (SEE RDWY. STD. 848,05) DETECTABLE WARNING SURFACE — (SEE RDWY. STD. 848.05) MEDIAN ISLAND CURB RAMPS DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED TYPE 8 CONTRACT STANDARDS AND DEVELOPMENT UNIT Office 919-707-6950 FAX 919-250-4119 EXPANSION JOINT MEDIAN ISLAND (BOTH SIDES) **CURB RAMPS** WITH CUT THROUGH

TYPE 7

Median or Turn Lane Islands

ORIGINAL BY: J.S. HOWERTON DATE: 7/7/11

MODIFIED BY: DATE: DATE: DATE: FILE SPEC. stds/2012CurbRamp/CurbRampDetails.dgn