



-L-		-DRIO-		-DRII-	
PI Sta 90+43.98	PI Sta 95+11.13	PI Sta 97+69.79	PI Sta 11+73.39	PI Sta 11+23.42	PI Sta 11+23.42
$\Delta = 2^\circ 47' 40.83''$ (RT)	$\Delta = 5^\circ 4' 00.1''$ (LT)	$\Delta = 4^\circ 48' 49.0''$ (RT)	$\Delta = 10^\circ 15' 03.7''$ (LT)	$\Delta = 14^\circ 52' 01.7''$ (RT)	$\Delta = 14^\circ 52' 01.7''$ (RT)
D = 0' 25' 03.9"	D = 1' 54' 35.49"	D = 1' 54' 35.49"	D = 14' 19' 26.2"	D = 28' 57' 18.1"	D = 28' 57' 18.1"
L = 668.97'	L = 265.30'	L = 252.04'	L = 71.57'	L = 51.35'	L = 51.35'
T = 334.55'	T = 132.73'	T = 126.09'	T = 35.88'	T = 26.09'	T = 26.09'
R = 13,715.00'	R = 3,000.00'	R = 3,000.00'	R = 400.00'	R = 200.00'	R = 200.00'
SE = 0.02	SE = 0.05	SE = 0.05	SE = 0.02	SE = 0.02	SE = 0.02
RO = 70'	RO = 140'	RO = 140'	DS = 15 MPH	DS = 15 MPH	DS = 15 MPH
DS = 60 MPH	DS = 60 MPH	DS = 60 MPH			



CLEARING AND GRUBBING  
EROSION CONTROL FOR  
CONSTRUCTION SHEET 10

NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.



NOTE: ALL DRIVES ARE 16' WIDE WITH 10' RADII UNLESS OTHERWISE NOTED.

FOR -L- PROFILE SEE SHTS. 24 & 25  
 FOR -DRIO- PROFILE SEE SHT. 35  
 FOR -DRII- PROFILE SEE SHT. 35  
 FOR DITCH DETAILS SEE SHT. 2D-1 & 2D-2  
 FOR REINFORCED SOIL SLOPE DETAILS SEE SHTS. 2G-1 & 2G-2

8.17.19  
 R:\Projects\19s\CADD\PSH\Erosion\_Control\R5861\_EC\_psh10.dgn  
 15/08/2023