



SPI DATA-L LT-
Pls 20+90.24
θs = 03°27'05.6"
Ls = 200
LT = 133.36
ST = 66.69

SPI DATA-L RT-
Pls 19+81.70
θs = 03°45'25.6"
Ls = 200
LT = 133.36
ST = 66.69

SPI DATA-L RT-
Pls 27+29.91
θs = 03°16'26.6"
Ls = 200
LT = 133.36
ST = 66.69

SPREAD ANALYSIS
DA = 0.30 Ac
I = 4.0 in/hr
C = 0.9
Q = 1.1 cfs
LONGITUDINAL SLOPE = 0.004 ft/ft
CROSS SLOPE = 0.02 ft/ft
SHOULDER WIDTH = 10 FT.
SPREAD = 8.6 FT.
*OCCURS AT APPROACH SLAB -L-LT- STA. 23+24
NO DECK DRAINS REQUIRED

FOR -L-LT- PROFILE SEE SHEET 9
FOR -L-RT- PROFILE SEE SHEET 9
FOR -DETOUR- SEE SHEET 2B-2
FOR -DETOUR- SEE SHEET 2B-3
FOR INSET DETAIL -L-LT- FROM STA. 22+24 TO STA. 28+00 SEE SHEET 2B-7

REVISIONS

COUNTRY CLUB REAL ESTATE OF WNC, INC. DB 95 PG 697

LAKE JUNALUSKA ASSEMBLY, INC DB 34 PG 476

PARCEL 11 SHALL BE PURCHASED UNDER TIP B-3186

PARCEL 11 SHALL BE PURCHASED UNDER TIP B-3186

APPROXIMATE LOCATION OF SEWER LINE PER HAND DRAWN REFERENCE FROM CITY OF WAYNESVILLE

APPROXIMATE LOCATION OF SEWER LINE PER HAND DRAWN REFERENCE FROM CITY OF WAYNESVILLE

MATCH LINE -Y1 RT- STA 15+37.29 SEE SHEET 06

MATCH LINE -L LT- STA 14+00.00 SEE SHEET 04

MATCH LINE -L-LT- STA 28+00.00 SEE SHEET 06