


5/14/23

PAVEMENT SCHEDULE	
C1	3" S9.5B
C2	VAR. S9.5B
C3	1.5" S9.5B
D1	4" I19.0C
D2	VAR. I19.0C
E1	4" B25.0C
E2	VAR. B25.0C
K	12" CLASS IV STAB.
N	GEOTEXTILE
R	GRANITE CURB
R1	2'-6" CURB & GUTTER
R2	1'-6" CURB & GUTTER
R3	5" MONO. ISLAND
S	4" CONCRETE SIDEWALK
T	EARTH MATERIAL
U	EXISTING PAVEMENT
V1	1.5" MILLING
V2	INCIDENTAL MILLING
W1	SEE WEDGING DETAIL 1
W2	SEE WEDGING DETAIL 2



PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE

N|V|5
 NV5 ENGINEERS & CONSULTANTS, INC.
 7500 E. INDEPENDENCE BLVD, STE 100
 CHARLOTTE, NC 28227
 P: 704.537.7300 www.NV5.com
 NC License # F-1333
 formerly CALYX Engineers & Consultants

PROJECT REFERENCE NO. U-5839	SHEET NO. 2A-5
RW SHEET NO.	
ROADWAY DESIGN ENGINEER 5/9/2023	PAVEMENT DESIGN ENGINEER 5/9/2023
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	





USE TYPICAL SECTION NO. 10
 -Y7- STA. 15+00.00 TO STA. 16+00.87





USE TYPICAL SECTION NO. 11
 -Y8- STA. 10+20.00 TO STA. 10+75.00
 -Y15- STA. 11+26.00 TO STA. 11+74.00
 -Y16- STA. 15+95.00 TO STA. 16+68.20

NOTES:
 SEE DETAIL J ON SHEET 2A-3



USE TYPICAL SECTION NO. 12
 -Y9- STA. 11+30.00 TO STA. 16+36.62
 * USE 2' VALLEY GUTTER ON -Y9- STA. 11+52.70 TO STA. 12+43.57 RT
 STA. 11+50.00 TO STA. 12+92.00 LT
 ** 10' BERM STA. 14+57.17 TO STA. 16+36.62

NOTES:
 SEE DETAIL G ON SHEET 2A-3



USE TYPICAL SECTION NO. 13
 -Y10- STA. 10+37.92 TO STA. 13+84.00

4/27/2023 11:58:39 AM U:\5839.RDY_PSH_TYP.dgn