INDEX OF SHEETS

TITLE SHEET 1 A

INDEX OF SHEETS, GENERAL NOTES, AND STANDARD DETAILS

PLAN SHEET

PROFILE SHEET

SIGNING PLANS

CROSS SECTIONS

STRUCTURE PLANS

RIGHT OF WAY PLANS

UTILITY BY OTHERS

EROSION CONTROL PLANS

TRAFFIC MANAGEMENT PLANS

PAVEMENT MARKING PLANS

CROSS SECTION SUMMARY

CONVENTIONAL SYMBOLS

ROADWAY SUMMARY SHEETS

DRAINAGE SUMMARY SHEETS

GEOTECH SUMMARY SHEETS

PAVEMENT SCHEDULE AND TYPICAL SECTIONS

INDEX OF SHEETS, GENERAL NOTES, AND STANDARD DRAWINGS

PROJECT REFERENCE NO. SHEET NO. B-6046 /Α

ROADWAY DESIGN **ENGINEER**

ST. FESSION 14 ^{'Q`}SEAL['] 039183 11/3/2023

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

ICE of Carolinas, PLLC 4505 Falls of Neuse Road, Suite 1 Raleigh, North Carolina 27609 Phone: 803-822-0333

EFF. 01-16-2024 REV.

2024 ROADWAY ENGLISH STANDARD DRAWINGS

The following Roadway Standards as appear in "Roadway Standard Drawings" Highway Design Branch -N. C. Department of Transportation - Raleigh, N. C., Dated January, 2024 are applicable to this project and by reference hereby are considered a part of these plans:

STD.NO. TITLE DIVISION 2 - EARTHWORK Method of Clearing - Method II Guide for Grading Subgrade - Secondary and Local Method of Obtaining Superelevation - Two Lane Pavement Method of Grading Sight Distance at Intersections DIVISION 3 - PIPE CULVERTS 300.01 Method of Pipe Installation 310.03 Cross Pipe End Section DIVISION 4 - MAJOR STRUCTURES 423.01 Bridge Approach Fills - Type 1 Approach Fill For Bridge Abutment DIVISION 5 - SUBGRADE, BASES AND SHOULDERS 560.01 Method of Shoulder Construction - High Side of Superelevated Curve - Method I DIVISION 6 - ASPHALT BASES AND PAVEMENTS 654.01 Pavement Repairs DIVISION 8 - INCIDENTALS 815.02 Subsurface Drain Concrete Base Pad For Drainage Structures 840.00 Concrete Grated Drop Inlet Type 'B' - 12" thru 36" Pipe 840.18 840.24 Frames and Narrow Slot Sag Grates Brick Grated Drop Inlet Type 'B' - 12" thru 36" Pipe 840.27 Frames and Narrow Slot Flat Grates 840.29 Traffic Bearing Grated Drop Inlet - for Cast Iron Double Frame and Grates 840.35 Precast Drainage Structure 840.45 Drainage Structure Steps 840.66 Concrete Curb, Gutter and Curb & Gutter 846.01 846.04 Drop Inlet Installation in Shoulder Berm Gutter 862.01 Guardrail Placement 862.02 Guardrail Installation 862.03 Structure Anchor Units Rip Rap In Channels and Ditches 876.01 Guide for Rip Rap at Pipe Outlets 876.02 Drainage Ditches with Class 'B' Rip Rap 876.04

GENERAL NOTES:

X-1 THRU X-11

S-1 THRU S-26

RW01 THRU RW04

EC-1 THRU EC-5

UO-1 THRU UO-3

SIGN-1 THRU SIGN-3

TMP-1 THRU TMP-3A

PMP-1 THRU PMP-2

1 B

2A-1

3B - 1

3D - 1

3G - 1

X-1A

2024 SPECIFICATIONS EFFECTIVE: 01-16-2024 REVISED:

GRADING AND SURFACING OR RESURFACING AND WIDENING:

THE GRADE LINES SHOWN DENOTE THE FINISHED ELEVATION OF THE PROPOSED SURFACING AT GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. WHERE NO GRADE LINES ARE SHOWN, THE PROFILES SHOWN DENOTE THE TOP ELEVATION OF THE EXISTING PAVEMENT ALONG THE CENTER LINE OF SURVEY ON WHICH THE PROPOSED RESURFACING WILL BE PLACED. GRADE LINES MAY BE ADJUSTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

CLEARING:

CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY METHOD II.

SUPERELEVATION:

ALL CURVES ON THIS PROJECT SHALL BE SUPERELEVATED IN ACCORDANCE WITH STD. NOS. 225.04 USING THE RATE OF SUPERELEVATION AND RUNOFF SHOWN ON THE PLANS. SUPERELEVATION IS TO BE REVOLVED ABOUT THE GRADE POINTS SHOWN ON THE TYPICAL SECTIONS.

SHOULDER CONSTRUCTION:

ASPHALT, EARTH, AND CONCRETE SHOULDER CONSTRUCTION ON THE HIGH SIDE OF SUPERELEVATED CURVES SHALL BE IN ACCORDANCE WITH STD, NO. 560.01

SIDE ROADS:

THE CONTRACTOR WILL BE REQUIRED TO DO ALL NECESSARY WORK TO PROVIDE SUITABLE CONNECTIONS WITH ALL ROADS, STREETS, AND DRIVES ENTERING THIS PROJECT. THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE FOR THE PARTICULAR ITEMS INVOLVED.

SUBSURFACE DRAINS:

SUBSURFACE DRAINS SHALL BE CONSTRUCTED IN ACCORDANCE WITH STD. NO. 815.02 AT LOCATIONS DIRECTED BY THE ENGINEER.

GUARDRAIL:

THE GUARDRAIL LOCATIONS SHOWN ON THE PLANS MAY BE ADJUSTED DURING CONSTRUCTION AS DIRECTED BY THE ENGINEER. THE CONTRACTOR SHOULD CONSULT WITH THE ENGINEER PRIOR TO ORDERING GUARDRAIL MATERIAL.

TEMPORARY SHORING:

SHORING REQUIRED FOR THE MAINTENANCE OF TRAFFIC WILL BE PAID FOR AS "EXTRA WORK" IN ACCORDANCE WITH SECTION 104-7.

END BENTS:

THE ENGINEER SHALL CHECK THE STRUCTURE END BENT PLANS, DETAILS, AND CROSS-SECTION PRIOR TO SETTING OF THE SLOPE STAKES FOR THE EMBANKMENT OR EXCAVATION APPROACHING A BRIDGE.

UTILITIES:

UTILITY OWNERS ON THIS PROJECT ARE PEIDMONT NATURAL GAS COMPANY. ANY RELOCATION OF EXISTING UTILITIES WILL BE ACCOMPLISHED BY OTHERS.

RIGHT-OF-WAY:

ALL RIGHT-OF-WAY MARKERS ON THIS PROJECT SHALL BE PLACED BY OTHERS.