

APPROACH SLAB 2

AS-BUILT REPAIR QUANTITY TABLE

APPROACH SLAB 2				
	ESTIMATE		ACTUAL	
SCARIFYING BRIDGE DECK	104.0	SY		
CLASS II SURFACE PREPARATION	6.0	SY		
CONCRETE DECK REPAIR FOR PC OVERLAY	6.0	SY		
SHOTBLASTING BRIDGE DECK	104.0	SY		
POLYMER CONCRETE MATERIALS	5.0	CY		
PLACING AND FINISHING PC OVERLAY	104	SY		
GROOVING BRIDGE FLOORS	864	SF		
SURFACE PREP. FOR CONCRETE BARRIER	30.0	SF		
SILANE BARRIER RAIL TREATMENT	30.0	SF		
CONCRETE REPAIRS	ESTIMATE		ACTUAL	
	AREA SF.	VOLUME CF	AREA SF.	VOLUME CF
CONCRETE CURB AND RAIL	0.0	0.0		

NOTES:

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE BASED ON THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER WILL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATIONS AND DESCRIPTION OF THE REPAIRS AND ENTER THE ACTUAL QUANTITIES INTO THE AS-BUILT REPAIR QUANTITY TABLE.

FOR SECTION A-A, SEE "JOINT DETAILS" SHEETS.

FOR SCARIFYING BRIDGE DECK, SHOTBLASTING BRIDGE AND CLASS II SURFACE PREPARATION, SEE OVERLAY SURFACE PREPARATION FOR POLYMER CONCRETE SPECIAL PROVISIONS.

TOP OF DECK REPAIR QUANTITIES REPRESENT ESTIMATED VALUES OF CLASS II SURFACE PREPARATION AND CONCRETE DECK REPAIR FOR PC OVERLAY AFTER REMOVAL OF UNSOUND CONCRETE (MIN. 2" CLEAR TO SAWCUT). SEE OVERLAY SURFACE PREPARATION FOR POLYMER CONCRETE SPECIAL PROVISIONS.

FOR CONCRETE REPAIR, SEE SPECIAL PROVISIONS.

FOR CONCRETE DECK REPAIR FOR PC OVERLAY, PC MATERIALS AND PLACING AND FINISHING PC OVERLAY, SEE POLYMER CONCRETE BRIDGE DECK OVERLAY SPECIAL PROVISIONS.


THE EXISTING COVER PLATES SHALL BE REMOVED DURING THE JOINT REPLACEMENT PROCESS, CLEANED AND PUT BACK IN PLACE AFTER COMPLETION OF WORK. PAYMENT FOR SUCH WORK SHALL BE CONSIDERED INCIDENTAL TO OTHER PAY ITEMS.

- CLASS II SURFACE PREPARATION AT THE JOINTS
- CONCRETE REPAIR AREA

PROJECT NO. I-5941  
DURHAM COUNTY  
 BRIDGE NO. 310112

SHEET 3 OF 3

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED



STATE OF NORTH CAROLINA  
 DEPARTMENT OF TRANSPORTATION  
 RALEIGH

DECK SURFACE REPAIR  
 APPROACH SLAB 2

REVISIONS						SHEET NO. S2-6 TOTAL SHEETS 11
NO.	BY:	DATE:	NO.	BY:	DATE:	
1			3			
2			4			

DRAWN BY : M. HOGAN DATE : 3/2023  
 CHECKED BY : JIA XU DATE : 7/2023  
 DESIGN ENGINEER OF RECORD: F. ASEFNIA DATE : 11/2023

E.L. ROBINSON  
 3362 Old Fork Rd.  
 Raleigh, N.C. 27609  
 Tel: 984.980.2810  
 e:rl@elrobinsonengineering.com  
 License: C-22 9