



PROJECT REFERENCE NO.	SHEET NO.
B-5156	EC-5/CONST.5
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER


-L-
 PI Sta 28+42.77
 $\Delta = 12' 32" 32.8" (LT)$
 $D = 2' 17" 30.6"$
 $L = 547.27'$
 $T = 274.73'$
 $R = 2,500.00'$
 $SE = 0.035$
 $RO = 105'$



BM2 ELEVATION= 23.72'
 L STA 37+12.00
 N 53°07'23.5\"/>

REVISIONS

EXIST ROADWAY FILL
 EXCAVATION, TYP
 (SEE CROSS-SECTIONS)



FROM STA. 26+75 TO STA. 27+50 (LT)

CLEARING AND GRUBBING
 EROSION CONTROL FOR
 CONSTRUCTION SHEET 5

NOTE:
 PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
 AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
 DRAINAGE OUTLETS.

NOTE:
 USE 1.0 FT WEIR HEIGHT FOR TEMPORARY ROCK
 SILT CHECKS TYPE - A THAT ARE NOT LABELED.

D. L. MERCER JR, ET AL
 DB 321 PG 250

5/14/99

1/10/2024