


6/2/99

TRANSYSTEMS
 1 Glenwood Avenue
 Raleigh, NC 27603
 Tel: 919.788.9977
 Fax: 919.788.9591
 License: F-0453




-L-		
PI Sta 30+02.07 Δ = 10° 38' 32.4" (RT) D = 3° 08' 53.2" L = 338.05' T = 169.51' R = 1,820.00' SE = .07 RO = 189'	PI Sta 37+86.49 Δ = 8° 30' 06.8" (LT) D = 3° 08' 53.2" L = 270.06' T = 135.28' R = 1,820.00' *SE = SEE PLANS *SE = SEE PLANS	PI Sta 40+56.55 Δ = 8° 30' 06.8" (RT) D = 3° 08' 53.2" L = 270.06' T = 135.28' R = 1,820.00' *SE = SEE PLANS *SE = SEE PLANS




*DESIGN EXCEPTION REQUIRED FOR SUPERELEVATION.

NOTE: ALL RIP RAP TO BE GRANITE MATERIAL

BRIDGE #34: 6" DIAMETER CIRCULAR DECK DRAINS REQUIRED SPACED 12" O.C. FROM -L- STA. 34+09 TO STA. 36+01 LT



FINAL GRADE EROSION CONTROL FOR CONSTRUCTION SHEET 5



CONSERVATION EASEMENT
 NORTH CAROLINA HABITAT FOUNDATION
 MARK T. SCHOLER
 DB 1408 PG 452
 DB 1489 PG 253
 DB 1572 PG 534
 PB 9 PG 356

PROVIDE CLASS 'II' RIP RAP ROCK PLATING (GRANITE) ON ALL SLOPES STEEPER THAN 3:1 OR AS INDICATED ON THE PLANS. 2-FT THICK TO SHOULDER POINT. REFER TO STANDARD ROCK PLATING DETAIL (STD 275.01)

NOTE: GUARDRAIL TRANSITIONS WITH A 50:1 TAPER TO MATCH BRIDGE OFFSETS. SEE TMP PLANS FOR SHORING LOCATIONS.

SEE SHEET 6 FOR -L- PROFILE