COMPUTED BY	: Andrew Drda	DATE:	3/17/2025
CHECKED BY:	Jinyoung Park	DATE:	3/17/2025


SUMMARY OF SUBSURFACE DRAINAGE

LINE	Station	Station	Location LT/RT/CL	Drain Type* UD/BD/SD	LF
	CONTIN	IGENCY		SD	1000
				TOTAL LF:	1000
*IID = IInder	drain				

*UD = Underdrain *BD = Blind Drain

*SD = Subsurface Drain

(2-3-23) **STATE OF NORTH CAROLINA DIVISION OF HIGHWAYS**



SUMMARY OF AGGREGATE SUBGRADE/STABILIZATION

LINE	Station	Station	Aggregate Type* ASU(1/2)/ AST	Aggregate Thickness INCHES [8" for ASU(2)]	Shallow Undercut CY	Class IV Subgrade Stabilization TONS	Geotextile for Subgrade Stabilization SY	Stabilizer Aggregate TONS	Class IV Aggregate Stabilization TONS
-L-	35+50.00	37+50.00	ASU(1)	12"	225	450	675		
-Y6-	22+00.00	23+00.00	ASU(1)	12"	125	225	325		
(CONTINGENC	Y	ASU(1)	12"	500	1000	1500		
			TOTAL	CY/TONS/SY:	850	1675**	2500**	0	0

*ASU(1/2) = Aggregate Subgrade (Type 1 or 2) *AST = Aggregate Stabilization

**Total tons of "Class IV Subgrade Stabilization" and total square yards of "Geotextile for Subgrade Stabilization" are only the estimated quantities for ASU(1/2)/AST and may only represent a portion of the subgrade stabilization and geotextile quantities shown in the Item Sheets of the Proposal.

PROJECT NO.	SHEET NO.		
U-6018	3G-1		