




* NOT TO SCALE




ELEVATION




INSET 'A'



END ELEVATION



INSET 'A'



INSET 'B'

- GENERAL NOTES:**
1. ALL STEEL/REBAR JOINTS SHALL BE FULLY WELDED AROUND JOINT WITH A MINIMUM OF A 3/16" BEAD.
 2. IF BOLTS ARE CHEMICALLY ANCHORED, FOLLOW STD. DWG. 862.04 FOR ANCHORING PROCEDURE.
 3. RACK AND HARDWARE ARE TO BE GALVANIZED IN ACCORDANCE WITH ASTM 153 OR CONSTRUCTED FROM STAINLESS STEEL.
 4. AFTER ALL HARDWARE IS TIGHTENED, DEFORM THREADS SO NUT WILL REMAIN TIGHT TO PROHIBIT REMOVAL.
 5. DIMENSIONS MAY ADJUSTED DUE TO FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

TOTALS:

#4 REBAR LENGTH	57'-0"
WEIGHT	38 LBS
#5 REBAR LENGTH	12'-0"
WEIGHT	13 LBS
#8 REBAR LENGTH	4'-0"
WEIGHT	11 LBS
3" x 3" x 1/4" ANGLE LENGTH	7'-0"
WEIGHT	35 LBS
TOTAL WEIGHT	97 LBS

12/10/2025 10:59 AM 17-1112.013 - HL-0025 - Greylock Ridge Rd. Ext. 05-CAD\Greylock_Ridge_Ext.Roadway\Proc\Greylock_Rdy_psh02B-12.dgn
 dimccol



Signed by:
 B. Gregory Adolph 1/6/2026
 781E20428C4540B

HEADWALL TRASH RACK

McCormick & Taylor
 5400 TRINITY ROAD
 SUITE 102
 RALEIGH, NC 27607
 Office 919-223-8965 NC LIC. NO. F-1285