






PAVEMENT SCHEDULE (FINAL PAVEMENT DESIGN DATED: 01-27-2026)	
C1	PROP. APPROX. 1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.
C2	PROP. APPROX. 3" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD. IN EACH OF TWO LAYERS.
C3	PROP. VAR. DEPTH ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 112 LBS. PER SQ. YD. PER 1" DEPTH. TO BE PLACED IN LAYERS NOT LESS THAN 1½" IN DEPTH OR GREATER THAN 2" IN DEPTH.
D1	PROP. APPROX. 4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0C, AT AN AVERAGE RATE OF 456 LBS. PER SQ. YD.
D2	PROP. VAR. DEPTH ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0C, AT AN AVERAGE RATE OF 114 LBS. PER SQ. YD. PER 1" DEPTH. TO BE PLACED IN LAYERS NOT LESS THAN 2½" IN DEPTH OR GREATER THAN 4" IN DEPTH.
E1	PROP. APPROX. 4" ASPHALT CONCRETE BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE OF 456 LBS. PER SQ. YD.
E2	PROP. VAR. DEPTH ASPHALT CONCRETE BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE OF 114 LBS. PER SQ. YD. PER 1" DEPTH. TO BE PLACED IN LAYERS NOT LESS THAN 3" IN DEPTH OR GREATER THAN 5½" IN DEPTH.
F1	5/8" ULTRA-THIN BONDED WEARING COURSE (UBWC)
J1	10" AGGREGATE BASE COURSE
J2	6" AGGREGATE BASE COURSE
P	PRIME COAT AT THE RATE OF .35 GAL. PER SQ. YD.
R1	2'-6" CURB AND GUTTER
R2	5" MONOLITHIC CONCRETE ISLAND (KEYED IN)
R3	PRECAST CONCRETE BARRIER, SINGLE FACED
R4	SHOULDER BERM GUTTER
T	EARTH MATERIAL.
U	EXISTING PAVEMENT.
V	FINE MILLING (5/8")
W	WEDGING (SEE DETAIL SHOWING METHOD OF WEDGING).
Y1	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)

NOTE: PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE.



USE TYPICAL SECTION NO. 2:  
-L- STA 16+25.00 TO 18+00.00

TRANSITION FROM TYPICAL SECTION NO. 2 TO TYPICAL SECTION NO. 3:  
-L- STA 18+00.00 TO 20+25.00

PROJECT REFERENCE BP7.R001	SHEET NO. 2A-1
ROADWAY DESIGN ENGINEER MOTT MACDONALD 1 & E, LLC LICENSE NO. F-0669	SEAL 21102 17-Apr-2026
SEAL 044590 17-Apr-2026	SEAL 044590 17-Apr-2026
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	
Prepared in the Office of:	MOTT MACDONALD 1 & E, LLC 930 Main Campus Drive, Suite 200 Raleigh, NC 27606 (919) 552-2755 www.mottmac.com

4/16/2026 3:29:00 PM  
c:\pwworking\hmm\ra11.transt\jor+66165\40180146\780023.r\dj\_tjy.dgn  
isp:plordan