

**SUMMARY OF AGGREGATE SUBGRADE/STABILIZATION**

LINE	Station	Station	Aggregate Type* ASU(1/2)/ AST	Aggregate Thickness INCHES [8" fro ASU(2)]	Shallow Undercut CY	Class IV Subgrade Stabilization TONS	Geotextile for Subgrade Stabilization SY	Stabilizer Aggregate TONS	Class IV Aggregate Stabilization TONS
LPA	19+75	21+50	ASU (2)	8		400	900		
RPA	27+75	30+25	ASU (2)	8		600	1200		
CONTINGENCY			ASU (1)	12	100	200	300	250	
TOTAL CY/TONSSY:					100	1200**	2400**	250	0

\*ASU(1/2) = Aggregate Subgrade (Type 1 or 2)

\*AST = Aggregate Stabilization

\*\*Total tons of "Class IV Subgrade Stabilization" and total square yards of "Geotextile for Subgrade Stabilization" are only the estimated quantities for ASU(1/2)/AST and may only represent a portion of the subgrade stabilization and geotextile quantities shown in the item Sheets of the Proposal.

**SUMMARY OF SUBSURFACE DRAINAGE**

LINE	Station	Station	Location L/TR/CL	Drain Type* UD/BD/SD	LF
CONTINGENCY				SD	1000
				TOTAL LF:	1000

\*UD = Underdrain

\*BD = Blind Drain

\*SD = Subsurface Drain