Aquatic Resource Delineation Report Quality Assurance Checklist

Project: NC 62 from SR 3252 to SR 1009 (U-6191)

		Reviewer 1 Ext. Firm	Reviewer 2 Ext. Firm	Reviewer 3 NCDOT
	Report Formatting			
1	Follows template formatting (fonts, header/footer info, page numbers, etc.)	No	-	-
	Cover Page			
2	Correct Project Name/Description	Yes	-	-
3	Project Information (STIP #, WBS, County) is accurate.	Yes	-	-
	Section 1.0 Introduction			
4	Project description is correct.	Yes	-	-
5	Structure Number/Road Name/STIP Number/County correct.	Yes	-	-
	Section 2.0 Methodologies			
6	Delineation and Quality Assessment methodologies are accurate.	Yes	-	-
	Section 3.0 Delineation Results			
7	Stream Delineation Data follows the ARDR Template and data is accurate.	Yes	-	-
8	Stream width and length reported to nearest foot.	Yes	-	-
9	Wetland Delineation Data follows the ARDR Template and data is accurate.	Yes	-	-
10	Wetland area reported to nearest .01 ac (If less than 0.01 ac, then nearest 0.001 ac will be reported.)	Yes	-	-
11	Other Surface Water Delineation Data follows the ARDR Template and data is accurate.	Yes	-	-
12	Surface Water area reported to nearest .01 ac (If less than 0.01 ac, then nearest 0.001 ac will be reported.)	Yes	-	-
	Section 4.0 References			
13	References are accurate for the county/location and properly formatted.	N/A	-	-
	Appendices			
14	Figures 1-4 shall be depicted on 8.5”x11” or 11”x17” at an appropriate scale for feature depiction. (If the project area is unusually large, contact the Environmental PM for guidance on what Figures may be excluded/modified).	Yes	-	-
15	Figure 1: Project Vicinity – from NRTR, or mapping that follows NRTR Guidance.	Yes	-	-
16	Figure 2: USGS Topography – aquatic resource boundaries depicted on latest USGS Quadrangle Map or National Map. (Stream and wetland symbology should follow NRTR Guidance, unless modifications are needed for clarity.)	Yes	-	-
17	Figure 3: Aquatic Resources – from NRTR, or mapping that follows NRTR Guidance.	Yes	-	-
18	Figure 4: NRCS Soil Survey – aquatic resource boundaries depicted on NRCS Soil Survey. (Stream and wetland symbology should follow NRTR Guidance, unless modifications are needed for clarity.)	Yes	-	-
19	Antecedent Precipitation Tool: APT report provided for date(s) fieldwork was conducted. (If large study are with many field days, weekly/representative reports may be provided).	Yes	-	-
20	Delineation Data Forms are included. (See below for detailed data form guidance).	Yes	-	-
21	Site Photo Log: PDF Photo Log preferred. Photos are clear and appropriately named/described. (If large number of photos, contact the Environmental PM for alternative delivery formats).	Yes	-	-
	Data Form Quality Assurance			
	USACE Automated Wetland Determination Data Sheets			
22	All wetlands (or wetland types, as approporiate) are represented by both a Wetland and Upland form.	Yes	-	-
23	Wetland Name(s) included in the “Sampling Point” field.	No	-	-
24	All three wetland indicator parameters are checked “Yes”/ No” and match respective sections.	Yes	-	-
25	**Wetland Data Forms have accurately completed Hydrology, Vegetation, and Soil sections.**	Yes	-	-
	NCDWR Stream Identification Form			
26	Stream ID forms completed for streams where there is ambiguity in determining flow regime (e.g. when not obvious from ephemeral to intermittent or intermittent to perennial).	Yes	-	-
27	Stream ID forms completed for features that appear on USGS and/or NRCS mapping, but are not believed to be subject to applicable riparian buffer rules (e.g. no channel/feature present at	N/A	-	-

	location, channels that do not reach intermittent threshold, or documentation of lack of downstream connection from open surface waters). These form locations will be shown on ARDR Figure 3, as appropriate.			
28	Resource name/label included on each form.	Yes	-	-
29	Any macrobenthos present will be noted in the Notes section. (Type and abundance of species).	No	-	-
30	**Stream ID forms have determination indicated and scores are calculated correctly.**	Yes	-	-
	NC Wetland Assessment Method and NC Stream Assessment Method			
31	NCWAM forms completed for each wetland/set of wetland data forms as appropriate.	Yes	-	-
32	NCSAM forms completed for select stream segments that appear to be degraded and a lower mitigation ratio may be appropriate. If only a segment of a stream is being evaluated, that section shall be properly documented on the NCSAM form, or GPS data may be utilized.	Yes	-	-
33	**NCWAM and NCSAM forms are completed appropriately and correctly.**	Yes	-	-
	USACE RRS Bulk Upload Spreadsheet			
34	Aquatic Resource Bulk Uploads (geodatabase and CSV file) completed and submitted with ARDR as separate files. (Geodatabase tempate can be found on ECAP website).	-	-	-
35	All appendices and RRS Uploads submitted as separate items within single ZIP file.	-	-	-

Additional Comments

1. Does not utilize later ARDR template. Letter format utilized for cover letter based on approved scope of service
23. Sampling point name included on data form and cross-referenced to mapping

Certification

I have reviewed this document for consistency with this checklist and confirmed that all items have been completed.

Reviewer	Name	Initials	Date
1	Adam Karagosian	ahk	6/5/2026
2	Click or tap here to enter text.	Click or tap here to enter text.	Click or tap to enter a date.
3	Click or tap here to enter text.	Click or tap here to enter text.	Click or tap to enter a date.

Distribution

Initialing and dating above serves as an electronic signature for certification by each reviewer listed.

Once complete, this Checklist shall be submitted as a separate Word Document concurrently with the Draft ARDR as noted below.

Place the Draft ARDR, Checklist, and ZIP file containing appendices on SharePoint in the Natural Environment Library:
NE Topic: Consultant Submittals. Key NE: None.

If ECAP managed, a separate ETRACS request is NOT required for this task unless otherwise specified.

This Checklist will be returned as a PDF, along with the NCDOT reviewer's comments on the Draft ARDR, and should not be attached to the Final ARDR submittal to NCDOT.

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

JOSH STEIN
GOVERNOR

DANIEL H. JOHNSON
SECRETARY

June 12, 2026

U.S. Army Corps of Engineers
Charlotte Regulatory Field Office
ATTN: Mr. Stephen Brumagin
8430 University Executive Park Drive, Suite 615
Charlotte, NC 28262

SUBJECT: Request for Preliminary Jurisdictional Determination
STIP U-6191; WBS 48651.1.1
NCDOT Division 8
Randolph County, North Carolina

Mr. Brumagin:

The North Carolina Department of Transportation (NCDOT) Division 8 proposes to modernize NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) in Randolph County, North Carolina. This project is included in the State Transportation Improvement Program (STIP) as Project STIP U-6191. On behalf of the NCDOT, STV Engineers Inc. (STV), is requesting verification from the U.S. Army Corps of Engineers (USACE) of the location and extent of potential jurisdictional waters of the U.S. within an approximate 126-acre study area; please see the attached **Figure 1** Project Vicinity Map depicting the location and extent of the study area. USGS topographic maps and NRCS soil survey maps are included as **Figures 2 and 4**, respectively. This letter summarizes the findings of field reviews conducted by STV including the identification and delineation of potential jurisdictional waters. Attached please find the following materials in support of this request for jurisdictional determination: Request for Corps Jurisdictional Determination (JD) Form and Preliminary Jurisdictional Determination (PJD) Form (Attachment A); Figures (Attachment B); USACE Wetland Determination Data Sheets and North Carolina Wetland Assessment Method (NCWAM) Forms (Attachment C); NCDWR Stream Identification and North Carolina Stream Assessment Method (NCSAM) Forms (Attachment D); Representative Photographs (Attachment E); Aquatic Resources Summary Table/ORM Upload Sheet (Attachment F); and Antecedent Precipitation Tool Report (Attachment G).

Mailing Address:
NC DEPARTMENT OF TRANSPORTATION
DIVISION 8
121 DOT DRIVE
CARTHAGE, NC 28327

Website: www.ncdot.gov

Location:
121 DOT DRIVE
CARTHAGE, NC 28327

STV Environmental Scientists W. Steven Busbee, PWS, and Miranda Darwin conducted reviews of the study area on April 16 and 17, 2026. The boundaries of potential jurisdictional waters of the U.S. were delineated/marked with pink survey tape and georeferenced utilizing an EOS Arrow Global Positioning System (GPS) unit with sub-meter accuracy. Wetland determinations and delineations were conducted in accordance with the 1987 USACE *Wetlands Delineation Manual* and 2012 *Eastern Mountains and Piedmont Regional Supplement to the Corps of Engineers Wetland Delineation Manual*. Stream determinations were conducted in accordance with the *North Carolina Division of Water Resources (NCDWR) Stream Identification Method* and the *USACE Final National Ordinary High Water Mark Field Delineation Manual for Rivers and Streams*. Delineated wetlands were evaluated using the NCWAM to document functional condition and overall wetland quality. Additionally, delineated streams exhibiting signs of degradation or impaired riparian buffers were evaluated using the NCSAM to assess functional condition and overall stream quality.

Potential jurisdictional water features identified and delineated within the study area included six streams and five wetlands as summarized in **Table 1** and **Table 2**, respectively; see **Figures 3 and 3A-3G** for maps depicting the location and extent of the delineated features.

Table 1. Characteristics of streams in the study area

Stream Name or ID	Avg Bankfull Width (ft.)	NCSAM Rating	Cowardin Class	Length (ft.)	Latitude	Longitude
SA	6	Low	R5	445	35.880599	-80.005656
Uwharrie River	25	Low	R2	345	35.882331	-80.001936
SB	3	Medium	R4	189	35.890137	-79.993108
SC	2.5	Medium	R4	20	35.890645	-79.991982
Muddy Creek	10	Low	R5	304	35.905846	-79.983994
SD	10	Low	R5	385	35.911649	-79.979207

Table 2. Characteristics of wetlands in the study area

Wetland ID	NCWAM		Cowardin Class	Area (ac.)	Latitude	Longitude
	Category	Rating				
WA	Riparian	High	PFO	0.01	35.882646	-80.002083
WB	Riparian	Low	PFO	0.06	35.891006	-79.992270
WC	Riparian	Medium	PFO	0.23	35.905399	-79.983916
WD	Riparian	High	PFO	0.03	35.905720	-79.983631
WE	Riparian	Low	PEM	0.07	35.912057	-79.979231

We would welcome the opportunity to accompany you on a field verification of jurisdictional boundaries. Please contact Rex Badgett with NCDOT Division 8 at (919) 773-8016 or jsbadgett@ncdot.gov should you have any questions or concerns regarding this request for a preliminary jurisdictional determination.

Sincerely,

Rex Badgett
NCDOT Division 8 Environmental Supervisor

Attachment A – Request for Corps Jurisdictional Determination (JD) and Preliminary Jurisdictional Determination (PJD) Form
Attachment B – Figures
Attachment C – USACE Wetland Determination Data Sheets & NCWAM Forms
Attachment D – NCDWR Stream Forms & NCSAM Forms
Attachment E – Representative Photographs
Attachment F – Aquatic Resources Summary Table/ORM Upload Sheet
Attachment G – Antecedent Precipitation Tool Report

cc: W. Steven Busbee, STV Senior Environmental Scientist
Rob Ridings, NCDWR

Attachment A

Request for Corps Jurisdictional Determination (JD) and Preliminary Jurisdictional Determination (PJD) Form

U.S. Army Corps of Engineers (USACE)

REQUEST FOR JURISDICTIONAL DETERMINATION (JD)

For use of this form, see Sec 404 CWA, Sec 10 RHA, Sec 103 MPRSA; the proponent agency is CECW-COR.

Form Approved -
OMB No. 0710-0024
Expires 2027-09-30

DATA REQUIRED BY THE PRIVACY ACT OF 1974

Authority Rivers and Harbors Act, Section 10, 33 USC 403; Clean Water Act, Section 404, 33 USC 1344; Marine Protection, Research, and Sanctuaries Act, Section 103, 33 USC 1413; Regulatory Programs of the Corps of Engineers; Final Rule 33 CFR 320-332.

Principal Purpose The information that you provide will be used in evaluating your request to determine whether there are any aquatic resources within the review area that are or that may be subject to federal jurisdiction under the regulatory authorities referenced above.

Routine Uses This information may be shared with the Department of Justice and other federal, state, and local government agencies, and the public, and may be made available as part of a public notice or FOIA request as required by federal law. Your name and property location where federal jurisdiction is to be determined will be included in any approved jurisdictional determination (AJD), which will be made available to the public on the District's website and on the Headquarters USACE website.

Disclosure Submission of requested information is voluntary, however, if the information is not provided there may be some delay in processing your request. Failure to provide this information will not result in an adverse action.
System of Record Notice (SORN): The information received is entered into our permit tracking database and a SORN has been completed (SORN #A1145b) and may be accessed at the following website:
http://dpcld.defense.gov/Privacy/SORNsIndex/DOD-wide-SORN-Article-View/Article/570115/a1145b-ce.aspx

The Agency Disclosure Notice (ADN)

The Public reporting burden for this collection of information, 0710-0024, is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or burden reduction suggestions to the Department of Defense, Washington Headquarters Services, at whs.mc-alex.esd.mbx.dd-dod-information-collections@mail.mil. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. To (*District Name*): Charlotte Regulatory Field Office

2. I am requesting a JD on property located at (*Street Address*): NCDOT STIP U-6191 NC 62 from SR 3252 to SR 1009

City/Township/Parish: Trinity County: Randolph State: North Carolina

Acreage of Parcel/Review Area for JD: 126 acres

Section: Township: Range:

Latitude (*decimal degrees*): 35.897266 ° Longitude (*decimal degrees*): -79.988512 °

(*For linear projects, please include the center point of the proposed alignment.*)

3. Please attach a survey/plat map and vicinity map identifying location and review area for the JD.

4. ☐ I currently own this property. ☐ I plan to purchase this property.

☐ I am an agent/consultant acting on behalf of the requester.

☒ Other (*provide explanation*):

Roadway transportation project. Right-of-way is owned or will be acquired by NCDOT.

5. Reason for request: (*check as many as applicable*)

- [ ] I intend to construct/develop a project or perform activities on this parcel which would be designed to avoid all aquatic resources.
- [ ] I intend to construct/develop a project or perform activities on this parcel which would be designed to avoid all jurisdictional aquatic resources under Corps authority.
- [x] I intend to construct/develop a project or perform activities on this parcel which may require authorization from the Corps, and the JD would be used to avoid and minimize impacts to jurisdictional aquatic resources and as an initial step in a future permitting process.
- [ ] I intend to construct/develop a project or perform activities on this parcel which may require authorization from the Corps; this request is accompanied by my permit application and the JD is to be used in the permitting process.
- [ ] I intend to construct/develop a project or perform activities in a navigable water of the U.S. which is included on the district Section 10 list and/or is subject to the ebb and flow of the tide.
- [ ] A Corps JD is required in order to obtain my local/state authorization.
- [ ] I intend to contest jurisdiction over a particular aquatic resource and request the Corps confirm that jurisdiction does/does not exist over the aquatic resource on the parcel.
- [ ] I believe that the site may be comprised entirely of dry land.
- [ ] Other *(provide details below):*

6. Type of determination being requested:

- [ ] I am requesting an approved JD.
- [x] I am requesting a preliminary JD.
- [ ] I am requesting a "no permit required" letter as I believe my proposed activity is not regulated.
- [ ] I am requesting a verification of an aquatic resources delineation but I am not requesting a JD.
- [ ] I am unclear as to which JD I would like to request and require additional information to inform my decision.

7. Typed or Printed Name: Rex Badgett

Daytime Phone No.: (919) 773-8016

Company Name: NCDOT

Email Address: jsbadgett@ncdot.gov

Address: NCDOT Division 8
121 DOT Drive
Carthage, NC 28327

By signing below, you are indicating that you have the authority, or are acting as the duly authorized agent of a person or entity with such authority, to and do hereby grant Corps personnel right of entry to legally access the site if needed to perform the JD. Your signature shall be an affirmation that you possess the requisite property rights to request a JD on the subject property.

Signature:	Date:

U.S. Army Corps of Engineers (USACE)

PRELIMINARY JURISDICTIONAL DETERMINATION (PJD)

For use of this form, see Sec 404 CWA, Sec 10 RHA, Sec 103 MPRSA; the proponent agency is CECW-COR.

Form Approved - OMB No. 0710-0024 Expires 2027-09-30

DATA REQUIRED BY THE PRIVACY ACT OF 1974

Authority Rivers and Harbors Act, Section 10, 33 USC 403; Clean Water Act, Section 404, 33 USC 1344; Marine Protection, Research, and Sanctuaries Act, Section 103, 33 USC 1413; Regulatory Program of the U.S. Army Corps of Engineers; Final Rule for 33 CFR Parts 320-332.

Principal Purpose This form is used by USACE staff in evaluating your request to determine whether there are any aquatic resources within the review area that may be subject to federal jurisdiction under the regulatory authorities referenced above.

Routine Uses This information may be shared with the Department of Justice and other federal, state, and local government agencies, and the public, and may be made available as part of a public notice or FOIA request as required by federal law. Your name and property location where federal jurisdiction is to be determined will be included in any resulting jurisdictional determination (JD), which may be made available to the public on the District's website and/or on the Headquarters USACE website.

Disclosure Submission of requested information is voluntary; however, if information is not provided, the request for a JD cannot be evaluated nor can a PJD be issued.

The Agency Disclosure Notice (ADN)

The public reporting burden for this collection of information, 0710-0024, is estimated to average 25 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or burden reduction suggestions to the Department of Defense, Washington Headquarters Services, at whs.mc-alex.esd.mbx.dd-dod-information-collections@mail.mil. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

SECTION I - BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR PJD: 2026-06-08

B. NAME AND ADDRESS OF PERSON REQUESTING PJD:
Rex Badgett, NCDOT Division 8 Environmental Supervisor
121 DOT Drive
Carthage, NC 28327

C. DISTRICT OFFICE, FILE NAME, AND NUMBER:
Charlotte Regulatory Field Office
8430 University Executive Park Drive, Suite 615
Charlotte, NC 28262

D. PROJECT LOCATION AND BACKGROUND INFORMATION:
(*USE THE TABLE BELOW TO DOCUMENT MULTIPLE AQUATIC RESOURCES AND/OR AQUATIC RESOURCES AT DIFFERENT SITES*)

State: North Carolina County/Parish/Borough: Randolph City: Trinity

Center coordinates of site (*lat/long in degree decimal format*): Latitude: 35.897266 ° Longitude: -79.98851 °

Universal Transverse Mercator:

Name of nearest waterbody:

E. REVIEW PERFORMED FOR SITE EVALUATION (*CHECK ALL THAT APPLY*):

☐ Office (*Desk*) Determination. Date:

☐ Field Determination

Date(s):

TABLE OF AQUATIC RESOURCES IN REVIEW AREA WHICH "MAY BE" SUBJECT TO REGULATORY JURISDICTION.

	Site Number	Latitude (*decimal degrees*)	Longitude (*decimal degrees*)	Estimated amount of aquatic resource in review area (*acreage and linear feet, if applicable*)	Type of aquatic resource (*i.e., wetland vs. non-wetland waters*)	Geographic authority to which the aquatic resource "may be" subject (*i.e., Section 404 or Section 10/404*)
	Stream A (SA)	35.880599	-80.005656	445 LF	non-wetland water	Section 404

	Site Number	Latitude (*decimal degrees*)	Longitude (*decimal degrees*)	Estimated amount of aquatic resource in review area (*acreage and linear feet, if applicable*)	Type of aquatic resource (*i.e., wetland vs. non-wetland waters*)	Geographic authority to which the aquatic resource "may be" subject (*i.e., Section 404 or Section 10/404*)
	Uwharrie River	35.882331	-80.001936	345 LF	non-wetland water	Section 404
	Stream B (SB)	35.890137	-79.993108	189 LF	non-wetland water	Section 404
	Stream C (SC)	35.890645	-79.991982	20 LF	non-wetland water	Section 404
	Muddy Creek	35.905846	-79.983994	304 LF	non-wetland water	Section 404
	Stream D (SD)	35.911649	-79.979207	385 LF	non-wetland water	Section 404
	Wetland A (WA)	35.882646	-80.002083	0.01 AC	wetland	Section 404
	Wetland B (WB)	35.891006	-79.992270	0.06 AC	wetland	Section 404
	Wetland C (WC)	35.905399	-79.983916	0.23 AC	wetland	Section 404
	Wetland D (WD)	35.905720	-79.983631	0.03 AC	wetland	Section 404
	Wetland E (WE)	35.912057	-79.979231	0.07 AC	wetland	Section 404

1) The Corps of Engineers believes that there may be jurisdictional aquatic resources in the review area, and the requestor of this PJD is hereby advised of his or her option to request and obtain an approved JD (AJD) for that review area based on an informed decision after having discussed the various types of JDs and their characteristics and circumstances when they may be appropriate.

2) In any circumstance where a permit applicant obtains an individual permit, or a Nationwide General Permit (NWP) or other general permit verification requiring "preconstruction notification" (PCN), or requests verification for a non-reporting NWP or other general permit, and the permit applicant has not requested an AJD for the activity, the permit applicant is hereby made aware that: (1) the permit applicant has elected to seek a permit authorization based on a PJD or no JD whatsoever, which do not make an official determination of jurisdictional aquatic resources; (2) the applicant has the option to request an AJD before accepting the terms and conditions of the permit authorization, and that basing a permit authorization on an AJD could possibly result in less compensatory mitigation being required or different special conditions; (3) the applicant has the right to request an individual permit rather than accepting the terms and conditions of the NWP or other general permit authorization; (4) the applicant can accept a permit authorization and thereby agree to comply with all the terms and conditions of that permit, including whatever mitigation requirements the USACE has determined to be necessary; (5) undertaking any activity in reliance upon the subject permit authorization without requesting an AJD constitutes the applicant's acceptance of the use of the PJD or reliance on no JD whatsoever; (6) accepting a permit authorization (e.g., signing a proffered individual permit) or undertaking any activity in reliance on any form of USACE permit authorization based on a PJD or no JD whatsoever constitutes agreement that all aquatic resources in the review area affected in any way by that activity will be treated as jurisdictional, and waives any challenge to such jurisdiction in any administrative or judicial compliance or enforcement action, or in any administrative appeal or in any Federal court; and (7) whether the applicant elects to use either an AJD or a PJD, the JD will be processed as soon as practicable. Further, an AJD, a proffered individual permit (and all terms and conditions contained therein), or individual permit denial can be administratively appealed pursuant to 33 C.F.R. Part 331. If, during an administrative appeal, it becomes appropriate to make an official determination whether geographic jurisdiction exists over aquatic resources in the review area, or to provide an official delineation of jurisdictional aquatic resources in the review area, the USACE will provide an AJD to accomplish that result, as soon as is practicable. This PJD finds that there *"may be"* waters of the U.S. and/or that there *"may be"* navigable waters of the U.S. on the subject review area, and identifies all aquatic features in the review area that could be affected by the proposed activity, based on the following information:

F. SUPPORTING DATA. Data reviewed for PJD (*check all that apply)*

Checked items should be included in subject file. Appropriately reference sources below where indicated for all checked items:

- [x] Maps, plans, plots or plat submitted by or on behalf of the PJD requestor:

  Map:

- [x] Data sheets prepared/submitted by or on behalf of the PJD requestor.
- [ ] Office concurs with data sheets/delineation report.
- [ ] Office does not concur with data sheets/delineation report.

  Rationale:

- [ ] Data sheets prepared by the USACE:

- [ ] Corps navigable waters' study:

- [ ] U.S. Geological Survey Hydrologic Atlas:

- [ ] USGS NHD data.
- [ ] USGS 8 and 12 digit HUC maps.
- [x] U.S. Geological Survey map(s). Cite scale & quad name:

  High Point West Quad and High Point East Quad - Scale 1:24,000

- [x] USDA Natural Resources Conservation Service Soil Survey.

  Citation: NRCS Soil Series Data for Randolph County, NC (2019) - Attachment B Figures 4 and 4A-4G

- [ ] National Wetlands Inventory map(s).

  Cite Name:

- [ ] State/Local Wetland Inventory map(s):

- [ ] FEMA/FIRM maps:

☐ 100-year Floodplain Elevation is: _____. (National Geodectic Vertical Datum of 1929)

☒ Photographs: ☒ Aerial (*Name & Date*): NC CGIA - NC OneMap Orthoimagery (2023)

or ☒ Other (*Name & Date*): Representative photographs of delineated aquatic resources - Attachment E

☐ Previous determination(s). File no. and date of response letter:

☒ Other information (*please specify*):

USACE Wetland Determination Data Sheets and NC Wetland Assessment Method (NCWAM) Forms - Attachment C
NCDWR Stream Identification Forms and NC Stream Assessment Method (NCSAM) Forms - Attachment D
Aquatic Resources Summary Table/ORM Upload Sheet - Attachment F
Antecedent Precipitation Tool Report - Attachment G

IMPORTANT NOTE: The information recorded on this form has not necessarily been verified by the USACE and should not be relied upon for later jurisdictional determinations.

Name of Regulatory Staff Member Completing PJD	Date	Signature of Regulatory Staff Member Completing PJD

Name of Person Requesting PJD	Date	Signatureof Person Requesting PJD *(REQUIRED, unless obtaining the Signature is Impracticable*
Rex Badgett		

[1] Districts may establish timeframes for requester to return signed PJD forms. If the requester does not respond within the established time frame, the district may presume concurrence and no additional follow up is necessary prior to finalizing an action.

Attachment B

Figures

STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 0.5 1
Miles

Legend

Study Area (~ 126 acres)

Index Map



Information

Project Vicinity Map
Figure 1

Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community

STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 800 1,600 3,200
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland


Index Map



Information

USGS Topographic Map
Figure 2

NCDOT GIS Unit, USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road data; Natural Earth Data; U.S. Department of State HIU; NOAA National Centers for Environmental Information. Data refreshed October 27, 2025-v2.1



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland


Index Map



Information

USGS Topographic Map
Figure 2A

NCDOT GIS Unit, USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road data; Natural Earth Data; U.S. Department of State HIU; NOAA National Centers for Environmental Information. Data refreshed October 27, 2025-v2.1



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland


Index Map



Information

USGS Topographic Map
Figure 2B

NCDOT GIS Unit, USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road data; Natural Earth Data; U.S. Department of State HIU; NOAA National Centers for Environmental Information. Data refreshed October 27, 2025-v2.1



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map



Information

USGS Topographic Map
Figure 2C

NCDOT GIS Unit, USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road data; Natural Earth Data; U.S. Department of State HIU; NOAA National Centers for Environmental Information. Data refreshed October 27, 2025-v2.1

High Point East Quadrangle

780

790

800

LEACH ST

BRAXTO

STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland


Index Map



Information

USGS Topographic Map
Figure 2D

NCDOT GIS Unit, USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road data; Natural Earth Data; U.S. Department of State HIU; NOAA National Centers for Environmental Information. Data refreshed October 27, 2025-v2.1



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland


Index Map



Information

USGS Topographic Map
Figure 2E

NCDOT GIS Unit, USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road data; Natural Earth Data; U.S. Department of State HIU; NOAA National Centers for Environmental Information. Data refreshed October 27, 2025-v2.1



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map



Information

USGS Topographic Map
Figure 2F

NCDOT GIS Unit, USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road data; Natural Earth Data; U.S. Department of State HIU; NOAA National Centers for Environmental Information. Data refreshed October 27, 2025-v2.1

High Point East Quadrangle

FREEMAN PL

PETTY ST

STRATFO

088

TRINDALE RD

62

Archdale

Archdale Elem Sch

850

HILLCREST LN

BONNIE PL

HARRIET ST

W WHITE DR

E W

STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map



Information

USGS Topographic Map
Figure 2G

NCDOT GIS Unit, USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road data; Natural Earth Data; U.S. Department of State HIU; NOAA National Centers for Environmental Information. Data refreshed October 27, 2025-v2.1



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVSION 8

0 800 1,600 3,200
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland
- Wetland Determination Data Point
- Photo Location


Index Map



Information

Aquatic Resources Map
Figure 3

NC CGIA, Vantor



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
US Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland
- Wetland Determination Data Point
- Photo Location


Index Map



Information

Aquatic Resources Map
Figure 3A

NC CGIA, Microsoft, Vantor



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.

RANDOLPH COUNTY
NCDOT DIVISION 8


0 200 400

US Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland
- Wetland Determination Data Point
- Photo Location

Index Map



Information

Aquatic Resources Map

Figure 3B

NC CGIA, Vantor, NC CGIA, Microsoft, Vantor

SB (189 LF)

12

11

DP3

23

DP4

13


WB (0.06 acre)

SC (20 LF)

NC Hwy 62

Braxton Crav

Meadowbrook Dr



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.

RANDOLPH COUNTY
NCDOT DIVISION 8


0 200 400

US Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland
- Wetland Determination Data Point
- Photo Location

Index Map




Information

Aquatic Resources Map

Figure 3C

NC CGIA, Microsoft, Vantor



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
US Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland
- Wetland Determination Data Point
- Photo Location


Index Map



Information

Aquatic Resources Map
Figure 3D

NC CGIA, Vantor, NC CGIA, Microsoft, Vantor



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
US Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland
- Wetland Determination Data Point
- Photo Location

Index Map



Information

Aquatic Resources Map

Figure 3E

NC CGIA, Vantor, NC CGIA, Microsoft, Vantor



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
US Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland
- Wetland Determination Data Point
- Photo Location

Index Map



Information

Aquatic Resources Map

Figure 3F

NC CGIA, Vantor, NC CGIA, Microsoft, Vantor



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
US Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland
- Wetland Determination Data Point
- Photo Location

Index Map




Information

Aquatic Resources Map

Figure 3G

NC CGIA, Vantor, NC CGIA, Microsoft, Vantor



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 800 1,600 3,200
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map



Information


NRCS Soil Survey Map

Figure 4

NC CGIA, Vantor

Soils within the Study Area

ChA - Chewacla, loam, 0 to 2 percent slopes, frequently flooded
MaC - Mecklenburg, loam, 8 to 15 percent slopes
MeB2 - Mecklenburg, clay loam, 2 to 8 percent slopes, moderately eroded
MeC2 - Mecklenburg, clay loam, 8 to 15 percent slopes, moderately eroded
MkC - Mecklenburg-Urban land complex, loam, 2 to 10 percent slopes
RvA - Riverview, sandy loam, 0 to 2 percent slopes, frequently flooded
WpC - Wilkes-Poindexter-Wynott complex, loam, 8 to 15 percent slopes
WpE - Wilkes-Poindexter-Wynott complex, loam, 15 to 25 percent slopes
WtB - Wynott-Enon complex, sandy loam, 2 to 8 percent slopes
WtC - Wynott-Enon complex, sandy loam, 8 to 15 percent slopes
WzB - Wynott-Wilkes-Poindexter complex, loam, 2 to 8 percent slopes



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map




Information

NRCS Soil Survey Map
Figure 4A

NC CGIA, Vantor

Soils within the Study Area

ChA - Chewacla, loam, 0 to 2 percent slopes, frequently flooded
MaC - Mecklenburg, loam, 8 to 15 percent slopes
MeB2 - Mecklenburg, clay loam, 2 to 8 percent slopes, moderately eroded
MeC2 - Mecklenburg, clay loam, 8 to 15 percent slopes, moderately eroded
MkC - Mecklenburg-Urban land complex, loam, 2 to 10 percent slopes
RvA - Riverview, sandy loam, 0 to 2 percent slopes, frequently flooded
WpC - Wilkes-Poindexter-Wynott complex, loam, 8 to 15 percent slopes
WpE - Wilkes-Poindexter-Wynott complex, loam, 15 to 25 percent slopes
WtB - Wynott-Enon complex, sandy loam, 2 to 8 percent slopes
WtC - Wynott-Enon complex, sandy loam, 8 to 15 percent slopes
WzB - Wynott-Wilkes-Poindexter complex, loam, 2 to 8 percent slopes



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map




Information

NRCS Soil Survey Map
Figure 4B

NC CGIA, Microsoft, Vantor

Soils within the Study Area

ChA - Chewacla, loam, 0 to 2 percent slopes, frequently flooded
MaC - Mecklenburg, loam, 8 to 15 percent slopes
MeB2 - Mecklenburg, clay loam, 2 to 8 percent slopes, moderately eroded
MeC2 - Mecklenburg, clay loam, 8 to 15 percent slopes, moderately eroded
MkC - Mecklenburg-Urban land complex, loam, 2 to 10 percent slopes
RvA - Riverview, sandy loam, 0 to 2 percent slopes, frequently flooded
WpC - Wilkes-Poindexter-Wynott complex, loam, 8 to 15 percent slopes
WpE - Wilkes-Poindexter-Wynott complex, loam, 15 to 25 percent slopes
WtB - Wynott-Enon complex, sandy loam, 2 to 8 percent slopes
WtC - Wynott-Enon complex, sandy loam, 8 to 15 percent slopes
WzB - Wynott-Wilkes-Poindexter complex, loam, 2 to 8 percent slopes



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map




Information

NRCS Soil Survey Map
Figure 4C

NC CGIA, Vantor

Soils within the Study Area

ChA - Chewacla, loam, 0 to 2 percent slopes, frequently flooded
MaC - Mecklenburg, loam, 8 to 15 percent slopes
MeB2 - Mecklenburg, clay loam, 2 to 8 percent slopes, moderately eroded
MeC2 - Mecklenburg, clay loam, 8 to 15 percent slopes, moderately eroded
MkC - Mecklenburg-Urban land complex, loam, 2 to 10 percent slopes
RvA - Riverview, sandy loam, 0 to 2 percent slopes, frequently flooded
WpC - Wilkes-Poindexter-Wynott complex, loam, 8 to 15 percent slopes
WpE - Wilkes-Poindexter-Wynott complex, loam, 15 to 25 percent slopes
WtB - Wynott-Enon complex, sandy loam, 2 to 8 percent slopes
WtC - Wynott-Enon complex, sandy loam, 8 to 15 percent slopes
WzB - Wynott-Wilkes-Poindexter complex, loam, 2 to 8 percent slopes



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map




Information

NRCS Soil Survey Map
Figure 4D

NC CGIA, Microsoft, Vantor

Soils within the Study Area

ChA - Chewacla, loam, 0 to 2 percent slopes, frequently flooded
MaC - Mecklenburg, loam, 8 to 15 percent slopes
MeB2 - Mecklenburg, clay loam, 2 to 8 percent slopes, moderately eroded
MeC2 - Mecklenburg, clay loam, 8 to 15 percent slopes, moderately eroded
MkC - Mecklenburg-Urban land complex, loam, 2 to 10 percent slopes
RvA - Riverview, sandy loam, 0 to 2 percent slopes, frequently flooded
WpC - Wilkes-Poindexter-Wynott complex, loam, 8 to 15 percent slopes
WpE - Wilkes-Poindexter-Wynott complex, loam, 15 to 25 percent slopes
WtB - Wynott-Enon complex, sandy loam, 2 to 8 percent slopes
WtC - Wynott-Enon complex, sandy loam, 8 to 15 percent slopes
WzB - Wynott-Wilkes-Poindexter complex, loam, 2 to 8 percent slopes



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map




Information

NRCS Soil Survey Map
Figure 4E

NC CGIA, Vantor

Soils within the Study Area

ChA - Chewacla, loam, 0 to 2 percent slopes, frequently flooded
MaC - Mecklenburg, loam, 8 to 15 percent slopes
MeB2 - Mecklenburg, clay loam, 2 to 8 percent slopes, moderately eroded
MeC2 - Mecklenburg, clay loam, 8 to 15 percent slopes, moderately eroded
MkC - Mecklenburg-Urban land complex, loam, 2 to 10 percent slopes
RvA - Riverview, sandy loam, 0 to 2 percent slopes, frequently flooded
WpC - Wilkes-Poindexter-Wynott complex, loam, 8 to 15 percent slopes
WpE - Wilkes-Poindexter-Wynott complex, loam, 15 to 25 percent slopes
WtB - Wynott-Enon complex, sandy loam, 2 to 8 percent slopes
WtC - Wynott-Enon complex, sandy loam, 8 to 15 percent slopes
WzB - Wynott-Wilkes-Poindexter complex, loam, 2 to 8 percent slopes



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map




Information

NRCS Soil Survey Map
Figure 4F

NC CGIA, Microsoft, Vantor

Soils within the Study Area

ChA - Chewacla, loam, 0 to 2 percent slopes, frequently flooded
MaC - Mecklenburg, loam, 8 to 15 percent slopes
MeB2 - Mecklenburg, clay loam, 2 to 8 percent slopes, moderately eroded
MeC2 - Mecklenburg, clay loam, 8 to 15 percent slopes, moderately eroded
MkC - Mecklenburg-Urban land complex, loam, 2 to 10 percent slopes
RvA - Riverview, sandy loam, 0 to 2 percent slopes, frequently flooded
WpC - Wilkes-Poindexter-Wynott complex, loam, 8 to 15 percent slopes
WpE - Wilkes-Poindexter-Wynott complex, loam, 15 to 25 percent slopes
WtB - Wynott-Enon complex, sandy loam, 2 to 8 percent slopes
WtC - Wynott-Enon complex, sandy loam, 8 to 15 percent slopes
WzB - Wynott-Wilkes-Poindexter complex, loam, 2 to 8 percent slopes



STIP U-6191

NC 62 (Trindale Road) from SR 3252 (Surrett Drive) to SR 1009 (North Main Street) Modernize Roadway.


RANDOLPH COUNTY
NCDOT DIVISION 8

0 200 400
Feet

Legend

- Study Area (~ 126 acres)
- Perennial Stream
- Intermittent Stream
- Wetland

Index Map



Information

NRCS Soil Survey Map
Figure 4G

NC CGIA, Vantor

Attachment C

USACE Wetland Determination Data Sheets
NCWAM Forms

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: U-6191 City/County: Trinity/Randolph Sampling Date: 4/16/2026
Applicant/Owner: NCDOT State: NC Sampling Point: DP 1
Investigator(s): Steven Busbee, PWS Section, Township, Range:
Landform (hillside, terrace, etc.): linear depression Local relief (concave, convex, none): concave Slope (%): 0-2
Subregion (LRR or MLRA): LRR P, MLRA 136 Lat: 35.882647 Long: -80.002090 Datum: NAD 83
Soil Map Unit Name: RvA - Riverview sandy loam, 0 to 2% slopes, frequently flooded NWI classification: PFO1A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No x (If no, explain in Remarks.)
Are Vegetation ____ , Soil ____ , or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____
Are Vegetation ____ , Soil ____ , or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** X **No** ____
Hydric Soil Present?	Yes X	No ____	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
Data point was taken within wetland WA. Hydrologic conditions are not typical for this time of the year due to the region experiencing severe drought. conditions.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- x Surface Water (A1)
- X High Water Table (A2)
- x Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- x Sparsely Vegetated Concave Surface (B8)
- X Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- X Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes x	No ____	Depth (inches): 2
Water Table Present?	Yes x	No ____	Depth (inches): 0
Saturation Present? (includes capillary fringe)	Yes X	No ____	Depth (inches): 0

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Surface water present in isolated pools of standing water. Wetland WA is located within the floodplain of the Uwharrie River.

VEGETATION (Four Strata – Use scientific names of plants.

Sampling Point: DP 1

Tree Stratum (Plot size: 30x5)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Acer negundo*	10	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
	10 =Total Cover		
50% of total cover: 5	20% of total cover: 2		
Sapling/Shrub Stratum (Plot size: 30x5)			
1. *Acer negundo*	10	Yes	FAC
2. *Carpinus caroliniana*	10	Yes	FAC
3.			
4.			
5.			
6.			
7.			
8.			
9.			
	20 =Total Cover		
50% of total cover: 10	20% of total cover: 4		
Herb Stratum (Plot size: 30x5)			
1. *Microstegium vimineum*	10	Yes	FAC
2. *Ligustrum sinense*	5	Yes	FACU
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	15 =Total Cover		
50% of total cover: 8	20% of total cover: 3		
Woody Vine Stratum (Plot size: 30x5)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 80.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals (A)	(B)
Prevalence Index = B/A	

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supportin data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: DP 1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-2	10YR 4/1	100					Loamy/Clayey	
2-12	10YR 5/1	100					Loamy/Clayey	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- x Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ____

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: U-6191 City/County: Trinity/Randolph Sampling Date: 4/16/2026

Applicant/Owner: NCDOT State: NC Sampling Point: DP 2

Investigator(s): Steven Busbee, PWS Section, Township, Range:

Landform (hillside, terrace, etc.): hillside Local relief (concave, convex, none): Convex Slope (%): 2

Subregion (LRR or MLRA): LRR P, MLRA 136 Lat: 35.882701 Long: -80.002088 Datum: NAD 83

Soil Map Unit Name: RvA - Riverview sandy loam, 0 to 2% slopes, frequently flooded NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No x (If no, explain in Remarks.)

Are Vegetation ____ , Soil ____ , or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____

Are Vegetation ____ , Soil ____ , or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Data point is representative of the upland area adjacent to Wetland WA (DP1). Climatic/hydrologic conditions are not typical for this time of the year due to the region experiencing severe drought conditions.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No X	Depth (inches): ____
Water Table Present?	Yes ____	No X	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No X	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No wetland hydrology indicators are present.

VEGETATION (Four Strata – Use scientific names of plants.

Sampling Point: DP 2

Tree Stratum (Plot size: 30x30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Carya glabra*	75	Yes	FACU
2. *Acer negundo*	20	Yes	FAC
3.			
4.			
5.			
6.			
7.			
	95	=Total Cover	
50% of total cover: 48		20% of total cover: 19	

Sapling/Shrub Stratum (Plot size: 15x15)			
1. *Acer saccharum*	15	Yes	FACU
2. *Lindera benzoin*	15	Yes	FAC
3. *Asimina triloba*	5	No	FAC
4. *Carpinus caroliniana*	5	No	FAC
5.			
6.			
7.			
8.			
9.			
	40	=Total Cover	
50% of total cover: 20		20% of total cover: 8	

Herb Stratum (Plot size: 5x5)			
1. *Rosa multiflora*	25	Yes	FACU
2. *Lonicera japonica*	20	Yes	FACU
3. *Acer saccharum*	10	No	FACU
4. *Lindera benzoin*	10	No	FAC
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	65	=Total Cover	
50% of total cover: 33		20% of total cover: 13	

Woody Vine Stratum (Plot size: 30x30)			
1. *Smilax rotundifolia*	10	Yes	FAC
2.			
3.			
4.			
5.			
	10	=Total Cover	
50% of total cover: 5		20% of total cover: 2	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 42.9% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	65	x 3 =	195
FACU species	145	x 4 =	580
UPL species	0	x 5 =	0
Column Totals	210 (A)		775 (B)
Prevalence Index = B/A			3.69

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supportin data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: DP 2

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 4/4	100					Loamy/Clayey	
4-20	7.5R 4/6	100					Loamy/Clayey	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: U-6191 City/County: Trinity/Randolph Sampling Date: 4/16/26

Applicant/Owner: NCDOT State: NC Sampling Point: DP3

Investigator(s): Steven Busbee, PWS Section, Township, Range:

Landform (hillside, terrace, etc.): linear depression Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR P, MLRA 136 Lat: 35.890906 Long: -79.992297 Datum: NAD83

Soil Map Unit Name: MeB2 - Mecklenburg cly loam, 2 to 8% slopes, moderately eroded NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No x (If no, explain in Remarks.)

Are Vegetation ____ , Soil ____ , or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____

Are Vegetation ____ , Soil ____ , or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No ____	**Is the Sampled Area**
Hydric Soil Present?	Yes X No ____	**within a Wetland?** **Yes** x **No** ____
Wetland Hydrology Present?	Yes X No ____	

Remarks:
Data point was taken within wetland WB. Climatic/hydrologic conditions are not typical for this time of the year due to the region experiencing severe drought conditions.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- x Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- x Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No x	Depth (inches): ____
Water Table Present?	Yes ____	No x	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes x	No ____	Depth (inches): 0

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
A pipe is present on a drainage channel of the wetland at a relict soil road crossing indicating conveyance of significant volumes of surface water. As observed, the wetland has an apparent hydrological surface connection to a stream or relatively permanent water feature.

VEGETATION (Four Strata – Use scientific names of plants.

Sampling Point: DP3

Tree Stratum (Plot size: 30x5)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2. *Platanus occidentalis*	50	Yes	FACW
3. *Fraxinus pennsylvanica*	25	Yes	FACW
4. *Acer negundo*	25	Yes	FAC
5.			
6.			
7.			
	100	=Total Cover	
50% of total cover: 50		20% of total cover: 20	
Sapling/Shrub Stratum (Plot size: 30x5)			
1. *Acer negundo*	20	Yes	FAC
2. *Acer rubrum*	20	Yes	FAC
3. *Ligustrum sinense*	15	Yes	FACU
4.			
5.			
6.			
7.			
8.			
9.			
	55	=Total Cover	
50% of total cover: 28		20% of total cover: 11	
Herb Stratum (Plot size: 30x5)			
1. *Rosa multiflora*	25	Yes	FACU
2. *Toxicodendron radicans*	20	Yes	FAC
3. *Microstegium vimineum*	20	Yes	FAC
4. *Juncus effusus*	5	No	FACW
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	70	=Total Cover	
50% of total cover: 35		20% of total cover: 14	
Woody Vine Stratum (Plot size: 30x5)			
1. *Toxicodendron radicans*	25	Yes	FAC
2.			
3.			
4.			
5.			
	25	=Total Cover	
50% of total cover: 13		20% of total cover: 5	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 8 (A)

Total Number of Dominant Species Across All Strata: 10 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 80.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	80	x 2 =	160
FAC species	130	x 3 =	390
FACU species	40	x 4 =	160
UPL species	0	x 5 =	0
Column Totals	250 (A)		710 (B)

Prevalence Index = B/A 2.84

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supportin data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: DP3

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 4/1	90	7.5YR 4/6	10	C	M	Loamy/Clayey	Prominent redox concentrations
4-16	10YR 6/2	90	7.5YR 4/6	10	C	M	Loamy/Clayey	Prominent redox concentrations

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ 2 cm Muck (A10) **(LRR N)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Iron Monosulfide (A18)
___ Sandy Mucky Mineral (S1)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7)
___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
___ Thin Dark Surface (S9) **(MLRA 147, 148)**
___ Loamy Mucky Mineral (F1) **(MLRA 136)**
___ Loamy Gleyed Matrix (F2)
X Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
___ Umbric Surface (F13) **(MLRA 122, 136)**
___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

___ 2 cm Muck (A10) **(MLRA 147)**
___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
___ Very Shallow Dark Surface (F22)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ____

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: U-6191 City/County: Trinity/Randolph Sampling Date: 4/16/2026
Applicant/Owner: NCDOT State: NC Sampling Point: DP 4
Investigator(s): Steven Busbee, PWS Section, Township, Range:
Landform (hillside, terrace, etc.): terrace Local relief (concave, convex, none): Convex Slope (%): 0-2
Subregion (LRR or MLRA): LRR P, MLRA 136 Lat: 35.890882 Long: -79.992222 Datum: NAD 83
Soil Map Unit Name: MeB2 - Mecklenburg cly loam, 2 to 8% slopes, moderately eroded NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No x (If no, explain in Remarks.)
Are Vegetation ____ , Soil ____ , or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____
Are Vegetation ____ , Soil ____ , or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Data point is representative of the upland area adjacent to Wetland WB (DP3). Climatic/hydrologic conditions are not typical for this time of the year due to the region experiencing severe drought conditions.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No X	Depth (inches): ____
Water Table Present?	Yes ____	No X	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No X	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No wetland hydrology indicators are present.

VEGETATION (Four Strata – Use scientific names of plants.

Sampling Point: DP 4

Tree Stratum (Plot size: 20x20)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Acer rubrum*	60	Yes	FAC
2. *Liquidambar styraciflua*	60	Yes	FAC
3.			
4.			
5.			
6.			
7.			
	120	=Total Cover	
50% of total cover: 60		20% of total cover: 24	

Sapling/Shrub Stratum (Plot size: 20x20)			
1. *Acer rubrum*	35	Yes	FAC
2. *Liquidambar styraciflua*	20	Yes	FAC
3. *Ligustrum sinense*	20	Yes	FACU
4.			
5.			
6.			
7.			
8.			
9.			
	75	=Total Cover	
50% of total cover: 38		20% of total cover: 15	

Herb Stratum (Plot size: 20x20)			
1. *Rosa multiflora*	30	Yes	FACU
2. *Lonicera japonica*	20	Yes	FACU
3. *Microstegium vimineum*	20	Yes	FAC
4. *Toxicodendron radicans*	10	No	FAC
5. *Ligustrum sinense*	10	No	FACU
6.			
7.			
8.			
9.			
10.			
11.			
	90	=Total Cover	
50% of total cover: 45		20% of total cover: 18	

Woody Vine Stratum (Plot size: 20x20)			
1. *Smilax rotundifolia*	10	Yes	FAC
2. *Lonicera japonica*	10	Yes	FACU
3.			
4.			
5.			
	20	=Total Cover	
50% of total cover: 10		20% of total cover: 4	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 10 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 60.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	215	x 3 =	645
FACU species	90	x 4 =	360
UPL species	0	x 5 =	0
Column Totals	305 (A)		1005 (B)
Prevalence Index = B/A			3.30

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supportin data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: DP 4

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-2	10YR 3/2	100					Loamy/Clayey	
2-16	10YR 4/4	100					Loamy/Clayey	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: U-6191 City/County: Trinity/Randolph Sampling Date: 4/17/26

Applicant/Owner: NCDOT State: NC Sampling Point: DP5

Investigator(s): Steven Busbee, PWS Section, Township, Range:

Landform (hillside, terrace, etc.): depression Local relief (concave, convex, none): concave Slope (%): 0-1

Subregion (LRR or MLRA): LRR P, MLRA 136 Lat: 35.905310 Long: -79.983986 Datum: NAD83

Soil Map Unit Name: MeC2 - Mecklenburg clay loam, 8 to 15% slopes, moderately eroded NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No x (If no, explain in Remarks.)

Are Vegetation ____ , Soil ____ , or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____

Are Vegetation ____ , Soil ____ , or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** x **No** ____
Hydric Soil Present?	Yes X	No ____	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
Data point was taken within wetland WC. Climatic/hydrologic conditions are not typical for this time of the year due to the region experiencing severe drought conditions.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- x Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No x Depth (inches): ____

Water Table Present? Yes ____ No x Depth (inches): ____

Saturation Present? Yes x No ____ Depth (inches): 0
(includes capillary fringe)

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Wetland WC is located within the floodplain of Muddy Creek.

VEGETATION (Four Strata – Use scientific names of plants.

Sampling Point: DP5

Tree Stratum (Plot size: 30x30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2. *Liquidambar styraciflua*	60	Yes	FAC
3. *Fraxinus pennsylvanica*	25	Yes	FACW
4. *Acer rubrum*	25	Yes	FAC
5.			
6.			
7.			
	110	=Total Cover	
50% of total cover: 55		20% of total cover: 22	
Sapling/Shrub Stratum (Plot size: 30x30)			
1. *Liquidambar styraciflua*	25	Yes	FAC
2. *Acer rubrum*	20	Yes	FAC
3. *Fraxinus pennsylvanica*	20	Yes	FACW
4. *Ilex opaca*	5	No	FACU
5.			
6.			
7.			
8.			
9.			
	70	=Total Cover	
50% of total cover: 35		20% of total cover: 14	
Herb Stratum (Plot size: 20x20)			
1. *Microstegium vimineum*	20	Yes	FAC
2. *Toxicodendron radicans*	15	Yes	FAC
3. *Ligustrum sinense*	15	Yes	FACU
4. *Lonicera japonica*	15	Yes	FACU
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	65	=Total Cover	
50% of total cover: 33		20% of total cover: 13	
Woody Vine Stratum (Plot size: 30x30)			
1. *Toxicodendron radicans*	20	Yes	FAC
2. *Celastrus orbiculatus*	15	Yes	FACU
3.			
4.			
5.			
	35	=Total Cover	
50% of total cover: 18		20% of total cover: 7	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 9 (A)

Total Number of Dominant Species Across All Strata: 12 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals (A)	(B)

Prevalence Index = B/A

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supportin data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: DP5

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-1	10YR 3/1	100					Loamy/Clayey	
1-12	10YR 6/2	85	7.5YR 4/6	15	C	M	Loamy/Clayey	Prominent redox concentrations

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- X Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Iron Monosulfide (A18)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- X Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ___

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: U-6191 City/County: Trinity/Randolph Sampling Date: 4/17/2026
Applicant/Owner: NCDOT State: NC Sampling Point: DP 6
Investigator(s): Steven Busbee, PWS Section, Township, Range:
Landform (hillside, terrace, etc.): hillside Local relief (concave, convex, none): Convex Slope (%): 0-2
Subregion (LRR or MLRA): LRR P, MLRA 136 Lat: 35.905303 Long: -79.984166 Datum: NAD 83
Soil Map Unit Name: MeB2 - Mecklenburg clay loam, 8 to 15% slopes, moderately eroded NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No x (If no, explain in Remarks.)
Are Vegetation ____ , Soil ____ , or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____
Are Vegetation ____ , Soil ____ , or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Data point is representative of the upland area adjacent to Wetland WC (DP5). Climatic/hydrologic conditions are not typical for this time of the year due to the region experiencing severe drought conditions.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No X	Depth (inches): ____
Water Table Present?	Yes ____	No X	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No X	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No wetland hydrology indicators are present.

VEGETATION (Four Strata – Use scientific names of plants.

Sampling Point: DP 6

Tree Stratum (Plot size: 30x30)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Liquidambar styraciflua*	75	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
	75	=Total Cover	
50% of total cover: 38		20% of total cover: 15	
Sapling/Shrub Stratum (Plot size: 30x30)			
1. *Ulmus rubra*	25	Yes	FAC
2. *Elaeagnus angustifolia*	20	Yes	FACU
3. *Ligustrum sinense*	15	Yes	FACU
4.			
5.			
6.			
7.			
8.			
9.			
	60	=Total Cover	
50% of total cover: 30		20% of total cover: 12	
Herb Stratum (Plot size: 20x20)			
1. *Celastrus orbiculatus*	25	Yes	FACU
2. *Microstegium vimineum*	20	Yes	FAC
3. *Carya glabra*	10	No	FACU
4. *Toxicodendron radicans*	10	No	FAC
5. *Ligustrum sinense*	10	No	FACU
6.			
7.			
8.			
9.			
10.			
11.			
	75	=Total Cover	
50% of total cover: 38		20% of total cover: 15	
Woody Vine Stratum (Plot size: 30x30)			
1. *Celastrus orbiculatus*	25	Yes	FACU
2. *Hedera helix*	15	Yes	FACU
3.			
4.			
5.			
	40	=Total Cover	
50% of total cover: 20		20% of total cover: 8	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 8 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 37.5% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	130	x 3 =	390
FACU species	120	x 4 =	480
UPL species	0	x 5 =	0
Column Totals	250 (A)		870 (B)
Prevalence Index = B/A			3.48

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supportin data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: DP 6

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 4/4	100					Sandy	
4-16	7.5YR 4/6	100					Sandy	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: U-6191 City/County: Trinity/Randolph Sampling Date: 4/17/26

Applicant/Owner: NCDOT State: NC Sampling Point: DP7

Investigator(s): Steven Busbee, PWS Section, Township, Range:

Landform (hillside, terrace, etc.): floodplain Local relief (concave, convex, none): concave Slope (%): 0-1

Subregion (LRR or MLRA): LRR P, MLRA 136 Lat: 35.905735 Long: -79.983652 Datum: NAD83

Soil Map Unit Name: ChA - Chewacla loam, 0-2% slopes, frequently flooded NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No x (If no, explain in Remarks.)

Are Vegetation ____ , Soil ____ , or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____

Are Vegetation ____ , Soil ____ , or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** x **No** ____
Hydric Soil Present?	Yes X	No ____	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
Data point was taken within wetland WD. Climatic/hydrologic conditions are not typical for this time of the year due to the region experiencing severe drought conditions.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- x Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- x Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No x	Depth (inches): ____
Water Table Present?	Yes ____	No x	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes x	No ____	Depth (inches): 6

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Wetland WD is located within the floodplain of Muddy Creek.

VEGETATION (Four Strata – Use scientific names of plants.

Sampling Point: DP7

Tree Stratum (Plot size: 30x5)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2. *Platanus occidentalis*	50	Yes	FACW
3. *Liquidambar styraciflua*	40	Yes	FAC
4. *Acer rubrum*	40	Yes	FAC
5.			
6.			
7.			
	130	=Total Cover	
50% of total cover: 65		20% of total cover: 26	
Sapling/Shrub Stratum (Plot size: 30x5)			
1. *Acer rubrum*	35	Yes	FAC
2. *Ligustrum sinense*	10	No	FACU
3. *Acer saccharum*	10	No	FACU
4.			
5.			
6.			
7.			
8.			
9.			
	55	=Total Cover	
50% of total cover: 28		20% of total cover: 11	
Herb Stratum (Plot size: 20x5)			
1. *Fraxinus pennsylvanica*	10	Yes	FACW
2. *Celastrus orbiculatus*	10	Yes	FACU
3. *Ligustrum sinense*	10	Yes	FACU
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	30	=Total Cover	
50% of total cover: 15		20% of total cover: 6	
Woody Vine Stratum (Plot size: 30x5)			
1.			
2.			
3.			
4.			
5.			
		=Total Cover	
50% of total cover:		20% of total cover:	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 71.4% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	60	x 2 =	120
FAC species	115	x 3 =	345
FACU species	40	x 4 =	160
UPL species	0	x 5 =	0
Column Totals	215 (A)		625 (B)

Prevalence Index = B/A 2.91

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supportin data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: DP7

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-2	10YR 4/1	100					Loamy/Clayey	
2-12	10YR 6/2	85	7.5YR 4/6	10	C	M	Loamy/Clayey	many distinct redox concentrations

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Iron Monosulfide (A18)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- X Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ___

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: U-6191 City/County: Trinity/Randolph Sampling Date: 4/17/26

Applicant/Owner: NCDOT State: NC Sampling Point: DP8

Investigator(s): Steven Busbee, PWS Section, Township, Range:

Landform (hillside, terrace, etc.): hillside Local relief (concave, convex, none): convex Slope (%): 1-3

Subregion (LRR or MLRA): LRR P, MLRA 136 Lat: 35.905782 Long: -79.983585 Datum: NAD83

Soil Map Unit Name: MeC2 - Mecklenburg clay loam, 8-15% slopes, moderately eroded NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No x (If no, explain in Remarks.)

Are Vegetation ____ , Soil ____ , or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____

Are Vegetation ____ , Soil ____ , or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** x
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Data point is representative of the upland area adjacent to Wetland WD (DP7). Climatic/hydrologic conditions are not typical for this time of the year due to the region experiencing severe drought conditions.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No x	Depth (inches): ____
Water Table Present?	Yes ____	No x	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No x	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No wetland hydrology indicators are present.

VEGETATION (Four Strata – Use scientific names of plants.

Sampling Point: DP8

Tree Stratum (Plot size: 30x30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2. *Liquidambar styraciflua*	60	Yes	FAC
3. *Acer rubrum*	25	Yes	FAC
4. *Ulmus rubra*	15	No	FAC
5. *Acer saccharum*	15	No	FACU
6. *Fagus grandifolia*	15	No	FACU
7.			
	130	=Total Cover	
50% of total cover: 65		20% of total cover: 26	
Sapling/Shrub Stratum (Plot size: 30x30)			
1. *Acer rubrum*	15	Yes	FAC
2. *Liquidambar styraciflua*	15	Yes	FAC
3. *Quercus marilandica*	5	No	UPL
4.			
5.			
6.			
7.			
8.			
9.			
	35	=Total Cover	
50% of total cover: 18		20% of total cover: 7	
Herb Stratum (Plot size: 20x20)			
1. *Lonicera japonica*	20	Yes	FACU
2. *Celastrus orbiculatus*	15	Yes	FACU
3. *Mahonia bealei*	10	Yes	UPL
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	45	=Total Cover	
50% of total cover: 23		20% of total cover: 9	
Woody Vine Stratum (Plot size: 30x30)			
1. *Lonicera japonica*	10	Yes	FACU
2. *Celastrus orbiculatus*	10	Yes	FACU
3.			
4.			
5.			
	20	=Total Cover	
50% of total cover: 10		20% of total cover: 4	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 9 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 44.4% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	130	x 3 =	390
FACU species	85	x 4 =	340
UPL species	15	x 5 =	75
Column Totals	230 (A)		805 (B)
Prevalence Index = B/A			3.50

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supportin data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: DP8

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-2	10YR 3/1	100					Loamy/Clayey	
2-12	10YR 3/3	100					Sandy	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Iron Monosulfide (A18)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: U-6191 City/County: Trinity/Randolph Sampling Date: 4/17/26

Applicant/Owner: NCDOT State: NC Sampling Point: DP9

Investigator(s): Steven Busbee, PWS Section, Township, Range:

Landform (hillside, terrace, etc.): hillside/terrace Local relief (concave, convex, none): concave Slope (%): 0-4

Subregion (LRR or MLRA): LRR P, MLRA 136 Lat: 35.912055 Long: -79.979233 Datum: NAD83

Soil Map Unit Name: MeC2 - Mecklenburg clay loam, 8-15% slopes, moderately eroded NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No x (If no, explain in Remarks.)

Are Vegetation ____ , Soil ____ , or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ____ No x

Are Vegetation ____ , Soil ____ , or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** x **No** ____
Hydric Soil Present?	Yes X	No ____	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
Data point was taken within wetland WE. Climatic/hydrologic conditions are not typical for this time of the year due to the region experiencing severe drought conditions. Normal circumstances or conditions are not present as the area encompassing WE is regularly maintained/or mowed as part of residential development.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- x Surface Water (A1)
- x High Water Table (A2)
- x Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- x Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- x Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes x	No ____	Depth (inches): 0
Water Table Present?	Yes x	No ____	Depth (inches): 0
Saturation Present? (includes capillary fringe)	Yes x	No ____	Depth (inches): 0

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Wetland WE has a direct surface water connection to a perennial stream or relatively permanent water (SD) as apparent by the visual observation of flow within a channelized portion of the wetland draining to SD.

VEGETATION (Four Strata – Use scientific names of plants.

Sampling Point: DP9

Tree Stratum (Plot size: 30x5)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
	=Total Cover		

50% of total cover: 20% of total cover:

Sapling/Shrub Stratum (Plot size: 30x5)			
1. *Salix nigra*	30	Yes	OBL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
	30 =Total Cover		

50% of total cover: 15 20% of total cover: 6

Herb Stratum (Plot size: 20x5)			
1. *Leersia oryzoides*	40	Yes	OBL
2. *Bacopa caroliniana*	40	Yes	OBL
3. *Festuca rubra*	20	Yes	FACU
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	100 =Total Cover		

50% of total cover: 50 20% of total cover: 20

Woody Vine Stratum (Plot size: 30x5)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		

50% of total cover: 20% of total cover:

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	110	x 1 =	110
FACW species	0	x 2 =	0
FAC species	0	x 3 =	0
FACU species	20	x 4 =	80
UPL species	0	x 5 =	0
Column Totals	130 (A)		190 (B)

Prevalence Index = B/A 1.46

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supportin data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)
Three willow trees/saplings appear to have been planted recently.

SOIL

Sampling Point: DP9

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-1	10YR 3/1	100					Loamy/Clayey	
1-12	10YR 4/1	90	5YR 4/6	10	C	M	Loamy/Clayey	many distinct redox concentrations

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Iron Monosulfide (A18)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- X Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ___

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: U-6191 City/County: Trinity/Randolph Sampling Date: 4/17/26

Applicant/Owner: NCDOT State: NC Sampling Point: DP10

Investigator(s): Steven Busbee, PWS Section, Township, Range:

Landform (hillside, terrace, etc.): hillside Local relief (concave, convex, none): convex Slope (%): 2-4

Subregion (LRR or MLRA): LRR P, MLRA 136 Lat: 35.912118 Long: -79.979236 Datum: NAD83

Soil Map Unit Name: MeC2 - Mecklenburg clay loam, 8-15% slopes, moderately eroded NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No x (If no, explain in Remarks.)

Are Vegetation ____ , Soil ____ , or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ____ No x

Are Vegetation ____ , Soil ____ , or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** x
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Data point is representative of the upland area adjacent to Wetland WE (DP9). Climatic/hydrologic conditions are not typical for this time of the year due to the region experiencing severe drought conditions. Normal circumstances or conditions are not present as the area encompassing DP10 is regularly maintained/or mowed as part of residential development.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No x	Depth (inches): ____
Water Table Present?	Yes ____	No x	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No x	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No wetland hydrology indicators are present.

VEGETATION (Four Strata – Use scientific names of plants.

Sampling Point: DP10

Tree Stratum (Plot size: 30x30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling/Shrub Stratum (Plot size: 30x30)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 20x20)			
1. *Festuca rubra*	90	Yes	FACU
2. *Lamium amplexicaule*	10	No	UPL
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	100 =Total Cover		
50% of total cover: 50	20% of total cover: 20		
Woody Vine Stratum (Plot size: 30x30)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	0	x 3 =	0
FACU species	90	x 4 =	360
UPL species	10	x 5 =	50
Column Totals	100 (A)		410 (B)
Prevalence Index = B/A			4.10

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supportin data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: DP10

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 4/4	100					Sandy	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Iron Monosulfide (A18)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

NC WAM FIELD ASSESSMENT FORM
Accompanies User Manual Version 5.0

USACE AID #		NCDWR#	
Project Name	U-6191	Date of Evaluation	4/16/2026
Applicant/Owner Name	NCDOT	Wetland Site Name	Wetland A
Wetland Type	Headwater Forest	Assessor Name/Organization	Steven Busbee / STV
Level III Ecoregion	Piedmont	Nearest Named Water Body	Uwharrie River
River Basin	Yadkin-PeeDee	USGS 8-Digit Catalogue Unit	03040103
County	Randolph	NCDWR Region	Winston-Salem
☐ Yes ☒ No	Precipitation within 48 hrs?	Latitude/Longitude (deci-degrees)	35.882647, -80.002090

Evidence of stressors affecting the assessment area (may not be within the assessment area)
Please circle and/or make note on the last page if evidence of stressors is apparent. Consider departure from reference, if appropriate, in recent past (for instance, within 10 years). Noteworthy stressors include, but are not limited to the following.

- Hydrological modifications (examples: ditches, dams, beaver dams, dikes, berms, ponds, etc.)
- Surface and sub-surface discharges into the wetland (examples: discharges containing obvious pollutants, presence of nearby septic tanks, underground storage tanks (USTs), hog lagoons, etc.)
- Signs of vegetation stress (examples: vegetation mortality, insect damage, disease, storm damage, salt intrusion, etc.)
- Habitat/plant community alteration (examples: mowing, clear-cutting, exotics, etc.)

Is the assessment area intensively managed? ☐ Yes ☒ No

Regulatory Considerations - Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.

☐ Anadromous fish
☐ Federally protected species or State endangered or threatened species
☐ NCDWR riparian buffer rule in effect
☐ Abuts a Primary Nursery Area (PNA)
☐ Publicly owned property
☐ N.C. Division of Coastal Management Area of Environmental Concern (AEC) (including buffer)
☐ Abuts a stream with a NCDWQ classification of SA or supplemental classifications of HQW, ORW, or Trout
☐ Designated NCNHP reference community
☐ Abuts a 303(d)-listed stream or a tributary to a 303(d)-listed stream

What type of natural stream is associated with the wetland, if any? (check all that apply)

☐ Blackwater
☒ Brownwater
☐ Tidal (if tidal, check one of the following boxes) ☐ Lunar ☐ Wind ☐ Both

Is the assessment area on a coastal island? ☐ Yes ☒ No

Is the assessment area's surface water storage capacity or duration substantially altered by beaver? ☐ Yes ☒ No

Does the assessment area experience overbank flooding during normal rainfall conditions? ☐ Yes ☒ No

1. Ground Surface Condition/Vegetation Condition – assessment area condition metric

Check a box in each column. Consider alteration to the ground surface (GS) in the assessment area and vegetation structure (VS) in the assessment area. Compare to reference wetland if applicable (see User Manual). If a reference is not applicable, then rate the assessment area based on evidence an effect.

GS	VS	
☒A	☒A	Not severely altered
☐B	☐B	Severely altered over a majority of the assessment area (ground surface alteration examples: vehicle tracks, excessive sedimentation, fire-plow lanes, skidder tracks, bedding, fill, soil compaction, obvious pollutants) (vegetation structure alteration examples: mechanical disturbance, herbicides, salt intrusion [where appropriate], exotic species, grazing, less diversity [if appropriate], hydrologic alteration)

2. Surface and Sub-Surface Storage Capacity and Duration – assessment area condition metric

Check a box in each column. Consider surface storage capacity and duration (Surf) and sub-surface storage capacity and duration (Sub). Consider both increase and decrease in hydrology. A ditch ≤ 1 foot deep is considered to affect surface water only, while a ditch > 1 foot deep is expected to affect both surface and sub-surface water. Consider tidal flooding regime, if applicable.

Surf	Sub	
☒A	☒A	Water storage capacity and duration are not altered.
☐B	☐B	Water storage capacity or duration are altered, but not substantially (typically, not sufficient to change vegetation).
☐C	☐C	Water storage capacity or duration are substantially altered (typically, alteration sufficient to result in vegetation change) (examples: draining, flooding, soil compaction, filling, excessive sedimentation, underground utility lines).

3. Water Storage/Surface Relief – assessment area/wetland type condition metric (skip for all marshes)

Check a box in each column. Select the appropriate storage for the assessment area (AA) and the wetland type (WT).

	AA	WT	
3a.	☐A	☐A	Majority of wetland with depressions able to pond water > 1 deep
	☒B	☒B	Majority of wetland with depressions able to pond water 6 inches to 1 foot deep
	☐C	☐C	Majority of wetland with depressions able to pond water 3 to 6 inches deep
	☐D	☐D	Depressions able to pond water < 3 inches deep

3b. ☐A Evidence that maximum depth of inundation is greater than 2 feet
☐B Evidence that maximum depth of inundation is between 1 and 2 feet
☒C Evidence that maximum depth of inundation is less than 1 foot

4. Soil Texture/Structure – assessment area condition metric (skip for all marshes)

Check a box from each of the three soil property groups below. Dig soil profile in the dominant assessment area landscape feature. Make soil observations within the top 12 inches. Use most recent National Technical Committee for Hydric Soils guidance for regional indicators.

4a.
- ☐A Sandy soil
- ☒B Loamy or clayey soils exhibiting redoximorphic features (concentrations, depletions, or rhizospheres)
- ☐C Loamy or clayey soils not exhibiting redoximorphic features
- ☐D Loamy or clayey gleyed soil
- ☐E Histosol or histic epipedon

4b.
- ☒A Soil ribbon < 1 inch
- ☐B Soil ribbon ≥ 1 inch

4c.
- ☒A No peat or muck presence
- ☐B A peat or muck presence

5. Discharge into Wetland – opportunity metric

Check a box in each column. Consider surface pollutants or discharges (Surf) and sub-surface pollutants or discharges (Sub). Examples of sub-surface discharges include presence of nearby septic tank, underground storage tank (UST), etc.

Surf	Sub	
☒A	☒A	Little or no evidence of pollutants or discharges entering the assessment area
☐B	☐B	Noticeable evidence of pollutants or discharges entering the wetland and stressing, but not overwhelming the treatment capacity of the assessment area
☐C	☐C	Noticeable evidence of pollutants or discharges (pathogen, particulate, or soluble) entering the assessment area and potentially overwhelming the treatment capacity of the wetland (water discoloration, dead vegetation, excessive sedimentation, odor)

6. Land Use – opportunity metric (skip for non-riparian wetlands)

Check all that apply (at least one box in each column). Evaluation involves a GIS effort with field adjustment. Consider sources draining to assessment area within entire upstream watershed (WS), within 5 miles and within the watershed draining to the assessment area (5M), and within 2 miles and within the watershed draining to the assessment area (2M).

WS	5M	2M	
☒A	☒A	☒A	≥ 10% impervious surfaces
☐B	☐B	☐B	Confined animal operations (or other local, concentrated source of pollutants
☐C	☐C	☐C	≥ 20% coverage of pasture
☐D	☐D	☐D	≥ 20% coverage of agricultural land (regularly plowed land)
☒E	☒E	☒E	≥ 20% coverage of maintained grass/herb
☐F	☐F	☐F	≥ 20% coverage of clear-cut land
☐G	☐G	☐G	Little or no opportunity to improve water quality. Lack of opportunity may result from little or no disturbance in the watershed or hydrologic alterations that prevent drainage and/or overbank flow from affecting the assessment area.

7. Wetland Acting as Vegetated Buffer – assessment area/wetland complex condition metric (skip for non-riparian wetlands)

7a. Is assessment area within 50 feet of a tributary or other open water?
☒Yes ☐No If Yes, continue to 7b. If No, skip to Metric 8.
Wetland buffer need only be present on one side of the water body. Make buffer judgment based on the average width of wetland. Record a note if a portion of the buffer has been removed or disturbed.

7b. How much of the first 50 feet from the bank is wetland? (Wetland buffer need only be present on one side of the .water body. Make buffer judgment based on the average width of wetland. Record a note if a portion of the buffer has been removed or disturbed.)
- ☒A ≥ 50 feet
- ☐B From 30 to < 50 feet
- ☐C From 15 to < 30 feet
- ☐D From 5 to < 15 feet
- ☐E < 5 feet or buffer bypassed by ditches

7c. Tributary width. If the tributary is anastomosed, combine widths of channels/braids for a total width.
☐≤ 15-feet wide ☒> 15-feet wide ☐ Other open water (no tributary present)

7d. Do roots of assessment area vegetation extend into the bank of the tributary/open water?
☒Yes ☐No

7e. Is stream or other open water sheltered or exposed?
☒Sheltered – adjacent open water with width < 2500 feet and no regular boat traffic.
☐Exposed – adjacent open water with width ≥ 2500 feet or regular boat traffic.

8. Wetland Width at the Assessment Area – wetland type/wetland complex condition metric (evaluate WT for all marshes and Estuarine Woody Wetland only; evaluate WC for Bottomland Hardwood Forest, Headwater Forest, and Riverine Swamp Forest only)

Check a box in each column for riverine wetlands only. Select the average width for the wetland type at the assessment area (WT) and the wetland complex at the assessment area (WC). See User Manual for WT and WC boundaries.

WT	WC	
☐A	☐A	≥ 100 feet
☐B	☐B	From 80 to < 100 feet
☐C	☐C	From 50 to < 80 feet
☐D	☐D	From 40 to < 50 feet
☐E	☐E	From 30 to < 40 feet
☐F	☐F	From 15 to < 30 feet
☐G	☒G	From 5 to < 15 feet
☐H	☐H	< 5 feet

9. Inundation Duration – assessment area condition metric (skip for non-riparian wetlands)

Answer for assessment area dominant landform.

☒A Evidence of short-duration inundation (< 7 consecutive days)
☐B Evidence of saturation, without evidence of inundation
☐C Evidence of long-duration inundation or very long-duration inundation (7 to 30 consecutive days or more)

10. Indicators of Deposition – assessment area condition metric (skip for non-riparian wetlands and all marshes)

Consider recent deposition only (no plant growth since deposition).

☐A Sediment deposition is not excessive, but at approximately natural levels.
☒B Sediment deposition is excessive, but not overwhelming the wetland.
☐C Sediment deposition is excessive and is overwhelming the wetland.

11. Wetland Size – wetland type/wetland complex condition metric

Check a box in each column. Involves a GIS effort with field adjustment. This metric evaluates three aspects of the wetland area: the size of the wetland type (WT), the size of the wetland complex (WC), and the size of the forested wetland (FW) (if applicable, see User Manual). See the User Manual for boundaries of these evaluation areas. If assessment area is clear-cut, select "K" for the FW column.

WT	WC	FW (if applicable)	
☐A	☐A	☐A	≥ 500 acres
☐B	☐B	☐B	From 100 to < 500 acres
☐C	☐C	☐C	From 50 to < 100 acres
☐D	☐D	☐D	From 25 to < 50 acres
☐E	☐E	☐E	From 10 to < 25 acres
☐F	☐F	☐F	From 5 to < 10 acres
☐G	☐G	☐G	From 1 to < 5 acres
☐H	☐H	☐H	From 0.5 to < 1 acre
☐I	☐I	☐I	From 0.1 to < 0.5 acre
☒J	☒J	☒J	From 0.01 to < 0.1 acre
☐K	☐K	☐K	< 0.01 acre or assessment area is clear-cut

12. Wetland Intactness – wetland type condition metric (evaluate for Pocosins only)

☐A Pocosin is the full extent (≥ 90%) of its natural landscape size.
☐B Pocosin type is < 90% of the full extent of its natural landscape size.

13. Connectivity to Other Natural Areas – landscape condition metric

13a. **Check appropriate box(es) (a box may be checked in each column).** Involves a GIS effort with field adjustment. This metric evaluates whether the wetland is well connected (Well) and/or loosely connected (Loosely) to the landscape patch, the contiguous naturally vegetated area and open water (if appropriate). Boundaries are formed by four-lane roads, regularly maintained utility line corridors the width of a four-lane road or wider, urban landscapes, maintained fields (pasture and agriculture), or open water > 300 feet wide.

Well	Loosely	
☐A	☐A	≥ 500 acres
☐B	☐B	From 100 to < 500 acres
☐C	☐C	From 50 to < 100 acres
☒D	☒D	From 10 to < 50 acres
☐E	☐E	< 10 acres
☐F	☐F	Wetland type has a poor or no connection to other natural habitats

13b. **Evaluate for marshes only**.

☐Yes ☐No Wetland type has a surface hydrology connection to open waters/stream or tidal wetlands.

14. Edge Effect – wetland type condition metric (skip for all marshes and Estuarine Woody Wetland)

May involve a GIS effort with field adjustment. Estimate distance from wetland type boundary to artificial edges. Artificial edges include non-forested areas ≥ 40 feet wide such as fields, development, roads, regularly maintained utility line corridors, and clear-cuts. Consider the eight main points of the compass. Artificial edge occurs within 150 feet in how many directions? If the assessment area is clear cut, select option "C."

☐A 0
☒B 1 to 4
☐C 5 to 8

15. Vegetative Composition – assessment area condition metric (skip for all marshes and Pine Flat)

☐A Vegetation is close to reference condition in species present and their proportions. Lower strata composed of appropriate species, with exotic plants absent or sparse within the assessment area.
☒B Vegetation is different from reference condition in species diversity or proportions, but still largely composed of native species characteristic of the wetland type. This may include communities of weedy native species that develop after clearcutting or clearing. It also includes communities with exotics present, but not dominant, over a large portion of the expected strata.
☐C Vegetation severely altered from reference in composition, or expected species are unnaturally absent (planted stands of non-characteristic species or at least one stratum inappropriately composed of a single species), or exotic species are dominant in at least one stratum.

16. Vegetative Diversity – assessment area condition metric (evaluate for Non-tidal Freshwater Marsh only)

☐A Vegetation diversity is high and is composed primarily of native species (< 10% cover of exotics).
☐B Vegetation diversity is low or has > 10% to 50% cover of exotics.
☐C Vegetation is dominated by exotic species (> 50 % cover of exotics).

17. Vegetative Structure – assessment area/wetland type condition metric

17a. Is vegetation present?
☒Yes ☐No If Yes, continue to 17b. If No, skip to Metric 18.

17b. Evaluate percent coverage of assessment area vegetation **for all marshes only**. Skip to 17c for non-marsh wetlands.
☐A ≥ 25% coverage of vegetation
☐B < 25% coverage of vegetation

17c. **Check a box in each column for each stratum**. Evaluate this portion of the metric **for non-marsh wetlands**. Consider structure in airspace above the assessment area (AA) and the wetland type (WT) separately.

	AA	WT	
Canopy	☒A	☒A	Canopy closed, or nearly closed, with natural gaps associated with natural processes
	☐B	☐B	Canopy present, but opened more than natural gaps
	☐C	☐C	Canopy sparse or absent
Mid-Story	☐A	☐A	Dense mid-story/sapling layer
	☒B	☒B	Moderate density mid-story/sapling layer
	☐C	☐C	Mid-story/sapling layer sparse or absent
Shrub	☐A	☐A	Dense shrub layer
	☒B	☒B	Moderate density shrub layer
	☐C	☐C	Shrub layer sparse or absent
Herb	☐A	☐A	Dense herb layer
	☐B	☒B	Moderate density herb layer
	☒C	☐C	Herb layer sparse or absent

18. Snags – wetland type condition metric (skip for all marshes)

☐A Large snags (more than one) are visible (> 12 inches DBH, or large relative to species present and landscape stability).
☒B Not A

19. Diameter Class Distribution – wetland type condition metric (skip for all marshes)

☐A Majority of canopy trees have stems > 6 inches in diameter at breast height (DBH); many large trees (> 12 inches DBH) are present.
☒B Majority of canopy trees have stems between 6 and 12 inches DBH, few are > 12 inch DBH.
☐C Majority of canopy trees are < 6 inches DBH or no trees.


20. Large Woody Debris – wetland type condition metric (skip for all marshes)

Include both natural debris and man-placed natural debris.
☐A Large logs (more than one) are visible (> 12 inches in diameter, or large relative to species present and landscape stability).
☒B Not A

21. Vegetation/Open Water Dispersion – wetland type/open water condition metric (evaluate for Non-Tidal Freshwater Marsh only)

Select the figure that best describes the amount of interspersion between vegetation and open water in the growing season. Patterned areas indicate vegetated areas, while solid white areas indicate open water.

☐A ☐B ☐C ☐D



22. Hydrologic Connectivity – assessment area condition metric (evaluate for riparian wetlands and Salt/Brackish Marsh only)

Examples of activities that may severely alter hydrologic connectivity include intensive ditching, fill, sedimentation, channelization, diversion, man-made berms, beaver dams, and stream incision. Documentation required if evaluated as B, C, or D.
☒A Overbank and overland flow are not severely altered in the assessment area.
☐B Overbank flow is severely altered in the assessment area.
☐C Overland flow is severely altered in the assessment area.
☐D Both overbank and overland flow are severely altered in the assessment area.

Notes

NC WAM Wetland Rating Sheet
Accompanies User Manual Version 5.0

Wetland Site Name	Wetland A	Date of Assessment	4/16/2026
Wetland Type	Headwater Forest	Assessor Name/Organization	Steven Busbee / STV

Notes on Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	NO
Wetland is intensively managed (Y/N)	NO
Assessment area is located within 50 feet of a natural tributary or other open water (Y/N)	YES
Assessment area is substantially altered by beaver (Y/N)	NO
Assessment area experiences overbank flooding during normal rainfall conditions (Y/N)	NO
Assessment area is on a coastal island (Y/N)	NO

Sub-function Rating Summary

Function	Sub-function	Metrics	Rating
Hydrology	Surface Storage and Retention	Condition	**HIGH**
	Sub-surface Storage and Retention	Condition	**HIGH**
Water Quality	Pathogen Change	Condition	**HIGH**
		Condition/Opportunity	**HIGH**
		Opportunity Presence (Y/N)	**YES**
	Particulate Change	Condition	**MEDIUM**
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
	Soluble Change	Condition	**MEDIUM**
		Condition/Opportunity	**HIGH**
		Opportunity Presence (Y/N)	**YES**
	Physical Change	Condition	**HIGH**
		Condition/Opportunity	**HIGH**
		Opportunity Presence (Y/N)	**YES**
	Pollution Change	Condition	NA
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
Habitat	Physical Structure	Condition	**HIGH**
	Landscape Patch Structure	Condition	**LOW**
	Vegetation Composition	Condition	**MEDIUM**

Function Rating Summary

Function	Metrics	Rating
Hydrology	Condition	**HIGH**
Water Quality	Condition	**HIGH**
	Condition/Opportunity	**HIGH**
	Opportunity Presence (Y/N)	**YES**
Habitat	Condition	**MEDIUM**

Overall Wetland Rating **HIGH**

NC WAM FIELD ASSESSMENT FORM
Accompanies User Manual Version 5.0

USACE AID #		NCDWR#	
Project Name	U-6191	Date of Evaluation	4/16/2026
Applicant/Owner Name	NCDOT	Wetland Site Name	Wetland B
Wetland Type	Headwater Forest	Assessor Name/Organization	Steven Busbee / STV
Level III Ecoregion	Piedmont	Nearest Named Water Body	Uwharrie River
River Basin	Yadkin-PeeDee	USGS 8-Digit Catalogue Unit	03040103
County	Randolph	NCDWR Region	Winston-Salem
☐ Yes ☒ No	Precipitation within 48 hrs?	Latitude/Longitude (deci-degrees)	35.890906, -79.992297

Evidence of stressors affecting the assessment area (may not be within the assessment area)
Please circle and/or make note on the last page if evidence of stressors is apparent. Consider departure from reference, if appropriate, in recent past (for instance, within 10 years). Noteworthy stressors include, but are not limited to the following.

- Hydrological modifications (examples: ditches, dams, beaver dams, dikes, berms, ponds, etc.)
- Surface and sub-surface discharges into the wetland (examples: discharges containing obvious pollutants, presence of nearby septic tanks, underground storage tanks (USTs), hog lagoons, etc.)
- Signs of vegetation stress (examples: vegetation mortality, insect damage, disease, storm damage, salt intrusion, etc.)
- Habitat/plant community alteration (examples: mowing, clear-cutting, exotics, etc.)

Is the assessment area intensively managed? ☐ Yes ☒ No

Regulatory Considerations - Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.

☐ Anadromous fish
☐ Federally protected species or State endangered or threatened species
☐ NCDWR riparian buffer rule in effect
☐ Abuts a Primary Nursery Area (PNA)
☐ Publicly owned property
☐ N.C. Division of Coastal Management Area of Environmental Concern (AEC) (including buffer)
☐ Abuts a stream with a NCDWQ classification of SA or supplemental classifications of HQW, ORW, or Trout
☐ Designated NCNHP reference community
☐ Abuts a 303(d)-listed stream or a tributary to a 303(d)-listed stream

What type of natural stream is associated with the wetland, if any? (check all that apply)

☐ Blackwater
☒ Brownwater
☐ Tidal (if tidal, check one of the following boxes) ☐ Lunar ☐ Wind ☐ Both

Is the assessment area on a coastal island? ☐ Yes ☒ No

Is the assessment area's surface water storage capacity or duration substantially altered by beaver? ☐ Yes ☒ No

Does the assessment area experience overbank flooding during normal rainfall conditions? ☐ Yes ☒ No

1. Ground Surface Condition/Vegetation Condition – assessment area condition metric

Check a box in each column. Consider alteration to the ground surface (GS) in the assessment area and vegetation structure (VS) in the assessment area. Compare to reference wetland if applicable (see User Manual). If a reference is not applicable, then rate the assessment area based on evidence an effect.

GS	VS	
☐A	☐A	Not severely altered
☒B	☒B	Severely altered over a majority of the assessment area (ground surface alteration examples: vehicle tracks, excessive sedimentation, fire-plow lanes, skidder tracks, bedding, fill, soil compaction, obvious pollutants) (vegetation structure alteration examples: mechanical disturbance, herbicides, salt intrusion [where appropriate], exotic species, grazing, less diversity [if appropriate], hydrologic alteration)

2. Surface and Sub-Surface Storage Capacity and Duration – assessment area condition metric

Check a box in each column. Consider surface storage capacity and duration (Surf) and sub-surface storage capacity and duration (Sub). Consider both increase and decrease in hydrology. A ditch ≤ 1 foot deep is considered to affect surface water only, while a ditch > 1 foot deep is expected to affect both surface and sub-surface water. Consider tidal flooding regime, if applicable.

Surf	Sub	
☐A	☐A	Water storage capacity and duration are not altered.
☐B	☐B	Water storage capacity or duration are altered, but not substantially (typically, not sufficient to change vegetation).
☒C	☒C	Water storage capacity or duration are substantially altered (typically, alteration sufficient to result in vegetation change) (examples: draining, flooding, soil compaction, filling, excessive sedimentation, underground utility lines).

3. Water Storage/Surface Relief – assessment area/wetland type condition metric (skip for all marshes)

Check a box in each column. Select the appropriate storage for the assessment area (AA) and the wetland type (WT).

	AA	WT	
3a.	☐A	☐A	Majority of wetland with depressions able to pond water > 1 deep
	☐B	☐B	Majority of wetland with depressions able to pond water 6 inches to 1 foot deep
	☒C	☒C	Majority of wetland with depressions able to pond water 3 to 6 inches deep
	☐D	☐D	Depressions able to pond water < 3 inches deep

3b. ☐A Evidence that maximum depth of inundation is greater than 2 feet
☐B Evidence that maximum depth of inundation is between 1 and 2 feet
☒C Evidence that maximum depth of inundation is less than 1 foot

4. Soil Texture/Structure – assessment area condition metric (skip for all marshes)

Check a box from each of the three soil property groups below. Dig soil profile in the dominant assessment area landscape feature. Make soil observations within the top 12 inches. Use most recent National Technical Committee for Hydric Soils guidance for regional indicators.

4a.
- ☐A Sandy soil
- ☒B Loamy or clayey soils exhibiting redoximorphic features (concentrations, depletions, or rhizospheres)
- ☐C Loamy or clayey soils not exhibiting redoximorphic features
- ☐D Loamy or clayey gleyed soil
- ☐E Histosol or histic epipedon

4b.
- ☒A Soil ribbon < 1 inch
- ☐B Soil ribbon ≥ 1 inch

4c.
- ☒A No peat or muck presence
- ☐B A peat or muck presence

5. Discharge into Wetland – opportunity metric

Check a box in each column. Consider surface pollutants or discharges (Surf) and sub-surface pollutants or discharges (Sub). Examples of sub-surface discharges include presence of nearby septic tank, underground storage tank (UST), etc.

Surf	Sub	
☐A	☒A	Little or no evidence of pollutants or discharges entering the assessment area
☒B	☐B	Noticeable evidence of pollutants or discharges entering the wetland and stressing, but not overwhelming the treatment capacity of the assessment area
☐C	☐C	Noticeable evidence of pollutants or discharges (pathogen, particulate, or soluble) entering the assessment area and potentially overwhelming the treatment capacity of the wetland (water discoloration, dead vegetation, excessive sedimentation, odor)

6. Land Use – opportunity metric (skip for non-riparian wetlands)

Check all that apply (at least one box in each column). Evaluation involves a GIS effort with field adjustment. Consider sources draining to assessment area within entire upstream watershed (WS), within 5 miles and within the watershed draining to the assessment area (5M), and within 2 miles and within the watershed draining to the assessment area (2M).

WS	5M	2M	
☒A	☒A	☒A	≥ 10% impervious surfaces
☐B	☐B	☐B	Confined animal operations (or other local, concentrated source of pollutants
☐C	☐C	☐C	≥ 20% coverage of pasture
☐D	☐D	☐D	≥ 20% coverage of agricultural land (regularly plowed land)
☒E	☒E	☒E	≥ 20% coverage of maintained grass/herb
☐F	☐F	☐F	≥ 20% coverage of clear-cut land
☐G	☐G	☐G	Little or no opportunity to improve water quality. Lack of opportunity may result from little or no disturbance in the watershed or hydrologic alterations that prevent drainage and/or overbank flow from affecting the assessment area.

7. Wetland Acting as Vegetated Buffer – assessment area/wetland complex condition metric (skip for non-riparian wetlands)

7a. Is assessment area within 50 feet of a tributary or other open water?
☒Yes ☐No If Yes, continue to 7b. If No, skip to Metric 8.
Wetland buffer need only be present on one side of the water body. Make buffer judgment based on the average width of wetland. Record a note if a portion of the buffer has been removed or disturbed.

7b. How much of the first 50 feet from the bank is wetland? (Wetland buffer need only be present on one side of the .water body. Make buffer judgment based on the average width of wetland. Record a note if a portion of the buffer has been removed or disturbed.)
- ☒A ≥ 50 feet
- ☐B From 30 to < 50 feet
- ☐C From 15 to < 30 feet
- ☐D From 5 to < 15 feet
- ☐E < 5 feet or buffer bypassed by ditches

7c. Tributary width. If the tributary is anastomosed, combine widths of channels/braids for a total width.
☒≤ 15-feet wide ☐> 15-feet wide ☐ Other open water (no tributary present)

7d. Do roots of assessment area vegetation extend into the bank of the tributary/open water?
☒Yes ☐No

7e. Is stream or other open water sheltered or exposed?
☒Sheltered – adjacent open water with width < 2500 feet and no regular boat traffic.
☐Exposed – adjacent open water with width ≥ 2500 feet or regular boat traffic.

8. Wetland Width at the Assessment Area – wetland type/wetland complex condition metric (evaluate WT for all marshes and Estuarine Woody Wetland only; evaluate WC for Bottomland Hardwood Forest, Headwater Forest, and Riverine Swamp Forest only)

Check a box in each column for riverine wetlands only. Select the average width for the wetland type at the assessment area (WT) and the wetland complex at the assessment area (WC). See User Manual for WT and WC boundaries.

WT	WC	
☐A	☐A	≥ 100 feet
☐B	☐B	From 80 to < 100 feet
☐C	☐C	From 50 to < 80 feet
☐D	☐D	From 40 to < 50 feet
☐E	☐E	From 30 to < 40 feet
☐F	☐F	From 15 to < 30 feet
☐G	☒G	From 5 to < 15 feet
☐H	☐H	< 5 feet

9. Inundation Duration – assessment area condition metric (skip for non-riparian wetlands)

Answer for assessment area dominant landform.

☒A Evidence of short-duration inundation (< 7 consecutive days)
☐B Evidence of saturation, without evidence of inundation
☐C Evidence of long-duration inundation or very long-duration inundation (7 to 30 consecutive days or more)

10. Indicators of Deposition – assessment area condition metric (skip for non-riparian wetlands and all marshes)

Consider recent deposition only (no plant growth since deposition).

☐A Sediment deposition is not excessive, but at approximately natural levels.
☒B Sediment deposition is excessive, but not overwhelming the wetland.
☐C Sediment deposition is excessive and is overwhelming the wetland.

11. Wetland Size – wetland type/wetland complex condition metric

Check a box in each column. Involves a GIS effort with field adjustment. This metric evaluates three aspects of the wetland area: the size of the wetland type (WT), the size of the wetland complex (WC), and the size of the forested wetland (FW) (if applicable, see User Manual). See the User Manual for boundaries of these evaluation areas. If assessment area is clear-cut, select "K" for the FW column.

WT	WC	FW (if applicable)	
☐A	☐A	☐A	≥ 500 acres
☐B	☐B	☐B	From 100 to < 500 acres
☐C	☐C	☐C	From 50 to < 100 acres
☐D	☐D	☐D	From 25 to < 50 acres
☐E	☐E	☐E	From 10 to < 25 acres
☐F	☐F	☐F	From 5 to < 10 acres
☐G	☐G	☐G	From 1 to < 5 acres
☐H	☐H	☐H	From 0.5 to < 1 acre
☐I	☐I	☐I	From 0.1 to < 0.5 acre
☒J	☒J	☒J	From 0.01 to < 0.1 acre
☐K	☐K	☐K	< 0.01 acre or assessment area is clear-cut

12. Wetland Intactness – wetland type condition metric (evaluate for Pocosins only)

☐A Pocosin is the full extent (≥ 90%) of its natural landscape size.
☐B Pocosin type is < 90% of the full extent of its natural landscape size.

13. Connectivity to Other Natural Areas – landscape condition metric

13a. **Check appropriate box(es) (a box may be checked in each column).** Involves a GIS effort with field adjustment. This metric evaluates whether the wetland is well connected (Well) and/or loosely connected (Loosely) to the landscape patch, the contiguous naturally vegetated area and open water (if appropriate). Boundaries are formed by four-lane roads, regularly maintained utility line corridors the width of a four-lane road or wider, urban landscapes, maintained fields (pasture and agriculture), or open water > 300 feet wide.

Well	Loosely	
☐A	☐A	≥ 500 acres
☐B	☐B	From 100 to < 500 acres
☐C	☐C	From 50 to < 100 acres
☐D	☐D	From 10 to < 50 acres
☒E	☒E	< 10 acres
☐F	☐F	Wetland type has a poor or no connection to other natural habitats

13b. **Evaluate for marshes only**.

☐Yes ☐No Wetland type has a surface hydrology connection to open waters/stream or tidal wetlands.

14. Edge Effect – wetland type condition metric (skip for all marshes and Estuarine Woody Wetland)

May involve a GIS effort with field adjustment. Estimate distance from wetland type boundary to artificial edges. Artificial edges include non-forested areas ≥ 40 feet wide such as fields, development, roads, regularly maintained utility line corridors, and clear-cuts. Consider the eight main points of the compass. Artificial edge occurs within 150 feet in how many directions? If the assessment area is clear cut, select option "C."

☐A 0
☐B 1 to 4
☒C 5 to 8

15. Vegetative Composition – assessment area condition metric (skip for all marshes and Pine Flat)

☐A Vegetation is close to reference condition in species present and their proportions. Lower strata composed of appropriate species, with exotic plants absent or sparse within the assessment area.
☒B Vegetation is different from reference condition in species diversity or proportions, but still largely composed of native species characteristic of the wetland type. This may include communities of weedy native species that develop after clearcutting or clearing. It also includes communities with exotics present, but not dominant, over a large portion of the expected strata.
☐C Vegetation severely altered from reference in composition, or expected species are unnaturally absent (planted stands of non-characteristic species or at least one stratum inappropriately composed of a single species), or exotic species are dominant in at least one stratum.

16. Vegetative Diversity – assessment area condition metric (evaluate for Non-tidal Freshwater Marsh only)

☐A Vegetation diversity is high and is composed primarily of native species (< 10% cover of exotics).
☐B Vegetation diversity is low or has > 10% to 50% cover of exotics.
☐C Vegetation is dominated by exotic species (> 50 % cover of exotics).

17. Vegetative Structure – assessment area/wetland type condition metric

17a. Is vegetation present?
☒Yes ☐No If Yes, continue to 17b. If No, skip to Metric 18.

17b. Evaluate percent coverage of assessment area vegetation **for all marshes only**. Skip to 17c for non-marsh wetlands.
☐A ≥ 25% coverage of vegetation
☐B < 25% coverage of vegetation

17c. **Check a box in each column for each stratum**. Evaluate this portion of the metric **for non-marsh wetlands**. Consider structure in airspace above the assessment area (AA) and the wetland type (WT) separately.

	AA	WT	
Canopy	☒A	☒A	Canopy closed, or nearly closed, with natural gaps associated with natural processes
	☐B	☐B	Canopy present, but opened more than natural gaps
	☐C	☐C	Canopy sparse or absent
Mid-Story	☐A	☐A	Dense mid-story/sapling layer
	☒B	☒B	Moderate density mid-story/sapling layer
	☐C	☐C	Mid-story/sapling layer sparse or absent
Shrub	☐A	☐A	Dense shrub layer
	☒B	☒B	Moderate density shrub layer
	☐C	☐C	Shrub layer sparse or absent
Herb	☐A	☐A	Dense herb layer
	☐B	☒B	Moderate density herb layer
	☒C	☐C	Herb layer sparse or absent

18. Snags – wetland type condition metric (skip for all marshes)

☐A Large snags (more than one) are visible (> 12 inches DBH, or large relative to species present and landscape stability).
☒B Not A

19. Diameter Class Distribution – wetland type condition metric (skip for all marshes)

☐A Majority of canopy trees have stems > 6 inches in diameter at breast height (DBH); many large trees (> 12 inches DBH) are present.
☒B Majority of canopy trees have stems between 6 and 12 inches DBH, few are > 12 inch DBH.
☐C Majority of canopy trees are < 6 inches DBH or no trees.


20. Large Woody Debris – wetland type condition metric (skip for all marshes)

Include both natural debris and man-placed natural debris.
☒A Large logs (more than one) are visible (> 12 inches in diameter, or large relative to species present and landscape stability).
☐B Not A

21. Vegetation/Open Water Dispersion – wetland type/open water condition metric (evaluate for Non-Tidal Freshwater Marsh only)

Select the figure that best describes the amount of interspersion between vegetation and open water in the growing season. Patterned areas indicate vegetated areas, while solid white areas indicate open water.

☐A ☐B ☐C ☐D



22. Hydrologic Connectivity – assessment area condition metric (evaluate for riparian wetlands and Salt/Brackish Marsh only)

Examples of activities that may severely alter hydrologic connectivity include intensive ditching, fill, sedimentation, channelization, diversion, man-made berms, beaver dams, and stream incision. Documentation required if evaluated as B, C, or D.
☒A Overbank and overland flow are not severely altered in the assessment area.
☐B Overbank flow is severely altered in the assessment area.
☐C Overland flow is severely altered in the assessment area.
☐D Both overbank and overland flow are severely altered in the assessment area.

Notes

NC WAM Wetland Rating Sheet
Accompanies User Manual Version 5.0

Wetland Site Name	Wetland B	Date of Assessment	4/16/2026
Wetland Type	Headwater Forest	Assessor Name/Organization	Steven Busbee / STV

Notes on Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	NO
Wetland is intensively managed (Y/N)	NO
Assessment area is located within 50 feet of a natural tributary or other open water (Y/N)	YES
Assessment area is substantially altered by beaver (Y/N)	NO
Assessment area experiences overbank flooding during normal rainfall conditions (Y/N)	NO
Assessment area is on a coastal island (Y/N)	NO

Sub-function Rating Summary

Function	Sub-function	Metrics	Rating
Hydrology	Surface Storage and Retention	Condition	**LOW**
	Sub-surface Storage and Retention	Condition	**LOW**
Water Quality	Pathogen Change	Condition	**HIGH**
		Condition/Opportunity	**HIGH**
		Opportunity Presence (Y/N)	**YES**
	Particulate Change	Condition	**MEDIUM**
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
	Soluble Change	Condition	**MEDIUM**
		Condition/Opportunity	**HIGH**
		Opportunity Presence (Y/N)	**YES**
	Physical Change	Condition	**HIGH**
		Condition/Opportunity	**HIGH**
		Opportunity Presence (Y/N)	**YES**
	Pollution Change	Condition	NA
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
Habitat	Physical Structure	Condition	**MEDIUM**
	Landscape Patch Structure	Condition	**LOW**
	Vegetation Composition	Condition	**MEDIUM**

Function Rating Summary

Function	Metrics	Rating
Hydrology	Condition	**LOW**
Water Quality	Condition	**HIGH**
	Condition/Opportunity	**HIGH**
	Opportunity Presence (Y/N)	**YES**
Habitat	Condition	**LOW**

Overall Wetland Rating **LOW**

NC WAM FIELD ASSESSMENT FORM
Accompanies User Manual Version 5.0

USACE AID #		NCDWR#	
Project Name	U-6191	Date of Evaluation	4/17/2026
Applicant/Owner Name	NCDOT	Wetland Site Name	Wetland C
Wetland Type	Bottomland Hardwood Forest	Assessor Name/Organization	Steven Busbee / STV
Level III Ecoregion	Piedmont	Nearest Named Water Body	Muddy Creek
River Basin	Cape Fear	USGS 8-Digit Catalogue Unit	03040103
County	Randolph	NCDWR Region	Winston-Salem
☐ Yes ☒ No	Precipitation within 48 hrs?	Latitude/Longitude (deci-degrees)	35.905394, -79.983908

Evidence of stressors affecting the assessment area (may not be within the assessment area)
Please circle and/or make note on the last page if evidence of stressors is apparent. Consider departure from reference, if appropriate, in recent past (for instance, within 10 years). Noteworthy stressors include, but are not limited to the following.

- Hydrological modifications (examples: ditches, dams, beaver dams, dikes, berms, ponds, etc.)
- Surface and sub-surface discharges into the wetland (examples: discharges containing obvious pollutants, presence of nearby septic tanks, underground storage tanks (USTs), hog lagoons, etc.)
- Signs of vegetation stress (examples: vegetation mortality, insect damage, disease, storm damage, salt intrusion, etc.)
- Habitat/plant community alteration (examples: mowing, clear-cutting, exotics, etc.)

Is the assessment area intensively managed? ☐ Yes ☒ No

Regulatory Considerations - Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.

☐ Anadromous fish
☐ Federally protected species or State endangered or threatened species
☐ NCDWR riparian buffer rule in effect
☐ Abuts a Primary Nursery Area (PNA)
☐ Publicly owned property
☐ N.C. Division of Coastal Management Area of Environmental Concern (AEC) (including buffer)
☐ Abuts a stream with a NCDWQ classification of SA or supplemental classifications of HQW, ORW, or Trout
☐ Designated NCNHP reference community
☐ Abuts a 303(d)-listed stream or a tributary to a 303(d)-listed stream

What type of natural stream is associated with the wetland, if any? (check all that apply)

☐ Blackwater
☒ Brownwater
☐ Tidal (if tidal, check one of the following boxes) ☐ Lunar ☐ Wind ☐ Both

Is the assessment area on a coastal island? ☐ Yes ☒ No

Is the assessment area's surface water storage capacity or duration substantially altered by beaver? ☐ Yes ☒ No

Does the assessment area experience overbank flooding during normal rainfall conditions? ☐ Yes ☒ No

1. Ground Surface Condition/Vegetation Condition – assessment area condition metric

Check a box in each column. Consider alteration to the ground surface (GS) in the assessment area and vegetation structure (VS) in the assessment area. Compare to reference wetland if applicable (see User Manual). If a reference is not applicable, then rate the assessment area based on evidence an effect.

GS	VS	
☒A	☒A	Not severely altered
☐B	☐B	Severely altered over a majority of the assessment area (ground surface alteration examples: vehicle tracks, excessive sedimentation, fire-plow lanes, skidder tracks, bedding, fill, soil compaction, obvious pollutants) (vegetation structure alteration examples: mechanical disturbance, herbicides, salt intrusion [where appropriate], exotic species, grazing, less diversity [if appropriate], hydrologic alteration)

2. Surface and Sub-Surface Storage Capacity and Duration – assessment area condition metric

Check a box in each column. Consider surface storage capacity and duration (Surf) and sub-surface storage capacity and duration (Sub). Consider both increase and decrease in hydrology. A ditch ≤ 1 foot deep is considered to affect surface water only, while a ditch > 1 foot deep is expected to affect both surface and sub-surface water. Consider tidal flooding regime, if applicable.

Surf	Sub	
☐A	☒A	Water storage capacity and duration are not altered.
☒B	☐B	Water storage capacity or duration are altered, but not substantially (typically, not sufficient to change vegetation).
☐C	☐C	Water storage capacity or duration are substantially altered (typically, alteration sufficient to result in vegetation change) (examples: draining, flooding, soil compaction, filling, excessive sedimentation, underground utility lines).

3. Water Storage/Surface Relief – assessment area/wetland type condition metric (skip for all marshes)

Check a box in each column. Select the appropriate storage for the assessment area (AA) and the wetland type (WT).

	AA	WT	
3a.	☐A	☐A	Majority of wetland with depressions able to pond water > 1 deep
	☐B	☐B	Majority of wetland with depressions able to pond water 6 inches to 1 foot deep
	☒C	☒C	Majority of wetland with depressions able to pond water 3 to 6 inches deep
	☐D	☐D	Depressions able to pond water < 3 inches deep

3b. ☐A Evidence that maximum depth of inundation is greater than 2 feet
☐B Evidence that maximum depth of inundation is between 1 and 2 feet
☒C Evidence that maximum depth of inundation is less than 1 foot

4. Soil Texture/Structure – assessment area condition metric (skip for all marshes)

Check a box from each of the three soil property groups below. Dig soil profile in the dominant assessment area landscape feature. Make soil observations within the top 12 inches. Use most recent National Technical Committee for Hydric Soils guidance for regional indicators.

4a.
- ☐A Sandy soil
- ☒B Loamy or clayey soils exhibiting redoximorphic features (concentrations, depletions, or rhizospheres)
- ☐C Loamy or clayey soils not exhibiting redoximorphic features
- ☐D Loamy or clayey gleyed soil
- ☐E Histosol or histic epipedon

4b.
- ☒A Soil ribbon < 1 inch
- ☐B Soil ribbon ≥ 1 inch

4c.
- ☒A No peat or muck presence
- ☐B A peat or muck presence

5. Discharge into Wetland – opportunity metric

Check a box in each column. Consider surface pollutants or discharges (Surf) and sub-surface pollutants or discharges (Sub). Examples of sub-surface discharges include presence of nearby septic tank, underground storage tank (UST), etc.

Surf	Sub	
☒A	☒A	Little or no evidence of pollutants or discharges entering the assessment area
☐B	☐B	Noticeable evidence of pollutants or discharges entering the wetland and stressing, but not overwhelming the treatment capacity of the assessment area
☐C	☐C	Noticeable evidence of pollutants or discharges (pathogen, particulate, or soluble) entering the assessment area and potentially overwhelming the treatment capacity of the wetland (water discoloration, dead vegetation, excessive sedimentation, odor)

6. Land Use – opportunity metric (skip for non-riparian wetlands)

Check all that apply (at least one box in each column). Evaluation involves a GIS effort with field adjustment. Consider sources draining to assessment area within entire upstream watershed (WS), within 5 miles and within the watershed draining to the assessment area (5M), and within 2 miles and within the watershed draining to the assessment area (2M).

WS	5M	2M	
☒A	☒A	☒A	≥ 10% impervious surfaces
☐B	☐B	☐B	Confined animal operations (or other local, concentrated source of pollutants
☐C	☐C	☐C	≥ 20% coverage of pasture
☐D	☐D	☐D	≥ 20% coverage of agricultural land (regularly plowed land)
☒E	☒E	☒E	≥ 20% coverage of maintained grass/herb
☐F	☐F	☐F	≥ 20% coverage of clear-cut land
☐G	☐G	☐G	Little or no opportunity to improve water quality. Lack of opportunity may result from little or no disturbance in the watershed or hydrologic alterations that prevent drainage and/or overbank flow from affecting the assessment area.

7. Wetland Acting as Vegetated Buffer – assessment area/wetland complex condition metric (skip for non-riparian wetlands)

7a. Is assessment area within 50 feet of a tributary or other open water?
☒Yes ☐No If Yes, continue to 7b. If No, skip to Metric 8.
Wetland buffer need only be present on one side of the water body. Make buffer judgment based on the average width of wetland. Record a note if a portion of the buffer has been removed or disturbed.

7b. How much of the first 50 feet from the bank is wetland? (Wetland buffer need only be present on one side of the .water body. Make buffer judgment based on the average width of wetland. Record a note if a portion of the buffer has been removed or disturbed.)
- ☐A ≥ 50 feet
- ☐B From 30 to < 50 feet
- ☒C From 15 to < 30 feet
- ☐D From 5 to < 15 feet
- ☐E < 5 feet or buffer bypassed by ditches

7c. Tributary width. If the tributary is anastomosed, combine widths of channels/braids for a total width.
☒≤ 15-feet wide ☐> 15-feet wide ☐ Other open water (no tributary present)

7d. Do roots of assessment area vegetation extend into the bank of the tributary/open water?
☐Yes ☒No

7e. Is stream or other open water sheltered or exposed?
☒Sheltered – adjacent open water with width < 2500 feet and no regular boat traffic.
☐Exposed – adjacent open water with width ≥ 2500 feet or regular boat traffic.

8. Wetland Width at the Assessment Area – wetland type/wetland complex condition metric (evaluate WT for all marshes and Estuarine Woody Wetland only; evaluate WC for Bottomland Hardwood Forest, Headwater Forest, and Riverine Swamp Forest only)

Check a box in each column for riverine wetlands only. Select the average width for the wetland type at the assessment area (WT) and the wetland complex at the assessment area (WC). See User Manual for WT and WC boundaries.

WT	WC	
☐A	☒A	≥ 100 feet
☐B	☐B	From 80 to < 100 feet
☐C	☐C	From 50 to < 80 feet
☐D	☐D	From 40 to < 50 feet
☐E	☐E	From 30 to < 40 feet
☐F	☐F	From 15 to < 30 feet
☐G	☐G	From 5 to < 15 feet
☐H	☐H	< 5 feet

9. Inundation Duration – assessment area condition metric (skip for non-riparian wetlands)

Answer for assessment area dominant landform.

☐A Evidence of short-duration inundation (< 7 consecutive days)
☐B Evidence of saturation, without evidence of inundation
☒C Evidence of long-duration inundation or very long-duration inundation (7 to 30 consecutive days or more)

10. Indicators of Deposition – assessment area condition metric (skip for non-riparian wetlands and all marshes)

Consider recent deposition only (no plant growth since deposition).

☒A Sediment deposition is not excessive, but at approximately natural levels.
☐B Sediment deposition is excessive, but not overwhelming the wetland.
☐C Sediment deposition is excessive and is overwhelming the wetland.

11. Wetland Size – wetland type/wetland complex condition metric

Check a box in each column. Involves a GIS effort with field adjustment. This metric evaluates three aspects of the wetland area: the size of the wetland type (WT), the size of the wetland complex (WC), and the size of the forested wetland (FW) (if applicable, see User Manual). See the User Manual for boundaries of these evaluation areas. If assessment area is clear-cut, select "K" for the FW column.

WT	WC	FW (if applicable)	
☐A	☐A	☐A	≥ 500 acres
☐B	☐B	☐B	From 100 to < 500 acres
☐C	☐C	☐C	From 50 to < 100 acres
☐D	☐D	☐D	From 25 to < 50 acres
☐E	☐E	☐E	From 10 to < 25 acres
☐F	☐F	☐F	From 5 to < 10 acres
☒G	☒G	☐G	From 1 to < 5 acres
☐H	☐H	☐H	From 0.5 to < 1 acre
☐I	☐I	☒I	From 0.1 to < 0.5 acre
☐J	☐J	☐J	From 0.01 to < 0.1 acre
☐K	☐K	☐K	< 0.01 acre or assessment area is clear-cut

12. Wetland Intactness – wetland type condition metric (evaluate for Pocosins only)

☐A Pocosin is the full extent (≥ 90%) of its natural landscape size.
☐B Pocosin type is < 90% of the full extent of its natural landscape size.

13. Connectivity to Other Natural Areas – landscape condition metric

13a. **Check appropriate box(es) (a box may be checked in each column).** Involves a GIS effort with field adjustment. This metric evaluates whether the wetland is well connected (Well) and/or loosely connected (Loosely) to the landscape patch, the contiguous naturally vegetated area and open water (if appropriate). Boundaries are formed by four-lane roads, regularly maintained utility line corridors the width of a four-lane road or wider, urban landscapes, maintained fields (pasture and agriculture), or open water > 300 feet wide.

Well	Loosely	
☐A	☐A	≥ 500 acres
☐B	☐B	From 100 to < 500 acres
☐C	☐C	From 50 to < 100 acres
☐D	☒D	From 10 to < 50 acres
☒E	☐E	< 10 acres
☐F	☐F	Wetland type has a poor or no connection to other natural habitats

13b. **Evaluate for marshes only**.

☐Yes ☐No Wetland type has a surface hydrology connection to open waters/stream or tidal wetlands.

14. Edge Effect – wetland type condition metric (skip for all marshes and Estuarine Woody Wetland)

May involve a GIS effort with field adjustment. Estimate distance from wetland type boundary to artificial edges. Artificial edges include non-forested areas ≥ 40 feet wide such as fields, development, roads, regularly maintained utility line corridors, and clear-cuts. Consider the eight main points of the compass. Artificial edge occurs within 150 feet in how many directions? If the assessment area is clear cut, select option "C."

☐A 0
☐B 1 to 4
☒C 5 to 8

15. Vegetative Composition – assessment area condition metric (skip for all marshes and Pine Flat)

☐A Vegetation is close to reference condition in species present and their proportions. Lower strata composed of appropriate species, with exotic plants absent or sparse within the assessment area.
☒B Vegetation is different from reference condition in species diversity or proportions, but still largely composed of native species characteristic of the wetland type. This may include communities of weedy native species that develop after clearcutting or clearing. It also includes communities with exotics present, but not dominant, over a large portion of the expected strata.
☐C Vegetation severely altered from reference in composition, or expected species are unnaturally absent (planted stands of non-characteristic species or at least one stratum inappropriately composed of a single species), or exotic species are dominant in at least one stratum.

16. Vegetative Diversity – assessment area condition metric (evaluate for Non-tidal Freshwater Marsh only)

☐A Vegetation diversity is high and is composed primarily of native species (< 10% cover of exotics).
☐B Vegetation diversity is low or has > 10% to 50% cover of exotics.
☐C Vegetation is dominated by exotic species (> 50 % cover of exotics).

17. Vegetative Structure – assessment area/wetland type condition metric

17a. Is vegetation present?
☒Yes ☐No If Yes, continue to 17b. If No, skip to Metric 18.

17b. Evaluate percent coverage of assessment area vegetation **for all marshes only**. Skip to 17c for non-marsh wetlands.
☐A ≥ 25% coverage of vegetation
☐B < 25% coverage of vegetation

17c. **Check a box in each column for each stratum**. Evaluate this portion of the metric **for non-marsh wetlands**. Consider structure in airspace above the assessment area (AA) and the wetland type (WT) separately.

	AA	WT	
Canopy	☒A	☒A	Canopy closed, or nearly closed, with natural gaps associated with natural processes
	☐B	☐B	Canopy present, but opened more than natural gaps
	☐C	☐C	Canopy sparse or absent
Mid-Story	☐A	☐A	Dense mid-story/sapling layer
	☒B	☒B	Moderate density mid-story/sapling layer
	☐C	☐C	Mid-story/sapling layer sparse or absent
Shrub	☐A	☐A	Dense shrub layer
	☒B	☒B	Moderate density shrub layer
	☐C	☐C	Shrub layer sparse or absent
Herb	☐A	☐A	Dense herb layer
	☒B	☒B	Moderate density herb layer
	☐C	☐C	Herb layer sparse or absent

18. Snags – wetland type condition metric (skip for all marshes)

☐A Large snags (more than one) are visible (> 12 inches DBH, or large relative to species present and landscape stability).
☒B Not A

19. Diameter Class Distribution – wetland type condition metric (skip for all marshes)

☒A Majority of canopy trees have stems > 6 inches in diameter at breast height (DBH); many large trees (> 12 inches DBH) are present.
☐B Majority of canopy trees have stems between 6 and 12 inches DBH, few are > 12 inch DBH.
☐C Majority of canopy trees are < 6 inches DBH or no trees.


20. Large Woody Debris – wetland type condition metric (skip for all marshes)

Include both natural debris and man-placed natural debris.
☒A Large logs (more than one) are visible (> 12 inches in diameter, or large relative to species present and landscape stability).
☐B Not A

21. Vegetation/Open Water Dispersion – wetland type/open water condition metric (evaluate for Non-Tidal Freshwater Marsh only)

Select the figure that best describes the amount of interspersion between vegetation and open water in the growing season. Patterned areas indicate vegetated areas, while solid white areas indicate open water.

☐A ☐B ☐C ☐D



22. Hydrologic Connectivity – assessment area condition metric (evaluate for riparian wetlands and Salt/Brackish Marsh only)

Examples of activities that may severely alter hydrologic connectivity include intensive ditching, fill, sedimentation, channelization, diversion, man-made berms, beaver dams, and stream incision. Documentation required if evaluated as B, C, or D.
☒A Overbank and overland flow are not severely altered in the assessment area.
☐B Overbank flow is severely altered in the assessment area.
☐C Overland flow is severely altered in the assessment area.
☐D Both overbank and overland flow are severely altered in the assessment area.

Notes

NC WAM Wetland Rating Sheet
Accompanies User Manual Version 5.0

Wetland Site Name	Wetland C	Date of Assessment	4/17/2026
Wetland Type	Bottomland Hardwood Forest	Assessor Name/Organization	Steven Busbee / STV

Notes on Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	NO
Wetland is intensively managed (Y/N)	NO
Assessment area is located within 50 feet of a natural tributary or other open water (Y/N)	YES
Assessment area is substantially altered by beaver (Y/N)	NO
Assessment area experiences overbank flooding during normal rainfall conditions (Y/N)	NO
Assessment area is on a coastal island (Y/N)	NO

Sub-function Rating Summary

Function	Sub-function	Metrics	Rating
Hydrology	Surface Storage and Retention	Condition	**MEDIUM**
	Sub-surface Storage and Retention	Condition	**MEDIUM**
Water Quality	Pathogen Change	Condition	**LOW**
		Condition/Opportunity	**MEDIUM**
		Opportunity Presence (Y/N)	**YES**
	Particulate Change	Condition	**HIGH**
		Condition/Opportunity	**HIGH**
		Opportunity Presence (Y/N)	**YES**
	Soluble Change	Condition	**LOW**
		Condition/Opportunity	**LOW**
		Opportunity Presence (Y/N)	**YES**
	Physical Change	Condition	**MEDIUM**
		Condition/Opportunity	**MEDIUM**
		Opportunity Presence (Y/N)	**YES**
	Pollution Change	Condition	NA
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
Habitat	Physical Structure	Condition	**HIGH**
	Landscape Patch Structure	Condition	**LOW**
	Vegetation Composition	Condition	**MEDIUM**

Function Rating Summary

Function	Metrics	Rating
Hydrology	Condition	**MEDIUM**
Water Quality	Condition	**LOW**
	Condition/Opportunity	**MEDIUM**
	Opportunity Presence (Y/N)	**YES**
Habitat	Condition	**MEDIUM**

Overall Wetland Rating **MEDIUM**

NC WAM FIELD ASSESSMENT FORM
Accompanies User Manual Version 5.0

USACE AID #		NCDWR#	
Project Name	U-6191	Date of Evaluation	4/17/2026
Applicant/Owner Name	NCDOT	Wetland Site Name	Wetland D
Wetland Type	Bottomland Hardwood Forest	Assessor Name/Organization	Steven Busbee / STV
Level III Ecoregion	Piedmont	Nearest Named Water Body	Muddy Creek
River Basin	Cape Fear	USGS 8-Digit Catalogue Unit	03040103
County	Randolph	NCDWR Region	Winston-Salem
☐ Yes ☒ No	Precipitation within 48 hrs?	Latitude/Longitude (deci-degrees)	35.905739, -79.983648

Evidence of stressors affecting the assessment area (may not be within the assessment area)

Please circle and/or make note on the last page if evidence of stressors is apparent. Consider departure from reference, if appropriate, in recent past (for instance, within 10 years). Noteworthy stressors include, but are not limited to the following.

- Hydrological modifications (examples: ditches, dams, beaver dams, dikes, berms, ponds, etc.)
- Surface and sub-surface discharges into the wetland (examples: discharges containing obvious pollutants, presence of nearby septic tanks, underground storage tanks (USTs), hog lagoons, etc.)
- Signs of vegetation stress (examples: vegetation mortality, insect damage, disease, storm damage, salt intrusion, etc.)
- Habitat/plant community alteration (examples: mowing, clear-cutting, exotics, etc.)

Is the assessment area intensively managed? ☐ Yes ☒ No

Regulatory Considerations - Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.

☐ Anadromous fish
☐ Federally protected species or State endangered or threatened species
☐ NCDWR riparian buffer rule in effect
☐ Abuts a Primary Nursery Area (PNA)
☐ Publicly owned property
☐ N.C. Division of Coastal Management Area of Environmental Concern (AEC) (including buffer)
☐ Abuts a stream with a NCDWQ classification of SA or supplemental classifications of HQW, ORW, or Trout
☐ Designated NCNHP reference community
☐ Abuts a 303(d)-listed stream or a tributary to a 303(d)-listed stream

What type of natural stream is associated with the wetland, if any? (check all that apply)

☐ Blackwater
☒ Brownwater
☐ Tidal (if tidal, check one of the following boxes) ☐ Lunar ☐ Wind ☐ Both

Is the assessment area on a coastal island? ☐ Yes ☒ No

Is the assessment area's surface water storage capacity or duration substantially altered by beaver? ☐ Yes ☒ No

Does the assessment area experience overbank flooding during normal rainfall conditions? ☐ Yes ☒ No

1. Ground Surface Condition/Vegetation Condition – assessment area condition metric

Check a box in each column. Consider alteration to the ground surface (GS) in the assessment area and vegetation structure (VS) in the assessment area. Compare to reference wetland if applicable (see User Manual). If a reference is not applicable, then rate the assessment area based on evidence an effect.

GS	VS	
☒A	☒A	Not severely altered
☐B	☐B	Severely altered over a majority of the assessment area (ground surface alteration examples: vehicle tracks, excessive sedimentation, fire-plow lanes, skidder tracks, bedding, fill, soil compaction, obvious pollutants) (vegetation structure alteration examples: mechanical disturbance, herbicides, salt intrusion [where appropriate], exotic species, grazing, less diversity [if appropriate], hydrologic alteration)

2. Surface and Sub-Surface Storage Capacity and Duration – assessment area condition metric

Check a box in each column. Consider surface storage capacity and duration (Surf) and sub-surface storage capacity and duration (Sub). Consider both increase and decrease in hydrology. A ditch ≤ 1 foot deep is considered to affect surface water only, while a ditch > 1 foot deep is expected to affect both surface and sub-surface water. Consider tidal flooding regime, if applicable.

Surf	Sub	
☐A	☐A	Water storage capacity and duration are not altered.
☒B	☒B	Water storage capacity or duration are altered, but not substantially (typically, not sufficient to change vegetation).
☐C	☐C	Water storage capacity or duration are substantially altered (typically, alteration sufficient to result in vegetation change) (examples: draining, flooding, soil compaction, filling, excessive sedimentation, underground utility lines).

3. Water Storage/Surface Relief – assessment area/wetland type condition metric (skip for all marshes)

Check a box in each column. Select the appropriate storage for the assessment area (AA) and the wetland type (WT).

	AA	WT	
3a.	☐A	☐A	Majority of wetland with depressions able to pond water > 1 deep
	☐B	☐B	Majority of wetland with depressions able to pond water 6 inches to 1 foot deep
	☒C	☒C	Majority of wetland with depressions able to pond water 3 to 6 inches deep
	☐D	☐D	Depressions able to pond water < 3 inches deep

3b. ☐A Evidence that maximum depth of inundation is greater than 2 feet
☐B Evidence that maximum depth of inundation is between 1 and 2 feet
☒C Evidence that maximum depth of inundation is less than 1 foot

4. Soil Texture/Structure – assessment area condition metric (skip for all marshes)

Check a box from each of the three soil property groups below. Dig soil profile in the dominant assessment area landscape feature. Make soil observations within the top 12 inches. Use most recent National Technical Committee for Hydric Soils guidance for regional indicators.

4a.
- ☐A Sandy soil
- ☒B Loamy or clayey soils exhibiting redoximorphic features (concentrations, depletions, or rhizospheres)
- ☐C Loamy or clayey soils not exhibiting redoximorphic features
- ☐D Loamy or clayey gleyed soil
- ☐E Histosol or histic epipedon

4b.
- ☒A Soil ribbon < 1 inch
- ☐B Soil ribbon ≥ 1 inch

4c.
- ☒A No peat or muck presence
- ☐B A peat or muck presence

5. Discharge into Wetland – opportunity metric

Check a box in each column. Consider surface pollutants or discharges (Surf) and sub-surface pollutants or discharges (Sub). Examples of sub-surface discharges include presence of nearby septic tank, underground storage tank (UST), etc.

Surf	Sub	
☐A	☒A	Little or no evidence of pollutants or discharges entering the assessment area
☒B	☐B	Noticeable evidence of pollutants or discharges entering the wetland and stressing, but not overwhelming the treatment capacity of the assessment area
☐C	☐C	Noticeable evidence of pollutants or discharges (pathogen, particulate, or soluble) entering the assessment area and potentially overwhelming the treatment capacity of the wetland (water discoloration, dead vegetation, excessive sedimentation, odor)

6. Land Use – opportunity metric (skip for non-riparian wetlands)

Check all that apply (at least one box in each column). Evaluation involves a GIS effort with field adjustment. Consider sources draining to assessment area within entire upstream watershed (WS), within 5 miles and within the watershed draining to the assessment area (5M), and within 2 miles and within the watershed draining to the assessment area (2M).

WS	5M	2M	
☒A	☒A	☒A	≥ 10% impervious surfaces
☐B	☐B	☐B	Confined animal operations (or other local, concentrated source of pollutants
☐C	☐C	☐C	≥ 20% coverage of pasture
☐D	☐D	☐D	≥ 20% coverage of agricultural land (regularly plowed land)
☒E	☒E	☒E	≥ 20% coverage of maintained grass/herb
☐F	☐F	☐F	≥ 20% coverage of clear-cut land
☐G	☐G	☐G	Little or no opportunity to improve water quality. Lack of opportunity may result from little or no disturbance in the watershed or hydrologic alterations that prevent drainage and/or overbank flow from affecting the assessment area.

7. Wetland Acting as Vegetated Buffer – assessment area/wetland complex condition metric (skip for non-riparian wetlands)

7a. Is assessment area within 50 feet of a tributary or other open water?
☒Yes ☐No If Yes, continue to 7b. If No, skip to Metric 8.
Wetland buffer need only be present on one side of the water body. Make buffer judgment based on the average width of wetland. Record a note if a portion of the buffer has been removed or disturbed.

7b. How much of the first 50 feet from the bank is wetland? (Wetland buffer need only be present on one side of the .water body. Make buffer judgment based on the average width of wetland. Record a note if a portion of the buffer has been removed or disturbed.)
- ☐A ≥ 50 feet
- ☐B From 30 to < 50 feet
- ☐C From 15 to < 30 feet
- ☒D From 5 to < 15 feet
- ☐E < 5 feet or buffer bypassed by ditches

7c. Tributary width. If the tributary is anastomosed, combine widths of channels/braids for a total width.
☒≤ 15-feet wide ☐> 15-feet wide ☐ Other open water (no tributary present)

7d. Do roots of assessment area vegetation extend into the bank of the tributary/open water?
☐Yes ☒No

7e. Is stream or other open water sheltered or exposed?
☒Sheltered – adjacent open water with width < 2500 feet and no regular boat traffic.
☐Exposed – adjacent open water with width ≥ 2500 feet or regular boat traffic.

8. Wetland Width at the Assessment Area – wetland type/wetland complex condition metric (evaluate WT for all marshes and Estuarine Woody Wetland only; evaluate WC for Bottomland Hardwood Forest, Headwater Forest, and Riverine Swamp Forest only)

Check a box in each column for riverine wetlands only. Select the average width for the wetland type at the assessment area (WT) and the wetland complex at the assessment area (WC). See User Manual for WT and WC boundaries.

WT	WC	
☐A	☐A	≥ 100 feet
☐B	☐B	From 80 to < 100 feet
☐C	☐C	From 50 to < 80 feet
☐D	☐D	From 40 to < 50 feet
☐E	☐E	From 30 to < 40 feet
☐F	☐F	From 15 to < 30 feet
☐G	☒G	From 5 to < 15 feet
☐H	☐H	< 5 feet

9. Inundation Duration – assessment area condition metric (skip for non-riparian wetlands)

Answer for assessment area dominant landform.

☒A Evidence of short-duration inundation (< 7 consecutive days)
☐B Evidence of saturation, without evidence of inundation
☐C Evidence of long-duration inundation or very long-duration inundation (7 to 30 consecutive days or more)

10. Indicators of Deposition – assessment area condition metric (skip for non-riparian wetlands and all marshes)

Consider recent deposition only (no plant growth since deposition).

☒A Sediment deposition is not excessive, but at approximately natural levels.
☐B Sediment deposition is excessive, but not overwhelming the wetland.
☐C Sediment deposition is excessive and is overwhelming the wetland.

11. Wetland Size – wetland type/wetland complex condition metric

Check a box in each column. Involves a GIS effort with field adjustment. This metric evaluates three aspects of the wetland area: the size of the wetland type (WT), the size of the wetland complex (WC), and the size of the forested wetland (FW) (if applicable, see User Manual). See the User Manual for boundaries of these evaluation areas. If assessment area is clear-cut, select "K" for the FW column.

WT	WC	FW (if applicable)	
☐A	☐A	☐A	≥ 500 acres
☐B	☐B	☐B	From 100 to < 500 acres
☐C	☐C	☐C	From 50 to < 100 acres
☐D	☐D	☐D	From 25 to < 50 acres
☐E	☐E	☐E	From 10 to < 25 acres
☐F	☐F	☐F	From 5 to < 10 acres
☒G	☒G	☐G	From 1 to < 5 acres
☐H	☐H	☐H	From 0.5 to < 1 acre
☐I	☐I	☐I	From 0.1 to < 0.5 acre
☐J	☐J	☒J	From 0.01 to < 0.1 acre
☐K	☐K	☐K	< 0.01 acre or assessment area is clear-cut

12. Wetland Intactness – wetland type condition metric (evaluate for Pocosins only)

☐A Pocosin is the full extent (≥ 90%) of its natural landscape size.
☐B Pocosin type is < 90% of the full extent of its natural landscape size.

13. Connectivity to Other Natural Areas – landscape condition metric

13a. **Check appropriate box(es) (a box may be checked in each column).** Involves a GIS effort with field adjustment. This metric evaluates whether the wetland is well connected (Well) and/or loosely connected (Loosely) to the landscape patch, the contiguous naturally vegetated area and open water (if appropriate). Boundaries are formed by four-lane roads, regularly maintained utility line corridors the width of a four-lane road or wider, urban landscapes, maintained fields (pasture and agriculture), or open water > 300 feet wide.

Well	Loosely	
☐A	☐A	≥ 500 acres
☐B	☐B	From 100 to < 500 acres
☐C	☐C	From 50 to < 100 acres
☐D	☒D	From 10 to < 50 acres
☒E	☐E	< 10 acres
☐F	☐F	Wetland type has a poor or no connection to other natural habitats

13b. **Evaluate for marshes only**.

☐Yes ☐No Wetland type has a surface hydrology connection to open waters/stream or tidal wetlands.

14. Edge Effect – wetland type condition metric (skip for all marshes and Estuarine Woody Wetland)

May involve a GIS effort with field adjustment. Estimate distance from wetland type boundary to artificial edges. Artificial edges include non-forested areas ≥ 40 feet wide such as fields, development, roads, regularly maintained utility line corridors, and clear-cuts. Consider the eight main points of the compass. Artificial edge occurs within 150 feet in how many directions? If the assessment area is clear cut, select option "C."

☐A 0
☐B 1 to 4
☒C 5 to 8

15. Vegetative Composition – assessment area condition metric (skip for all marshes and Pine Flat)

☐A Vegetation is close to reference condition in species present and their proportions. Lower strata composed of appropriate species, with exotic plants absent or sparse within the assessment area.
☒B Vegetation is different from reference condition in species diversity or proportions, but still largely composed of native species characteristic of the wetland type. This may include communities of weedy native species that develop after clearcutting or clearing. It also includes communities with exotics present, but not dominant, over a large portion of the expected strata.
☐C Vegetation severely altered from reference in composition, or expected species are unnaturally absent (planted stands of non-characteristic species or at least one stratum inappropriately composed of a single species), or exotic species are dominant in at least one stratum.

16. Vegetative Diversity – assessment area condition metric (evaluate for Non-tidal Freshwater Marsh only)

☐A Vegetation diversity is high and is composed primarily of native species (< 10% cover of exotics).
☐B Vegetation diversity is low or has > 10% to 50% cover of exotics.
☐C Vegetation is dominated by exotic species (> 50 % cover of exotics).

17. Vegetative Structure – assessment area/wetland type condition metric

17a. Is vegetation present?
☒Yes ☐No If Yes, continue to 17b. If No, skip to Metric 18.

17b. Evaluate percent coverage of assessment area vegetation **for all marshes only**. Skip to 17c for non-marsh wetlands.
☐A ≥ 25% coverage of vegetation
☐B < 25% coverage of vegetation

17c. **Check a box in each column for each stratum**. Evaluate this portion of the metric **for non-marsh wetlands**. Consider structure in airspace above the assessment area (AA) and the wetland type (WT) separately.

	AA	WT	
Canopy	☒A	☒A	Canopy closed, or nearly closed, with natural gaps associated with natural processes
	☐B	☐B	Canopy present, but opened more than natural gaps
	☐C	☐C	Canopy sparse or absent
Mid-Story	☐A	☐A	Dense mid-story/sapling layer
	☒B	☒B	Moderate density mid-story/sapling layer
	☐C	☐C	Mid-story/sapling layer sparse or absent
Shrub	☐A	☐A	Dense shrub layer
	☐B	☒B	Moderate density shrub layer
	☒C	☐C	Shrub layer sparse or absent
Herb	☐A	☐A	Dense herb layer
	☐B	☒B	Moderate density herb layer
	☒C	☐C	Herb layer sparse or absent

18. Snags – wetland type condition metric (skip for all marshes)

☐A Large snags (more than one) are visible (> 12 inches DBH, or large relative to species present and landscape stability).
☒B Not A

19. Diameter Class Distribution – wetland type condition metric (skip for all marshes)

☒A Majority of canopy trees have stems > 6 inches in diameter at breast height (DBH); many large trees (> 12 inches DBH) are present.
☐B Majority of canopy trees have stems between 6 and 12 inches DBH, few are > 12 inch DBH.
☐C Majority of canopy trees are < 6 inches DBH or no trees.


20. Large Woody Debris – wetland type condition metric (skip for all marshes)

Include both natural debris and man-placed natural debris.
☐A Large logs (more than one) are visible (> 12 inches in diameter, or large relative to species present and landscape stability).
☒B Not A

21. Vegetation/Open Water Dispersion – wetland type/open water condition metric (evaluate for Non-Tidal Freshwater Marsh only)

Select the figure that best describes the amount of interspersion between vegetation and open water in the growing season. Patterned areas indicate vegetated areas, while solid white areas indicate open water.

☐A ☐B ☐C ☐D



22. Hydrologic Connectivity – assessment area condition metric (evaluate for riparian wetlands and Salt/Brackish Marsh only)

Examples of activities that may severely alter hydrologic connectivity include intensive ditching, fill, sedimentation, channelization, diversion, man-made berms, beaver dams, and stream incision. Documentation required if evaluated as B, C, or D.
☒A Overbank and overland flow are not severely altered in the assessment area.
☐B Overbank flow is severely altered in the assessment area.
☐C Overland flow is severely altered in the assessment area.
☐D Both overbank and overland flow are severely altered in the assessment area.

Notes

NC WAM Wetland Rating Sheet
Accompanies User Manual Version 5.0

Wetland Site Name	Wetland D	Date of Assessment	4/17/2026
Wetland Type	Bottomland Hardwood Forest	Assessor Name/Organization	Steven Busbee / STV

Notes on Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	NO
Wetland is intensively managed (Y/N)	NO
Assessment area is located within 50 feet of a natural tributary or other open water (Y/N)	YES
Assessment area is substantially altered by beaver (Y/N)	NO
Assessment area experiences overbank flooding during normal rainfall conditions (Y/N)	NO
Assessment area is on a coastal island (Y/N)	NO

Sub-function Rating Summary

Function	Sub-function	Metrics	Rating
Hydrology	Surface Storage and Retention	Condition	**HIGH**
	Sub-surface Storage and Retention	Condition	**MEDIUM**
Water Quality	Pathogen Change	Condition	**HIGH**
		Condition/Opportunity	**HIGH**
		Opportunity Presence (Y/N)	**YES**
	Particulate Change	Condition	**HIGH**
		Condition/Opportunity	**HIGH**
		Opportunity Presence (Y/N)	**YES**
	Soluble Change	Condition	**HIGH**
		Condition/Opportunity	**HIGH**
		Opportunity Presence (Y/N)	**YES**
	Physical Change	Condition	**LOW**
		Condition/Opportunity	**LOW**
		Opportunity Presence (Y/N)	**YES**
	Pollution Change	Condition	NA
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
Habitat	Physical Structure	Condition	**HIGH**
	Landscape Patch Structure	Condition	**LOW**
	Vegetation Composition	Condition	**MEDIUM**

Function Rating Summary

Function	Metrics	Rating
Hydrology	Condition	**HIGH**
Water Quality	Condition	**HIGH**
	Condition/Opportunity	**HIGH**
	Opportunity Presence (Y/N)	**YES**
Habitat	Condition	**MEDIUM**

Overall Wetland Rating **HIGH**

NC WAM FIELD ASSESSMENT FORM
Accompanies User Manual Version 5.0

USACE AID #		NCDWR#	
Project Name	U-6191	Date of Evaluation	4/17/2026
Applicant/Owner Name	NCDOT	Wetland Site Name	Wetland E
Wetland Type	Seep	Assessor Name/Organization	Steven Busbee / STV
Level III Ecoregion	Piedmont	Nearest Named Water Body	Muddy Creek
River Basin	Cape Fear	USGS 8-Digit Catalogue Unit	03040103
County	Randolph	NCDWR Region	Winston-Salem
☐ Yes ☒ No	Precipitation within 48 hrs?	Latitude/Longitude (deci-degrees)	35.912055, -79.979236

Evidence of stressors affecting the assessment area (may not be within the assessment area)
Please circle and/or make note on the last page if evidence of stressors is apparent. Consider departure from reference, if appropriate, in recent past (for instance, within 10 years). Noteworthy stressors include, but are not limited to the following.

- Hydrological modifications (examples: ditches, dams, beaver dams, dikes, berms, ponds, etc.)
- Surface and sub-surface discharges into the wetland (examples: discharges containing obvious pollutants, presence of nearby septic tanks, underground storage tanks (USTs), hog lagoons, etc.)
- Signs of vegetation stress (examples: vegetation mortality, insect damage, disease, storm damage, salt intrusion, etc.)
- Habitat/plant community alteration (examples: mowing, clear-cutting, exotics, etc.)

Is the assessment area intensively managed? ☒ Yes ☐ No

Regulatory Considerations - Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.

☐ Anadromous fish
☐ Federally protected species or State endangered or threatened species
☐ NCDWR riparian buffer rule in effect
☐ Abuts a Primary Nursery Area (PNA)
☐ Publicly owned property
☐ N.C. Division of Coastal Management Area of Environmental Concern (AEC) (including buffer)
☐ Abuts a stream with a NCDWQ classification of SA or supplemental classifications of HQW, ORW, or Trout
☐ Designated NCNHP reference community
☐ Abuts a 303(d)-listed stream or a tributary to a 303(d)-listed stream

What type of natural stream is associated with the wetland, if any? (check all that apply)

☐ Blackwater
☒ Brownwater
☐ Tidal (if tidal, check one of the following boxes) ☐ Lunar ☐ Wind ☐ Both

Is the assessment area on a coastal island? ☐ Yes ☒ No

Is the assessment area's surface water storage capacity or duration substantially altered by beaver? ☐ Yes ☒ No

Does the assessment area experience overbank flooding during normal rainfall conditions? ☐ Yes ☒ No

1. Ground Surface Condition/Vegetation Condition – assessment area condition metric

Check a box in each column. Consider alteration to the ground surface (GS) in the assessment area and vegetation structure (VS) in the assessment area. Compare to reference wetland if applicable (see User Manual). If a reference is not applicable, then rate the assessment area based on evidence an effect.

GS	VS	
☐A	☐A	Not severely altered
☒B	☒B	Severely altered over a majority of the assessment area (ground surface alteration examples: vehicle tracks, excessive sedimentation, fire-plow lanes, skidder tracks, bedding, fill, soil compaction, obvious pollutants) (vegetation structure alteration examples: mechanical disturbance, herbicides, salt intrusion [where appropriate], exotic species, grazing, less diversity [if appropriate], hydrologic alteration)

2. Surface and Sub-Surface Storage Capacity and Duration – assessment area condition metric

Check a box in each column. Consider surface storage capacity and duration (Surf) and sub-surface storage capacity and duration (Sub). Consider both increase and decrease in hydrology. A ditch ≤ 1 foot deep is considered to affect surface water only, while a ditch > 1 foot deep is expected to affect both surface and sub-surface water. Consider tidal flooding regime, if applicable.

Surf	Sub	
☒A	☒A	Water storage capacity and duration are not altered.
☐B	☐B	Water storage capacity or duration are altered, but not substantially (typically, not sufficient to change vegetation).
☐C	☐C	Water storage capacity or duration are substantially altered (typically, alteration sufficient to result in vegetation change) (examples: draining, flooding, soil compaction, filling, excessive sedimentation, underground utility lines).

3. Water Storage/Surface Relief – assessment area/wetland type condition metric (skip for all marshes)

Check a box in each column. Select the appropriate storage for the assessment area (AA) and the wetland type (WT).

	AA	WT	
3a.	☐A	☐A	Majority of wetland with depressions able to pond water > 1 deep
	☐B	☐B	Majority of wetland with depressions able to pond water 6 inches to 1 foot deep
	☐C	☐C	Majority of wetland with depressions able to pond water 3 to 6 inches deep
	☒D	☒D	Depressions able to pond water < 3 inches deep

3b. ☐A Evidence that maximum depth of inundation is greater than 2 feet
☐B Evidence that maximum depth of inundation is between 1 and 2 feet
☒C Evidence that maximum depth of inundation is less than 1 foot

4. Soil Texture/Structure – assessment area condition metric (skip for all marshes)

Check a box from each of the three soil property groups below. Dig soil profile in the dominant assessment area landscape feature. Make soil observations within the top 12 inches. Use most recent National Technical Committee for Hydric Soils guidance for regional indicators.

4a.
- ☐A Sandy soil
- ☒B Loamy or clayey soils exhibiting redoximorphic features (concentrations, depletions, or rhizospheres)
- ☐C Loamy or clayey soils not exhibiting redoximorphic features
- ☐D Loamy or clayey gleyed soil
- ☐E Histosol or histic epipedon

4b.
- ☒A Soil ribbon < 1 inch
- ☐B Soil ribbon ≥ 1 inch

4c.
- ☒A No peat or muck presence
- ☐B A peat or muck presence

5. Discharge into Wetland – opportunity metric

Check a box in each column. Consider surface pollutants or discharges (Surf) and sub-surface pollutants or discharges (Sub). Examples of sub-surface discharges include presence of nearby septic tank, underground storage tank (UST), etc.

Surf	Sub	
☐A	☒A	Little or no evidence of pollutants or discharges entering the assessment area
☒B	☐B	Noticeable evidence of pollutants or discharges entering the wetland and stressing, but not overwhelming the treatment capacity of the assessment area
☐C	☐C	Noticeable evidence of pollutants or discharges (pathogen, particulate, or soluble) entering the assessment area and potentially overwhelming the treatment capacity of the wetland (water discoloration, dead vegetation, excessive sedimentation, odor)

6. Land Use – opportunity metric (skip for non-riparian wetlands)

Check all that apply (at least one box in each column). Evaluation involves a GIS effort with field adjustment. Consider sources draining to assessment area within entire upstream watershed (WS), within 5 miles and within the watershed draining to the assessment area (5M), and within 2 miles and within the watershed draining to the assessment area (2M).

WS	5M	2M	
☒A	☒A	☒A	≥ 10% impervious surfaces
☐B	☐B	☐B	Confined animal operations (or other local, concentrated source of pollutants
☐C	☐C	☐C	≥ 20% coverage of pasture
☐D	☐D	☐D	≥ 20% coverage of agricultural land (regularly plowed land)
☒E	☒E	☒E	≥ 20% coverage of maintained grass/herb
☐F	☐F	☐F	≥ 20% coverage of clear-cut land
☐G	☐G	☐G	Little or no opportunity to improve water quality. Lack of opportunity may result from little or no disturbance in the watershed or hydrologic alterations that prevent drainage and/or overbank flow from affecting the assessment area.

7. Wetland Acting as Vegetated Buffer – assessment area/wetland complex condition metric (skip for non-riparian wetlands)

7a. Is assessment area within 50 feet of a tributary or other open water?
☒Yes ☐No If Yes, continue to 7b. If No, skip to Metric 8.
Wetland buffer need only be present on one side of the water body. Make buffer judgment based on the average width of wetland. Record a note if a portion of the buffer has been removed or disturbed.

7b. How much of the first 50 feet from the bank is wetland? (Wetland buffer need only be present on one side of the .water body. Make buffer judgment based on the average width of wetland. Record a note if a portion of the buffer has been removed or disturbed.)
- ☒A ≥ 50 feet
- ☐B From 30 to < 50 feet
- ☐C From 15 to < 30 feet
- ☐D From 5 to < 15 feet
- ☐E < 5 feet or buffer bypassed by ditches

7c. Tributary width. If the tributary is anastomosed, combine widths of channels/braids for a total width.
☒≤ 15-feet wide ☐> 15-feet wide ☐ Other open water (no tributary present)

7d. Do roots of assessment area vegetation extend into the bank of the tributary/open water?
☒Yes ☐No

7e. Is stream or other open water sheltered or exposed?
☒Sheltered – adjacent open water with width < 2500 feet and no regular boat traffic.
☐Exposed – adjacent open water with width ≥ 2500 feet or regular boat traffic.

8. Wetland Width at the Assessment Area – wetland type/wetland complex condition metric (evaluate WT for all marshes and Estuarine Woody Wetland only; evaluate WC for Bottomland Hardwood Forest, Headwater Forest, and Riverine Swamp Forest only)

Check a box in each column for riverine wetlands only. Select the average width for the wetland type at the assessment area (WT) and the wetland complex at the assessment area (WC). See User Manual for WT and WC boundaries.

WT	WC	
☐A	☐A	≥ 100 feet
☐B	☐B	From 80 to < 100 feet
☐C	☐C	From 50 to < 80 feet
☐D	☐D	From 40 to < 50 feet
☐E	☐E	From 30 to < 40 feet
☐F	☐F	From 15 to < 30 feet
☐G	☐G	From 5 to < 15 feet
☐H	☐H	< 5 feet

9. Inundation Duration – assessment area condition metric (skip for non-riparian wetlands)

Answer for assessment area dominant landform.

☐A Evidence of short-duration inundation (< 7 consecutive days)
☒B Evidence of saturation, without evidence of inundation
☐C Evidence of long-duration inundation or very long-duration inundation (7 to 30 consecutive days or more)

10. Indicators of Deposition – assessment area condition metric (skip for non-riparian wetlands and all marshes)

Consider recent deposition only (no plant growth since deposition).

☒A Sediment deposition is not excessive, but at approximately natural levels.
☐B Sediment deposition is excessive, but not overwhelming the wetland.
☐C Sediment deposition is excessive and is overwhelming the wetland.

11. Wetland Size – wetland type/wetland complex condition metric

Check a box in each column. Involves a GIS effort with field adjustment. This metric evaluates three aspects of the wetland area: the size of the wetland type (WT), the size of the wetland complex (WC), and the size of the forested wetland (FW) (if applicable, see User Manual). See the User Manual for boundaries of these evaluation areas. If assessment area is clear-cut, select "K" for the FW column.

WT	WC	FW (if applicable)	
☐A	☐A	☐A	≥ 500 acres
☐B	☐B	☐B	From 100 to < 500 acres
☐C	☐C	☐C	From 50 to < 100 acres
☐D	☐D	☐D	From 25 to < 50 acres
☐E	☐E	☐E	From 10 to < 25 acres
☐F	☐F	☐F	From 5 to < 10 acres
☐G	☐G	☐G	From 1 to < 5 acres
☐H	☐H	☐H	From 0.5 to < 1 acre
☐I	☐I	☐I	From 0.1 to < 0.5 acre
☒J	☒J	☒J	From 0.01 to < 0.1 acre
☐K	☐K	☐K	< 0.01 acre or assessment area is clear-cut

12. Wetland Intactness – wetland type condition metric (evaluate for Pocosins only)

☐A Pocosin is the full extent (≥ 90%) of its natural landscape size.
☐B Pocosin type is < 90% of the full extent of its natural landscape size.

13. Connectivity to Other Natural Areas – landscape condition metric

13a. **Check appropriate box(es) (a box may be checked in each column).** Involves a GIS effort with field adjustment. This metric evaluates whether the wetland is well connected (Well) and/or loosely connected (Loosely) to the landscape patch, the contiguous naturally vegetated area and open water (if appropriate). Boundaries are formed by four-lane roads, regularly maintained utility line corridors the width of a four-lane road or wider, urban landscapes, maintained fields (pasture and agriculture), or open water > 300 feet wide.

Well	Loosely	
☐A	☐A	≥ 500 acres
☐B	☐B	From 100 to < 500 acres
☐C	☐C	From 50 to < 100 acres
☐D	☐D	From 10 to < 50 acres
☐E	☐E	< 10 acres
☒F	☒F	Wetland type has a poor or no connection to other natural habitats

13b. **Evaluate for marshes only**.

☐Yes ☐No Wetland type has a surface hydrology connection to open waters/stream or tidal wetlands.

14. Edge Effect – wetland type condition metric (skip for all marshes and Estuarine Woody Wetland)

May involve a GIS effort with field adjustment. Estimate distance from wetland type boundary to artificial edges. Artificial edges include non-forested areas ≥ 40 feet wide such as fields, development, roads, regularly maintained utility line corridors, and clear-cuts. Consider the eight main points of the compass. Artificial edge occurs within 150 feet in how many directions? If the assessment area is clear cut, select option "C."

☐A 0
☐B 1 to 4
☒C 5 to 8

15. Vegetative Composition – assessment area condition metric (skip for all marshes and Pine Flat)

☐A Vegetation is close to reference condition in species present and their proportions. Lower strata composed of appropriate species, with exotic plants absent or sparse within the assessment area.
☐B Vegetation is different from reference condition in species diversity or proportions, but still largely composed of native species characteristic of the wetland type. This may include communities of weedy native species that develop after clearcutting or clearing. It also includes communities with exotics present, but not dominant, over a large portion of the expected strata.
☒C Vegetation severely altered from reference in composition, or expected species are unnaturally absent (planted stands of non-characteristic species or at least one stratum inappropriately composed of a single species), or exotic species are dominant in at least one stratum.

16. Vegetative Diversity – assessment area condition metric (evaluate for Non-tidal Freshwater Marsh only)

☐A Vegetation diversity is high and is composed primarily of native species (< 10% cover of exotics).
☐B Vegetation diversity is low or has > 10% to 50% cover of exotics.
☐C Vegetation is dominated by exotic species (> 50 % cover of exotics).

17. Vegetative Structure – assessment area/wetland type condition metric

17a. Is vegetation present?
☒Yes ☐No If Yes, continue to 17b. If No, skip to Metric 18.

17b. Evaluate percent coverage of assessment area vegetation **for all marshes only**. Skip to 17c for non-marsh wetlands.
☐A ≥ 25% coverage of vegetation
☐B < 25% coverage of vegetation

17c. **Check a box in each column for each stratum**. Evaluate this portion of the metric **for non-marsh wetlands**. Consider structure in airspace above the assessment area (AA) and the wetland type (WT) separately.

	AA	WT	
Canopy	☐A	☐A	Canopy closed, or nearly closed, with natural gaps associated with natural processes
	☐B	☐B	Canopy present, but opened more than natural gaps
	☒C	☒C	Canopy sparse or absent
Mid-Story	☐A	☐A	Dense mid-story/sapling layer
	☐B	☐B	Moderate density mid-story/sapling layer
	☒C	☒C	Mid-story/sapling layer sparse or absent
Shrub	☐A	☐A	Dense shrub layer
	☐B	☐B	Moderate density shrub layer
	☒C	☒C	Shrub layer sparse or absent
Herb	☒A	☒A	Dense herb layer
	☐B	☐B	Moderate density herb layer
	☐C	☐C	Herb layer sparse or absent

18. Snags – wetland type condition metric (skip for all marshes)

☐A Large snags (more than one) are visible (> 12 inches DBH, or large relative to species present and landscape stability).
☒B Not A

19. Diameter Class Distribution – wetland type condition metric (skip for all marshes)

☐A Majority of canopy trees have stems > 6 inches in diameter at breast height (DBH); many large trees (> 12 inches DBH) are present.
☐B Majority of canopy trees have stems between 6 and 12 inches DBH, few are > 12 inch DBH.
☒C Majority of canopy trees are < 6 inches DBH or no trees.


20. Large Woody Debris – wetland type condition metric (skip for all marshes)

Include both natural debris and man-placed natural debris.
☐A Large logs (more than one) are visible (> 12 inches in diameter, or large relative to species present and landscape stability).
☒B Not A

21. Vegetation/Open Water Dispersion – wetland type/open water condition metric (evaluate for Non-Tidal Freshwater Marsh only)

Select the figure that best describes the amount of interspersion between vegetation and open water in the growing season. Patterned areas indicate vegetated areas, while solid white areas indicate open water.

☐A ☐B ☐C ☐D



22. Hydrologic Connectivity – assessment area condition metric (evaluate for riparian wetlands and Salt/Brackish Marsh only)

Examples of activities that may severely alter hydrologic connectivity include intensive ditching, fill, sedimentation, channelization, diversion, man-made berms, beaver dams, and stream incision. Documentation required if evaluated as B, C, or D.
☒A Overbank and overland flow are not severely altered in the assessment area.
☐B Overbank flow is severely altered in the assessment area.
☐C Overland flow is severely altered in the assessment area.
☐D Both overbank and overland flow are severely altered in the assessment area.

Notes

NC WAM Wetland Rating Sheet
Accompanies User Manual Version 5.0

Wetland Site Name	Wetland E	Date of Assessment	4/17/2026
Wetland Type	Seep	Assessor Name/Organization	Steven Busbee / STV

Notes on Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	NO
Wetland is intensively managed (Y/N)	YES
Assessment area is located within 50 feet of a natural tributary or other open water (Y/N)	YES
Assessment area is substantially altered by beaver (Y/N)	NO
Assessment area experiences overbank flooding during normal rainfall conditions (Y/N)	NO
Assessment area is on a coastal island (Y/N)	NO

Sub-function Rating Summary

Function	Sub-function	Metrics	Rating
Hydrology	Surface Storage and Retention	Condition	NA
	Sub-surface Storage and Retention	Condition	NA
Water Quality	Pathogen Change	Condition	NA
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
	Particulate Change	Condition	NA
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
	Soluble Change	Condition	NA
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
	Physical Change	Condition	NA
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
	Pollution Change	Condition	NA
		Condition/Opportunity	NA
		Opportunity Presence (Y/N)	NA
Habitat	Physical Structure	Condition	**MEDIUM**
	Landscape Patch Structure	Condition	**LOW**
	Vegetation Composition	Condition	**LOW**

Function Rating Summary

Function	Metrics	Rating
Hydrology	Condition	**HIGH**
Water Quality	Condition	**LOW**
	Condition/Opportunity	NA
	Opportunity Presence (Y/N)	NA
Habitat	Condition	**LOW**

Overall Wetland Rating **LOW**

Attachment D

NCDWR Stream Forms
NCSAM Forms

Stream A (north of NC 62)

NC DWQ Stream Identification Form Version 4.11

Date: 4/16/26	**Project/Site:** U-6191	**Latitude:** 35.880727
Evaluator: Steven Busbee	**County:** Randolph	**Longitude:** -80.005766
Total Points: *Stream is at least intermittent if ≥ 19 or perennial if ≥ 30** 33.75	**Stream Determination (circle one)** Ephemeral Intermittent **Perennial**	**Other** *e.g. Quad Name:* High Point West

A. Geomorphology (Subtotal = 15.5)	Absent	Weak	Moderate	Strong
1[a]. Continuity of channel bed and bank	0	1	2	✔3
2. Sinuosity of channel along thalweg	0	✔1	2	3
3. In-channel structure: ex. riffle-pool, step-pool, ripple-pool sequence	0	1	✔2	3
4. Particle size of stream substrate	0	1	✔2	3
5. Active/relict floodplain	✔0	1	2	3
6. Depositional bars or benches	0	1	✔2	3
7. Recent alluvial deposits	0	✔1	2	3
8. Headcuts	✔0	1	2	3
9. Grade control	0	0.5	✔ 1	1.5
10. Natural valley	0	✔0.5	1	1.5
11. Second or greater order channel	No = 0		✔ Yes = 3	

[a] artificial ditches are not rated; see discussions in manual

B. Hydrology (Subtotal = 9.5)				
12. Presence of Baseflow	0	1	2	✔3
13. Iron oxidizing bacteria	0	✔1	2	3
14. Leaf litter	1.5	✔1	0.5	0
15. Sediment on plants or debris	0	✔ 0.5	1	1.5
16. Organic debris lines or piles	0	0.5	✔1	1.5
17. Soil-based evidence of high water table?	No = 0		✔ Yes = 3	

C. Biology (Subtotal = 8.75)				
18. Fibrous roots in streambed	3	✔2	1	0
19. Rooted upland plants in streambed	✔3	2	1	0
20. Macrobenthos (note diversity and abundance)	0	✔1	2	3
21. Aquatic Mollusks	0	✔1	2	3
22. Fish	0	0.5	✔1	1.5
23. Crayfish	✔0	0.5	1	1.5
24. Amphibians	✔0	0.5	1	1.5
25. Algae	✔0	0.5	1	1.5
26. Wetland plants in streambed	✔ FACW = 0.75;	OBL = 1.5	Other = 0	

*perennial streams may also be identified using other methods. See p. 35 of manual.

Notes:

Sketch:

Stream B

NC DWQ Stream Identification Form Version 4.11

Date: 4/16/26	**Project/Site:** U-6191	**Latitude:** 35.890132
Evaluator: Steven Busbee	**County:** Randolph	**Longitude:** -79.993109
Total Points: *Stream is at least intermittent if ≥ 19 or perennial if ≥ 30** 24.25	**Stream Determination (circle one)** Ephemeral (Intermittent) Perennial	**Other** *e.g. Quad Name:* High Point East

A. Geomorphology (Subtotal = 11)	Absent	Weak	Moderate	Strong
1[a]. Continuity of channel bed and bank	0	1	✔2	3
2. Sinuosity of channel along thalweg	0	1	✔2	3
3. In-channel structure: ex. riffle-pool, step-pool, ripple-pool sequence	0	✔1	2	3
4. Particle size of stream substrate	0	✔1	2	3
5. Active/relict floodplain	0	✔1	2	3
6. Depositional bars or benches	0	✔1	2	3
7. Recent alluvial deposits	0	✔1	2	3
8. Headcuts	0	✔1	2	3
9. Grade control	0	✔0.5	1	1.5
10. Natural valley	0	✔0.5	1	1.5
11. Second or greater order channel	(No = 0)		Yes = 3	

[a] artificial ditches are not rated; see discussions in manual

B. Hydrology (Subtotal = 7.5)				
12. Presence of Baseflow	0	✔1	2	3
13. Iron oxidizing bacteria	0	✔1	2	3
14. Leaf litter	1.5	1	✔0.5	0
15. Sediment on plants or debris	0	0.5	✔1	1.5
16. Organic debris lines or piles	0	0.5	✔1	1.5
17. Soil-based evidence of high water table?	No = 0		✔Yes = 3	

C. Biology (Subtotal = 5.75)				
18. Fibrous roots in streambed	3	✔2	1	0
19. Rooted upland plants in streambed	3	✔2	1	0
20. Macrobenthos (note diversity and abundance)	0	✔1	2	3
21. Aquatic Mollusks	✔0	1	2	3
22. Fish	✔0	0.5	1	1.5
23. Crayfish	✔0	0.5	1	1.5
24. Amphibians	✔0	0.5	1	1.5
25. Algae	✔0	0.5	1	1.5
26. Wetland plants in streambed	✔ FACW = 0.75; OBL = 1.5 Other = 0			

*perennial streams may also be identified using other methods. See p. 35 of manual.

Notes:

Sketch:

NC DWQ Stream Identification Form Version 4.11

Stream C

Date: 4/16/26	**Project/Site:** U-6191	**Latitude:** 35.890646
Evaluator: Steven Busbee	**County:** Randolph	**Longitude:** -79.991981
Total Points: *Stream is at least intermittent if ≥ 19 or perennial if ≥ 30** 19.5	**Stream Determination (circle one)** Ephemeral (Intermittent) Perennial	**Other** *e.g. Quad Name:* High Point East

A. Geomorphology (Subtotal = 8.5)	Absent	Weak	Moderate	Strong
1[a]. Continuity of channel bed and bank	0	✔1	2	3
2. Sinuosity of channel along thalweg	0	1	✔2	3
3. In-channel structure: ex. riffle-pool, step-pool, ripple-pool sequence	✔0	1	2	3
4. Particle size of stream substrate	0	✔1	2	3
5. Active/relict floodplain	0	✔1	2	3
6. Depositional bars or benches	0	✔1	2	3
7. Recent alluvial deposits	0	✔1	2	3
8. Headcuts	0	✔1	2	3
9. Grade control	✔0	0.5	1	1.5
10. Natural valley	0	✔0.5	1	1.5
11. Second or greater order channel	(No = 0)		Yes = 3	

[a] artificial ditches are not rated; see discussions in manual

B. Hydrology (Subtotal = 6)				
12. Presence of Baseflow	0	✔1	2	3
13. Iron oxidizing bacteria	✔0	1	2	3
14. Leaf litter	1.5	✔1	0.5	0
15. Sediment on plants or debris	0	✔0.5	1	1.5
16. Organic debris lines or piles	0	✔0.5	1	1.5
17. Soil-based evidence of high water table?	No = 0		✔Yes = 3	

C. Biology (Subtotal = 5)				
18. Fibrous roots in streambed	3	✔2	1	0
19. Rooted upland plants in streambed	3	✔2	1	0
20. Macrobenthos (note diversity and abundance)	0	✔1	2	3
21. Aquatic Mollusks	✔0	1	2	3
22. Fish	✔0	0.5	1	1.5
23. Crayfish	✔0	0.5	1	1.5
24. Amphibians	✔0	0.5	1	1.5
25. Algae	✔0	0.5	1	1.5
26. Wetland plants in streambed	FACW = 0.75;	OBL = 1.5	Other = 0	

*perennial streams may also be identified using other methods. See p. 35 of manual.

Notes:

Sketch:

Stream D

NC DWQ Stream Identification Form Version 4.11

Date: 4/17/26	**Project/Site:** U-6191	**Latitude:** 35.911867
Evaluator: Steven Busbee	**County:** Randolph	**Longitude:** -79.979356
Total Points: *Stream is at least intermittent if ≥ 19 or perennial if ≥ 30** 31	**Stream Determination (circle one)** Ephemeral Intermittent **(Perennial)**	**Other** *e.g. Quad Name:* High Point East

A. Geomorphology (Subtotal = 13)	Absent	Weak	Moderate	Strong
1[a]. Continuity of channel bed and bank	0	1	2	✔3
2. Sinuosity of channel along thalweg	0	✔1	2	3
3. In-channel structure: ex. riffle-pool, step-pool, ripple-pool sequence	0	✔1	2	3
4. Particle size of stream substrate	0	✔1	2	3
5. Active/relict floodplain	0	✔1	2	3
6. Depositional bars or benches	0	1	✔2	3
7. Recent alluvial deposits	0	1	✔2	3
8. Headcuts	0	✔1	2	3
9. Grade control	0	✔0.5	1	1.5
10. Natural valley	0	✔0.5	1	1.5
11. Second or greater order channel	(No = 0)		Yes = 3	

[a] artificial ditches are not rated; see discussions in manual

B. Hydrology (Subtotal = 10)				
12. Presence of Baseflow	0	1	✔2	3
13. Iron oxidizing bacteria	0	1	✔2	3
14. Leaf litter	1.5	✔1	0.5	0
15. Sediment on plants or debris	0	0.5	✔1	1.5
16. Organic debris lines or piles	0	0.5	✔1	1.5
17. Soil-based evidence of high water table?	No = 0		✔Yes = 3	

C. Biology (Subtotal = 8)				
18. Fibrous roots in streambed	3	✔2	1	0
19. Rooted upland plants in streambed	✔3	2	1	0
20. Macrobenthos (note diversity and abundance)	0	✔1	2	3
21. Aquatic Mollusks	✔0	1	2	3
22. Fish	0	✔0.5	1	1.5
23. Crayfish	✔0	0.5	1	1.5
24. Amphibians	✔0	0.5	1	1.5
25. Algae	✔0	0.5	1	1.5
26. Wetland plants in streambed	FACW = 0.75; ✔ OBL = 1.5 Other = 0			

*perennial streams may also be identified using other methods. See p. 35 of manual.

Notes:

Sketch:

NC SAM FIELD ASSESSMENT RESULTS
Accompanies User Manual Version 2.1

USACE AID #: NCDWR #:

INSTRUCTIONS: Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).

PROJECT/SITE INFORMATION:

1. Project name (if any): U-6191 / Stream A
2. Date of evaluation: 4-16-2026
3. Applicant/owner name: NCDOT
4. Assessor name/organization: Steven Busbee / STV
5. County: Randolph
6. Nearest named water body on USGS 7.5-minute quad: Uwharrie River
7. River basin: Yadkin-PeeDee
8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.880296, -80.005511

STREAM INFORMATION: (depth and width can be approximations)

9. Site number (show on attached map): SA
10. Length of assessment reach evaluated (feet): 175
11. Channel depth from bed (in riffle, if present) to top of bank (feet): 2 ☐Unable to assess channel depth.
12. Channel width at top of bank (feet): 6
13. Is assessment reach a swamp steam? ☐Yes ☐No
14. Feature type: ☒Perennial flow ☐Intermittent flow ☐Tidal Marsh Stream

STREAM CATEGORY INFORMATION:

15. NC SAM Zone: ☐ Mountains (M) ☒ Piedmont (P) ☐ Inner Coastal Plain (I) ☐ Outer Coastal Plain (O)
16. Estimated geomorphic valley shape (**skip for Tidal Marsh Stream**):
☐A  (more sinuous stream, flatter valley slope)
☒B  (less sinuous stream, steeper valley slope)
17. Watershed size: (**skip for Tidal Marsh Stream**) ☐Size 1 (< 0.1 mi^2) ☐Size 2 (0.1 to < 0.5 mi^2) ☒Size 3 (0.5 to < 5 mi^2) ☐Size 4 (≥ 5 mi^2)

ADDITIONAL INFORMATION:

18. Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.
☐Section 10 water ☐Classified Trout Waters ☒Water Supply Watershed (☐I ☐II ☒III ☐IV ☐V)
☐Essential Fish Habitat ☐Primary Nursery Area ☐ High Quality Waters/Outstanding Resource Waters
☐Publicly owned property ☐NCDWR Riparian buffer rule in effect ☐Nutrient Sensitive Waters
☐Anadromous fish ☐303(d) List ☐CAMA Area of Environmental Concern (AEC)
☐Documented presence of a federal and/or state listed protected species within the assessment area.
List species:
☐Designated Critical Habitat (list species)
19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached? ☐Yes ☒No

1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)
- ☒A Water throughout assessment reach.
- ☐B No flow, water in pools only.
- ☐C No water in assessment reach.

2. Evidence of Flow Restriction – assessment reach metric
- ☐A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).
- ☒B Not A

3. Feature Pattern – assessment reach metric
- ☒A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).
- ☐B Not A

4. Feature Longitudinal Profile – assessment reach metric
- ☐A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).
- ☒B Not A

5. Signs of Active Instability – assessment reach metric

Consider only current instability, not past events from which the stream has currently recovered. Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).
- ☒A < 10% of channel unstable
- ☐B 10 to 25% of channel unstable
- ☐C > 25% of channel unstable

6. Streamside Area Interaction – streamside area metric
Consider for the Left Bank (LB) and the Right Bank (RB).

LB	RB	
☐A	☐A	Little or no evidence of conditions that adversely affect reference interaction
☒B	☒B	Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction (examples: limited streamside area access, disruption of flood flows through streamside area, leaky or intermittent bulkheads, causeways with floodplain constriction, minor ditching [including mosquito ditching])
☐C	☐C	Extensive evidence of conditions that adversely affect reference interaction (little to no floodplain/intertidal zone access [examples: causeways with floodplain and channel constriction, bulkheads, retaining walls, fill, stream incision, disruption of flood flows through streamside area] or too much floodplain/intertidal zone access [examples: impoundments, intensive mosquito ditching]) or floodplain/intertidal zone unnaturally absent or assessment reach is a man-made feature on an interstream divide

7. Water Quality Stressors – assessment reach/intertidal zone metric
Check all that apply.

- ☐A Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
- ☐B Excessive sedimentation (burying of stream features or intertidal zone)
- ☐C Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
- ☐D Odor (not including natural sulfide odors)
- ☐E Current published or collected data indicating degraded water quality in the assessment reach. Cite source in "Notes/Sketch" section.
- ☐F Livestock with access to stream or intertidal zone
- ☐G Excessive algae in stream or intertidal zone
- ☐H Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
- ☐I Other: _____ (explain in "Notes/Sketch" section)
- ☒J Little to no stressors

8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)
For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- ☒A Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
- ☐B Drought conditions and rainfall exceeding 1 inch within the last 48 hours
- ☐C No drought conditions

9. Large or Dangerous Stream – assessment reach metric
☐Yes ☒No Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

10. Natural In-stream Habitat Types – assessment reach metric
10a. ☐Yes ☐No Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) **(evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)**

10b. **Check all that occur** (occurs if > 5% coverage of assessment reach) **(skip for Size 4 Coastal Plain streams)**

- ☐A Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
- ☐B Multiple sticks and/or leaf packs and/or emergent vegetation
- ☐C Multiple snags and logs (including lap trees)
- ☐D 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter
- ☒E Little or no habitat
- ☐F 5% oysters or other natural hard bottoms
- ☐G Submerged aquatic vegetation
- ☐H Low-tide refugia (pools)
- ☐I Sand bottom
- ☐J 5% vertical bank along the marsh
- ☐K Little or no habitat

**********REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS**********

11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)

11a. ☒Yes ☐No Is assessment reach in a natural sand-bed stream? **(skip for Coastal Plain streams)**

11b. Bedform evaluated. **Check the appropriate box(es).**

- ☒A Riffle-run section **(evaluate 11c)**
- ☒B Pool-glide section **(evaluate 11d)**
- ☐C Natural bedform absent **(skip to Metric 12, Aquatic Life)**

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. **Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**. Not Present (NP) = absent, Rare (R) = present but < 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

NP	R	C	A	P	
☒	☐	☐	☐	☐	Bedrock/saprolite
☒	☐	☐	☐	☐	Boulder (256 – 4096 mm)
☐	☒	☐	☐	☐	Cobble (64 – 256 mm)
☐	☒	☐	☐	☐	Gravel (2 – 64 mm)
☐	☐	☐	☒	☐	Sand (.062 – 2 mm)
☐	☐	☐	☒	☐	Silt/clay (< 0.062 mm)
☐	☐	☒	☐	☐	Detritus
☐	☐	☒	☐	☐	Artificial (rip-rap, concrete, etc.)

11d. ☒Yes ☐No Are pools filled with sediment? (**skip for Size 4 Coastal Plain streams and Tidal Marsh Streams**)

12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)

12a. ☒Yes ☐No Was an in-stream aquatic life assessment performed as described in the User Manual?
If No, select one of the following reasons and skip to Metric 13. ☐No Water ☐Other: _____

12b. ☒Yes ☐No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

1	>1	Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.
☐	☐	Adult frogs
☐	☐	Aquatic reptiles
☐	☐	Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
☐	☐	Beetles
☐	☐	Caddisfly larvae (T)
☐	☐	Asian clam (*Corbicula*)
☐	☐	Crustacean (isopod/amphipod/crayfish/shrimp)
☐	☐	Damselfly and dragonfly larvae
☐	☐	Dipterans
☐	☐	Mayfly larvae (E)
☐	☐	Megaloptera (alderfly, fishfly, dobsonfly larvae)
☒	☐	Midges/mosquito larvae
☒	☐	Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea)*
☐	☐	Mussels/Clams (not *Corbicula*)
☒	☐	Other fish
☐	☐	Salamanders/tadpoles
☐	☐	Snails
☐	☐	Stonefly larvae (P)
☐	☐	Tipulid larvae
☐	☐	Worms/leeches

13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB). Consider storage capacity with regard to both overbank flow and upland runoff.

LB	RB	
☐A	☐A	Little or no alteration to water storage capacity over a majority of the streamside area
☐B	☐B	Moderate alteration to water storage capacity over a majority of the streamside area
☐C	☐C	Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes)

14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.

LB	RB	
☐A	☐A	Majority of streamside area with depressions able to pond water ≥ 6 inches deep
☐B	☐B	Majority of streamside area with depressions able to pond water 3 to 6 inches deep
☐C	☐C	Majority of streamside area with depressions able to pond water < 3 inches deep

15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)
Consider for the Left Bank (LB) and the Right Bank (RB). Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.

LB	RB	
☐Y	☐Y	Are wetlands present in the streamside area?
☒N	☒N	

16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)
Check all contributors within the assessment reach or within view of <u>and</u> draining to the assessment reach.

- ☐A Streams and/or springs (jurisdictional discharges)
- ☐B Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
- ☐C Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
- ☐D Evidence of bank seepage or sweating (iron in water indicates seepage)
- ☒E Stream bed or bank soil reduced (dig through deposited sediment if present)
- ☐F None of the above

17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)
Check all that apply.

- ☐A Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
- ☐B Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
- ☐C Urban stream (≥ 24% impervious surface for watershed)
- ☒D Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
- ☐E Assessment reach relocated to valley edge
- ☐F None of the above

18. Shading – assessment reach metric (skip for Tidal Marsh Streams)
Consider aspect. Consider "leaf-on" condition.

- ☐A Stream shading is appropriate for stream category (may include gaps associated with natural processes)
- ☐B Degraded (example: scattered trees)
- ☒C Stream shading is gone or largely absent

19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)

Consider "vegetated buffer" and "wooded buffer" separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
☐A	☐A	☐A	☐A	≥ 100 feet wide or extends to the edge of the watershed
☒B	☒B	☐B	☐B	From 50 to < 100 feet wide
☐C	☐C	☐C	☐C	From 30 to < 50 feet wide
☐D	☐D	☐D	☐D	From 10 to < 30 feet wide
☐E	☐E	☒E	☒E	< 10 feet wide or no trees

20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)

Consider for left bank (LB) and right bank (RB) for Metric 19 ("Vegetated" Buffer Width).

LB	RB	
☐A	☐A	Mature forest
☐B	☐B	Non-mature woody vegetation or modified vegetation structure
☒C	☒C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
☐D	☐D	Maintained shrubs
☐E	☐E	Little or no vegetation

21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)

Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).

If none of the following stressors occurs on either bank, check here and skip to Metric 22: ☐

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
☐A	☐A	☐A	☐A	☐A	☐A	Row crops
☒B	☒B	☐B	☐B	☐B	☐B	Maintained turf
☐C	☐C	☐C	☐C	☐C	☐C	Pasture (no livestock)/commercial horticulture
☐D	☐D	☐D	☐D	☐D	☐D	Pasture (active livestock use)

22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)

Consider for left bank (LB) and right bank (RB) for Metric 19 ("Wooded" Buffer Width).

LB	RB	
☐A	☐A	Medium to high stem density
☐B	☐B	Low stem density
☒C	☒C	No wooded riparian buffer or predominantly herbaceous species or bare ground

23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)

Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
☒A	☒A	The total length of buffer breaks is < 25 percent.
☐B	☐B	The total length of buffer breaks is between 25 and 50 percent.
☐C	☐C	The total length of buffer breaks is > 50 percent.

24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)

Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
☐A	☐A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
☐B	☐B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing or communities with non-native invasive species present, but not dominant, over a large portion of the expected strata or communities missing understory but retaining canopy trees.
☒C	☒C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent or communities with non-native invasive species dominant over a large portion of expected strata or communities composed of planted stands of non-characteristic species or communities inappropriately composed of a single species or no vegetation.

25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)

25a. ☐Yes ☒No Was conductivity measurement recorded?
If No, select one of the following reasons. ☐No Water ☐Other: _____

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).
☐A < 46 ☐B 46 to < 67 ☐C 67 to < 79 ☐D 79 to < 230 ☐E ≥ 230

Notes/Sketch:

Draft NC SAM Stream Rating Sheet
Accompanies User Manual Version 2.1

Stream Site Name	U-6191 / Stream A	Date of Assessment	4-16-2026
Stream Category	Pb3	Assessor Name/Organization	Steven Busbee / STV

Notes of Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	YES
Additional stream information/supplementary measurements included (Y/N)	NO
NC SAM feature type (perennial, intermittent, Tidal Marsh Stream)	Perennial

Function Class Rating Summary	USACE/ All Streams	NCDWR Intermittent
(1) Hydrology	**LOW**	
(2) Baseflow	**HIGH**	
(2) Flood Flow	**LOW**	
(3) Streamside Area Attenuation	**LOW**	
(4) Floodplain Access	**MEDIUM**	
(4) Wooded Riparian Buffer	**LOW**	
(4) Microtopography	NA	
(3) Stream Stability	**MEDIUM**	
(4) Channel Stability	**HIGH**	
(4) Sediment Transport	**LOW**	
(4) Stream Geomorphology	**MEDIUM**	
(2) Stream/Intertidal Zone Interaction	NA	
(2) Longitudinal Tidal Flow	NA	
(2) Tidal Marsh Stream Stability	NA	
(3) Tidal Marsh Channel Stability	NA	
(3) Tidal Marsh Stream Geomorphology	NA	
(1) Water Quality	**LOW**	
(2) Baseflow	**HIGH**	
(2) Streamside Area Vegetation	**LOW**	
(3) Upland Pollutant Filtration	**LOW**	
(3) Thermoregulation	**LOW**	
(2) Indicators of Stressors	**NO**	
(2) Aquatic Life Tolerance	**LOW**	
(2) Intertidal Zone Filtration	NA	
(1) Habitat	**LOW**	
(2) In-stream Habitat	**LOW**	
(3) Baseflow	**HIGH**	
(3) Substrate	**LOW**	
(3) Stream Stability	**HIGH**	
(3) In-stream Habitat	**LOW**	
(2) Stream-side Habitat	**LOW**	
(3) Stream-side Habitat	**LOW**	
(3) Thermoregulation	**LOW**	
(2) Tidal Marsh In-stream Habitat	NA	
(3) Flow Restriction	NA	
(3) Tidal Marsh Stream Stability	NA	
(4) Tidal Marsh Channel Stability	NA	
(4) Tidal Marsh Stream Geomorphology	NA	
(3) Tidal Marsh In-stream Habitat	NA	
(2) Intertidal Zone	NA	
Overall	**LOW**	

NC SAM FIELD ASSESSMENT RESULTS
Accompanies User Manual Version 2.1

USACE AID #: NCDWR #:

INSTRUCTIONS: Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).

PROJECT/SITE INFORMATION:

1. Project name (if any): U-6191 / Uwharrie River
2. Date of evaluation: 4-16-2026
3. Applicant/owner name: NCDOT
4. Assessor name/organization: Steven Busbee / STV
5. County: Randolph
6. Nearest named water body on USGS 7.5-minute quad: Uwharrie River
7. River basin: Yadkin-PeeDee
8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.882327, -80.001957

STREAM INFORMATION: (depth and width can be approximations)

9. Site number (show on attached map): Uwharrie River
10. Length of assessment reach evaluated (feet): 275
11. Channel depth from bed (in riffle, if present) to top of bank (feet): 4 ☐Unable to assess channel depth.
12. Channel width at top of bank (feet): 25
13. Is assessment reach a swamp steam? ☐Yes ☐No
14. Feature type: ☒Perennial flow ☐Intermittent flow ☐Tidal Marsh Stream

STREAM CATEGORY INFORMATION:

15. NC SAM Zone: ☐ Mountains (M) ☒ Piedmont (P) ☐ Inner Coastal Plain (I) ☐ Outer Coastal Plain (O)
16. Estimated geomorphic valley shape (**skip for Tidal Marsh Stream**):
    ☐A  (more sinuous stream, flatter valley slope)
    ☒B  (less sinuous stream, steeper valley slope)
17. Watershed size: (**skip for Tidal Marsh Stream**) ☐Size 1 (< 0.1 mi^2) ☐Size 2 (0.1 to < 0.5 mi^2) ☐Size 3 (0.5 to < 5 mi^2) ☒Size 4 (≥ 5 mi^2)

ADDITIONAL INFORMATION:

18. Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.
    - ☐Section 10 water
    - ☐Classified Trout Waters
    - ☒Water Supply Watershed (☐I ☐II ☒III ☐IV ☐V)
    - ☐Essential Fish Habitat
    - ☐Primary Nursery Area
    - ☐ High Quality Waters/Outstanding Resource Waters
    - ☐Publicly owned property
    - ☐NCDWR Riparian buffer rule in effect
    - ☐Nutrient Sensitive Waters
    - ☐Anadromous fish
    - ☐303(d) List
    - ☐CAMA Area of Environmental Concern (AEC)
    - ☐Documented presence of a federal and/or state listed protected species within the assessment area. List species:
    - ☐Designated Critical Habitat (list species)
19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached? ☐Yes ☒No

1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)

- ☒A Water throughout assessment reach.
- ☐B No flow, water in pools only.
- ☐C No water in assessment reach.

2. Evidence of Flow Restriction – assessment reach metric

- ☒A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).
- ☐B Not A

3. Feature Pattern – assessment reach metric

- ☐A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).
- ☒B Not A

4. Feature Longitudinal Profile – assessment reach metric

- ☐A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).
- ☒B Not A

5. Signs of Active Instability – assessment reach metric

Consider only current instability, not past events from which the stream has currently recovered. Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).

- ☒A < 10% of channel unstable
- ☐B 10 to 25% of channel unstable
- ☐C > 25% of channel unstable

6. Streamside Area Interaction – streamside area metric
Consider for the Left Bank (LB) and the Right Bank (RB).

LB	RB	
☐A	☐A	Little or no evidence of conditions that adversely affect reference interaction
☒B	☒B	Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction (examples: limited streamside area access, disruption of flood flows through streamside area, leaky or intermittent bulkheads, causeways with floodplain constriction, minor ditching [including mosquito ditching])
☐C	☐C	Extensive evidence of conditions that adversely affect reference interaction (little to no floodplain/intertidal zone access [examples: causeways with floodplain and channel constriction, bulkheads, retaining walls, fill, stream incision, disruption of flood flows through streamside area] or too much floodplain/intertidal zone access [examples: impoundments, intensive mosquito ditching]) or floodplain/intertidal zone unnaturally absent or assessment reach is a man-made feature on an interstream divide

7. Water Quality Stressors – assessment reach/intertidal zone metric
Check all that apply.

- ☐A Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
- ☒B Excessive sedimentation (burying of stream features or intertidal zone)
- ☐C Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
- ☐D Odor (not including natural sulfide odors)
- ☐E Current published or collected data indicating degraded water quality in the assessment reach. Cite source in "Notes/Sketch" section.
- ☐F Livestock with access to stream or intertidal zone
- ☐G Excessive algae in stream or intertidal zone
- ☐H Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
- ☐I Other: _____ (explain in "Notes/Sketch" section)
- ☐J Little to no stressors

8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)
For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- ☒A Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
- ☐B Drought conditions and rainfall exceeding 1 inch within the last 48 hours
- ☐C No drought conditions

9. Large or Dangerous Stream – assessment reach metric
☐Yes ☒No Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

10. Natural In-stream Habitat Types – assessment reach metric
10a. ☐Yes ☐No Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) **(evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)**

10b. **Check all that occur** (occurs if > 5% coverage of assessment reach) **(skip for Size 4 Coastal Plain streams)**

- ☐A Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
- ☐B Multiple sticks and/or leaf packs and/or emergent vegetation
- ☐C Multiple snags and logs (including lap trees)
- ☒D 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter
- ☐E Little or no habitat
- ☐F 5% oysters or other natural hard bottoms
- ☐G Submerged aquatic vegetation
- ☐H Low-tide refugia (pools)
- ☐I Sand bottom
- ☐J 5% vertical bank along the marsh
- ☐K Little or no habitat

**************************************REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS*********************************

11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)

11a. ☒Yes ☐No Is assessment reach in a natural sand-bed stream? **(skip for Coastal Plain streams)**

11b. Bedform evaluated. **Check the appropriate box(es).**

- ☒A Riffle-run section **(evaluate 11c)**
- ☒B Pool-glide section **(evaluate 11d)**
- ☐C Natural bedform absent **(skip to Metric 12, Aquatic Life)**

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. **Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**. Not Present (NP) = absent, Rare (R) = present but < 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

NP	R	C	A	P	
☒	☐	☐	☐	☐	Bedrock/saprolite
☐	☒	☐	☐	☐	Boulder (256 – 4096 mm)
☐	☒	☐	☐	☐	Cobble (64 – 256 mm)
☐	☒	☐	☐	☐	Gravel (2 – 64 mm)
☐	☐	☐	☒	☐	Sand (.062 – 2 mm)
☐	☐	☐	☒	☐	Silt/clay (< 0.062 mm)
☐	☐	☒	☐	☐	Detritus
☒	☐	☐	☐	☐	Artificial (rip-rap, concrete, etc.)

11d. ☒Yes ☐No Are pools filled with sediment? (**skip for Size 4 Coastal Plain streams and Tidal Marsh Streams**)

12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)

12a. ☒Yes ☐No Was an in-stream aquatic life assessment performed as described in the User Manual?
If No, select one of the following reasons and skip to Metric 13. ☐No Water ☐Other: _____

12b. ☒Yes ☐No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

1	>1	Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.
☐	☐	Adult frogs
☐	☐	Aquatic reptiles
☐	☐	Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
☐	☐	Beetles
☐	☐	Caddisfly larvae (T)
☐	☐	Asian clam (*Corbicula*)
☐	☐	Crustacean (isopod/amphipod/crayfish/shrimp)
☐	☐	Damselfly and dragonfly larvae
☐	☐	Dipterans
☐	☐	Mayfly larvae (E)
☐	☐	Megaloptera (alderfly, fishfly, dobsonfly larvae)
☒	☐	Midges/mosquito larvae
☒	☐	Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea)*
☐	☐	Mussels/Clams (not *Corbicula*)
☒	☐	Other fish
☐	☐	Salamanders/tadpoles
☒	☐	Snails
☐	☐	Stonefly larvae (P)
☐	☐	Tipulid larvae
☒	☐	Worms/leeches

13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB). Consider storage capacity with regard to both overbank flow and upland runoff.

LB	RB	
☐A	☐A	Little or no alteration to water storage capacity over a majority of the streamside area
☐B	☐B	Moderate alteration to water storage capacity over a majority of the streamside area
☐C	☐C	Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes)

14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.

LB	RB	
☐A	☐A	Majority of streamside area with depressions able to pond water ≥ 6 inches deep
☐B	☐B	Majority of streamside area with depressions able to pond water 3 to 6 inches deep
☐C	☐C	Majority of streamside area with depressions able to pond water < 3 inches deep

15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)
Consider for the Left Bank (LB) and the Right Bank (RB). Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.

LB	RB	
☒Y	☐Y	Are wetlands present in the streamside area?
☐N	☒N	

16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)
Check all contributors within the assessment reach or within view of <u>and</u> draining to the assessment reach.

☐A Streams and/or springs (jurisdictional discharges)
☐B Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
☐C Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
☐D Evidence of bank seepage or sweating (iron in water indicates seepage)
☐E Stream bed or bank soil reduced (dig through deposited sediment if present)
☐F None of the above

17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)
Check all that apply.

☐A Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
☒B Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
☐C Urban stream (≥ 24% impervious surface for watershed)
☒D Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
☐E Assessment reach relocated to valley edge
☐F None of the above

18. Shading – assessment reach metric (skip for Tidal Marsh Streams)
Consider aspect. Consider "leaf-on" condition.

☐A Stream shading is appropriate for stream category (may include gaps associated with natural processes)
☒B Degraded (example: scattered trees)
☐C Stream shading is gone or largely absent

19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)

Consider "vegetated buffer" and "wooded buffer" separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
☐A	☐A	☐A	☐A	≥ 100 feet wide or extends to the edge of the watershed
☐B	☐B	☒B	☐B	From 50 to < 100 feet wide
☐C	☐C	☐C	☒C	From 30 to < 50 feet wide
☒D	☒D	☐D	☐D	From 10 to < 30 feet wide
☐E	☐E	☐E	☐E	< 10 feet wide or no trees

20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)

Consider for left bank (LB) and right bank (RB) for Metric 19 ("Vegetated" Buffer Width).

LB	RB	
☐A	☐A	Mature forest
☒B	☐B	Non-mature woody vegetation or modified vegetation structure
☐C	☒C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
☐D	☐D	Maintained shrubs
☐E	☐E	Little or no vegetation

21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)

Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).

If none of the following stressors occurs on either bank, check here and skip to Metric 22: ☐

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
☐A	☐A	☐A	☐A	☐A	☐A	Row crops
☐B	☐B	☐B	☒B	☒B	☐B	Maintained turf
☐C	☐C	☐C	☐C	☐C	☐C	Pasture (no livestock)/commercial horticulture
☐D	☐D	☐D	☐D	☐D	☐D	Pasture (active livestock use)

22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)

Consider for left bank (LB) and right bank (RB) for Metric 19 ("Wooded" Buffer Width).

LB	RB	
☐A	☐A	Medium to high stem density
☒B	☒B	Low stem density
☐C	☐C	No wooded riparian buffer or predominantly herbaceous species or bare ground

23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)

Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
☐A	☐A	The total length of buffer breaks is < 25 percent.
☒B	☐B	The total length of buffer breaks is between 25 and 50 percent.
☐C	☒C	The total length of buffer breaks is > 50 percent.

24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)

Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
☐A	☐A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
☒B	☐B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing or communities with non-native invasive species present, but not dominant, over a large portion of the expected strata or communities missing understory but retaining canopy trees.
☐C	☒C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent or communities with non-native invasive species dominant over a large portion of expected strata or communities composed of planted stands of non-characteristic species or communities inappropriately composed of a single species or no vegetation.

25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)

25a. ☐Yes ☒No Was conductivity measurement recorded?
If No, select one of the following reasons. ☐No Water ☐Other: _____

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).
☐A < 46 ☐B 46 to < 67 ☐C 67 to < 79 ☐D 79 to < 230 ☐E ≥ 230

Notes/Sketch:

Draft NC SAM Stream Rating Sheet
Accompanies User Manual Version 2.1

Stream Site Name	U-6191 / Uwharrie River	Date of Assessment	4-16-2026
Stream Category	Pb4	Assessor Name/Organization	Steven Busbee / STV

Notes of Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	YES
Additional stream information/supplementary measurements included (Y/N)	NO
NC SAM feature type (perennial, intermittent, Tidal Marsh Stream)	Perennial

Function Class Rating Summary	USACE/ All Streams	NCDWR Intermittent
(1) Hydrology	**MEDIUM**	
(2) Baseflow	**HIGH**	
(2) Flood Flow	**MEDIUM**	
(3) Streamside Area Attenuation	**MEDIUM**	
(4) Floodplain Access	**MEDIUM**	
(4) Wooded Riparian Buffer	**MEDIUM**	
(4) Microtopography	NA	
(3) Stream Stability	**MEDIUM**	
(4) Channel Stability	**HIGH**	
(4) Sediment Transport	**LOW**	
(4) Stream Geomorphology	**HIGH**	
(2) Stream/Intertidal Zone Interaction	NA	
(2) Longitudinal Tidal Flow	NA	
(2) Tidal Marsh Stream Stability	NA	
(3) Tidal Marsh Channel Stability	NA	
(3) Tidal Marsh Stream Geomorphology	NA	
(1) Water Quality	**LOW**	
(2) Baseflow	**HIGH**	
(2) Streamside Area Vegetation	**LOW**	
(3) Upland Pollutant Filtration	**LOW**	
(3) Thermoregulation	**MEDIUM**	
(2) Indicators of Stressors	**NO**	
(2) Aquatic Life Tolerance	**LOW**	
(2) Intertidal Zone Filtration	NA	
(1) Habitat	**LOW**	
(2) In-stream Habitat	**LOW**	
(3) Baseflow	**HIGH**	
(3) Substrate	**LOW**	
(3) Stream Stability	**HIGH**	
(3) In-stream Habitat	**LOW**	
(2) Stream-side Habitat	**HIGH**	
(3) Stream-side Habitat	**HIGH**	
(3) Thermoregulation	**MEDIUM**	
(2) Tidal Marsh In-stream Habitat	NA	
(3) Flow Restriction	NA	
(3) Tidal Marsh Stream Stability	NA	
(4) Tidal Marsh Channel Stability	NA	
(4) Tidal Marsh Stream Geomorphology	NA	
(3) Tidal Marsh In-stream Habitat	NA	
(2) Intertidal Zone	NA	
Overall	**LOW**	

NC SAM FIELD ASSESSMENT RESULTS
Accompanies User Manual Version 2.1

USACE AID #: NCDWR #:

INSTRUCTIONS: Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).

PROJECT/SITE INFORMATION:

1. Project name (if any): U-6191 / Stream B
2. Date of evaluation: 4-16-2026
3. Applicant/owner name: NCDOT
4. Assessor name/organization: Steven Busbee / STV
5. County: Randolph
6. Nearest named water body on USGS 7.5-minute quad: Uwharrie River
7. River basin: Yadkin-PeeDee
8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.890132, -79.993109

STREAM INFORMATION: (depth and width can be approximations)

9. Site number (show on attached map): SB
10. Length of assessment reach evaluated (feet): 189
11. Channel depth from bed (in riffle, if present) to top of bank (feet): 2 ☐Unable to assess channel depth.
12. Channel width at top of bank (feet): 3
13. Is assessment reach a swamp steam? ☐Yes ☐No
14. Feature type: ☐Perennial flow ☒Intermittent flow ☐Tidal Marsh Stream

STREAM CATEGORY INFORMATION:

15. NC SAM Zone: ☐ Mountains (M) ☒ Piedmont (P) ☐ Inner Coastal Plain (I) ☐ Outer Coastal Plain (O)
16. Estimated geomorphic valley shape (**skip for Tidal Marsh Stream**):
☐A  (more sinuous stream, flatter valley slope)
☒B  (less sinuous stream, steeper valley slope)
17. Watershed size: (**skip for Tidal Marsh Stream**) ☒Size 1 (< 0.1 mi^2) ☐Size 2 (0.1 to < 0.5 mi^2) ☐Size 3 (0.5 to < 5 mi^2) ☐Size 4 (≥ 5 mi^2)

ADDITIONAL INFORMATION:

18. Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.
☐Section 10 water ☐Classified Trout Waters ☒Water Supply Watershed (☐I ☐II ☒III ☐IV ☐V)
☐Essential Fish Habitat ☐Primary Nursery Area ☐ High Quality Waters/Outstanding Resource Waters
☐Publicly owned property ☐NCDWR Riparian buffer rule in effect ☐Nutrient Sensitive Waters
☐Anadromous fish ☐303(d) List ☐CAMA Area of Environmental Concern (AEC)
☐Documented presence of a federal and/or state listed protected species within the assessment area.
List species:
☐Designated Critical Habitat (list species)
19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached? ☐Yes ☒No

1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)
☐A Water throughout assessment reach.
☐B No flow, water in pools only.
☐C No water in assessment reach.

2. Evidence of Flow Restriction – assessment reach metric
☐A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).
☒B Not A

3. Feature Pattern – assessment reach metric
☐A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).
☒B Not A

4. Feature Longitudinal Profile – assessment reach metric
☐A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).
☒B Not A

5. Signs of Active Instability – assessment reach metric
Consider only current instability, not past events from which the stream has currently recovered. Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).
☒A < 10% of channel unstable
☐B 10 to 25% of channel unstable
☐C > 25% of channel unstable

6. Streamside Area Interaction – streamside area metric
Consider for the Left Bank (LB) and the Right Bank (RB).

LB	RB	
☒A	☒A	Little or no evidence of conditions that adversely affect reference interaction
☐B	☐B	Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction (examples: limited streamside area access, disruption of flood flows through streamside area, leaky or intermittent bulkheads, causeways with floodplain constriction, minor ditching [including mosquito ditching])
☐C	☐C	Extensive evidence of conditions that adversely affect reference interaction (little to no floodplain/intertidal zone access [examples: causeways with floodplain and channel constriction, bulkheads, retaining walls, fill, stream incision, disruption of flood flows through streamside area] or too much floodplain/intertidal zone access [examples: impoundments, intensive mosquito ditching]) or floodplain/intertidal zone unnaturally absent or assessment reach is a man-made feature on an interstream divide

7. Water Quality Stressors – assessment reach/intertidal zone metric
Check all that apply.

- ☐A Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
- ☐B Excessive sedimentation (burying of stream features or intertidal zone)
- ☐C Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
- ☐D Odor (not including natural sulfide odors)
- ☐E Current published or collected data indicating degraded water quality in the assessment reach. Cite source in "Notes/Sketch" section.
- ☐F Livestock with access to stream or intertidal zone
- ☐G Excessive algae in stream or intertidal zone
- ☐H Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
- ☐I Other: _____ (explain in "Notes/Sketch" section)
- ☒J Little to no stressors

8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)
For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- ☒A Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
- ☐B Drought conditions and rainfall exceeding 1 inch within the last 48 hours
- ☐C No drought conditions

9. Large or Dangerous Stream – assessment reach metric
☐Yes ☒No Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

10. Natural In-stream Habitat Types – assessment reach metric
10a. ☐Yes ☐No Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) **(evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)**

10b. **Check all that occur** (occurs if > 5% coverage of assessment reach) **(skip for Size 4 Coastal Plain streams)**

- ☐A Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
- ☐B Multiple sticks and/or leaf packs and/or emergent vegetation
- ☐C Multiple snags and logs (including lap trees)
- ☐D 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter
- ☒E Little or no habitat
- ☐F 5% oysters or other natural hard bottoms
- ☐G Submerged aquatic vegetation
- ☐H Low-tide refugia (pools)
- ☐I Sand bottom
- ☐J 5% vertical bank along the marsh
- ☐K Little or no habitat

**********REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS**********

11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)

11a. ☐Yes ☒No Is assessment reach in a natural sand-bed stream? **(skip for Coastal Plain streams)**

11b. Bedform evaluated. **Check the appropriate box(es).**

- ☒A Riffle-run section **(evaluate 11c)**
- ☐B Pool-glide section **(evaluate 11d)**
- ☐C Natural bedform absent **(skip to Metric 12, Aquatic Life)**

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. **Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**. Not Present (NP) = absent, Rare (R) = present but ≤ 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

NP	R	C	A	P	
☒	☐	☐	☐	☐	Bedrock/saprolite
☒	☐	☐	☐	☐	Boulder (256 – 4096 mm)
☒	☐	☐	☐	☐	Cobble (64 – 256 mm)
☒	☐	☐	☐	☐	Gravel (2 – 64 mm)
☐	☐	☐	☒	☐	Sand (.062 – 2 mm)
☐	☐	☐	☒	☐	Silt/clay (< 0.062 mm)
☐	☒	☐	☐	☐	Detritus
☒	☐	☐	☐	☐	Artificial (rip-rap, concrete, etc.)

11d. ☒Yes ☐No Are pools filled with sediment? (**skip for Size 4 Coastal Plain streams and Tidal Marsh Streams**)

12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)

12a. ☒Yes ☐No Was an in-stream aquatic life assessment performed as described in the User Manual?
If No, select one of the following reasons and skip to Metric 13. ☐No Water ☐Other: _____

12b. ☒Yes ☐No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

1	>1	Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.
☐	☐	Adult frogs
☐	☐	Aquatic reptiles
☐	☐	Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
☐	☐	Beetles
☐	☐	Caddisfly larvae (T)
☐	☐	Asian clam (*Corbicula*)
☐	☐	Crustacean (isopod/amphipod/crayfish/shrimp)
☐	☐	Damselfly and dragonfly larvae
☐	☐	Dipterans
☐	☐	Mayfly larvae (E)
☐	☐	Megaloptera (alderfly, fishfly, dobsonfly larvae)
☐	☒	Midges/mosquito larvae
☐	☐	Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea)*
☐	☐	Mussels/Clams (not *Corbicula*)
☐	☐	Other fish
☐	☐	Salamanders/tadpoles
☐	☐	Snails
☐	☐	Stonefly larvae (P)
☐	☐	Tipulid larvae
☐	☐	Worms/leeches

13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB). Consider storage capacity with regard to both overbank flow and upland runoff.

LB	RB	
☐A	☐A	Little or no alteration to water storage capacity over a majority of the streamside area
☐B	☐B	Moderate alteration to water storage capacity over a majority of the streamside area
☐C	☐C	Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes)

14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.

LB	RB	
☐A	☐A	Majority of streamside area with depressions able to pond water ≥ 6 inches deep
☐B	☐B	Majority of streamside area with depressions able to pond water 3 to 6 inches deep
☐C	☐C	Majority of streamside area with depressions able to pond water < 3 inches deep

15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)
Consider for the Left Bank (LB) and the Right Bank (RB). Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.

LB	RB	
☐Y	☐Y	Are wetlands present in the streamside area?
☒N	☒N	

16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)
Check all contributors within the assessment reach or within view of <u>and</u> draining to the assessment reach.

- ☐A Streams and/or springs (jurisdictional discharges)
- ☐B Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
- ☐C Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
- ☐D Evidence of bank seepage or sweating (iron in water indicates seepage)
- ☒E Stream bed or bank soil reduced (dig through deposited sediment if present)
- ☐F None of the above

17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)
Check all that apply.

- ☐A Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
- ☐B Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
- ☐C Urban stream (≥ 24% impervious surface for watershed)
- ☐D Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
- ☐E Assessment reach relocated to valley edge
- ☒F None of the above

18. Shading – assessment reach metric (skip for Tidal Marsh Streams)
Consider aspect. Consider "leaf-on" condition.

- ☒A Stream shading is appropriate for stream category (may include gaps associated with natural processes)
- ☐B Degraded (example: scattered trees)
- ☐C Stream shading is gone or largely absent

19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)

Consider "vegetated buffer" and "wooded buffer" separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
☐A	☐A	☒A	☐A	≥ 100 feet wide or extends to the edge of the watershed
☐B	☐B	☐B	☒B	From 50 to < 100 feet wide
☐C	☐C	☐C	☐C	From 30 to < 50 feet wide
☐D	☐D	☐D	☐D	From 10 to < 30 feet wide
☐E	☐E	☐E	☐E	< 10 feet wide or no trees

20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)

Consider for left bank (LB) and right bank (RB) for Metric 19 ("Vegetated" Buffer Width).

LB	RB	
☒A	☒A	Mature forest
☐B	☐B	Non-mature woody vegetation or modified vegetation structure
☐C	☐C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
☐D	☐D	Maintained shrubs
☐E	☐E	Little or no vegetation

21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)

Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).

If none of the following stressors occurs on either bank, check here and skip to Metric 22: ☒

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
☐A	☐A	☐A	☐A	☐A	☐A	Row crops
☐B	☐B	☐B	☐B	☐B	☐B	Maintained turf
☐C	☐C	☐C	☐C	☐C	☐C	Pasture (no livestock)/commercial horticulture
☐D	☐D	☐D	☐D	☐D	☐D	Pasture (active livestock use)

22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)

Consider for left bank (LB) and right bank (RB) for Metric 19 ("Wooded" Buffer Width).

LB	RB	
☒A	☒A	Medium to high stem density
☐B	☐B	Low stem density
☐C	☐C	No wooded riparian buffer or predominantly herbaceous species or bare ground

23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)

Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
☒A	☒A	The total length of buffer breaks is < 25 percent.
☐B	☐B	The total length of buffer breaks is between 25 and 50 percent.
☐C	☐C	The total length of buffer breaks is > 50 percent.

24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)

Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
☐A	☐A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
☒B	☒B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing or communities with non-native invasive species present, but not dominant, over a large portion of the expected strata or communities missing understory but retaining canopy trees.
☐C	☐C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent or communities with non-native invasive species dominant over a large portion of expected strata or communities composed of planted stands of non-characteristic species or communities inappropriately composed of a single species or no vegetation.

25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)

25a. ☐Yes ☒No Was conductivity measurement recorded?
If No, select one of the following reasons. ☐No Water ☐Other: _____

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).
☐A < 46 ☐B 46 to < 67 ☐C 67 to < 79 ☐D 79 to < 230 ☐E ≥ 230

Notes/Sketch:

Draft NC SAM Stream Rating Sheet
Accompanies User Manual Version 2.1

Stream Site Name	U-6191 / Stream B	Date of Assessment	4-16-2026
Stream Category	Pb1	Assessor Name/Organization	Steven Busbee / STV

Notes of Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	YES
Additional stream information/supplementary measurements included (Y/N)	NO
NC SAM feature type (perennial, intermittent, Tidal Marsh Stream)	Intermittent

Function Class Rating Summary	USACE/ All Streams	NCDWR Intermittent
(1) Hydrology	**HIGH**	**HIGH**
(2) Baseflow	**HIGH**	**HIGH**
(2) Flood Flow	**HIGH**	**HIGH**
(3) Streamside Area Attenuation	**HIGH**	**HIGH**
(4) Floodplain Access	**HIGH**	**HIGH**
(4) Wooded Riparian Buffer	**HIGH**	**HIGH**
(4) Microtopography	NA	NA
(3) Stream Stability	**HIGH**	**HIGH**
(4) Channel Stability	**HIGH**	**HIGH**
(4) Sediment Transport	**LOW**	**LOW**
(4) Stream Geomorphology	**HIGH**	**HIGH**
(2) Stream/Intertidal Zone Interaction	NA	NA
(2) Longitudinal Tidal Flow	NA	NA
(2) Tidal Marsh Stream Stability	NA	NA
(3) Tidal Marsh Channel Stability	NA	NA
(3) Tidal Marsh Stream Geomorphology	NA	NA
(1) Water Quality		
(2) Baseflow	**HIGH**	**HIGH**
(2) Streamside Area Vegetation		
(3) Upland Pollutant Filtration		
(3) Thermoregulation	**HIGH**	**HIGH**
(2) Indicators of Stressors	**NO**	**NO**
(2) Aquatic Life Tolerance	**OMITTED**	**NA**
(2) Intertidal Zone Filtration	NA	NA
(1) Habitat	**MEDIUM**	**MEDIUM**
(2) In-stream Habitat	**LOW**	**LOW**
(3) Baseflow	**HIGH**	**HIGH**
(3) Substrate	**LOW**	**LOW**
(3) Stream Stability	**HIGH**	**HIGH**
(3) In-stream Habitat	**LOW**	**LOW**
(2) Stream-side Habitat	**HIGH**	**HIGH**
(3) Stream-side Habitat	**HIGH**	**HIGH**
(3) Thermoregulation	**HIGH**	**HIGH**
(2) Tidal Marsh In-stream Habitat	NA	NA
(3) Flow Restriction	NA	NA
(3) Tidal Marsh Stream Stability	NA	NA
(4) Tidal Marsh Channel Stability	NA	NA
(4) Tidal Marsh Stream Geomorphology	NA	NA
(3) Tidal Marsh In-stream Habitat	NA	NA
(2) Intertidal Zone	NA	NA
Overall		**MEDIUM**

NC SAM FIELD ASSESSMENT RESULTS
Accompanies User Manual Version 2.1

USACE AID #: NCDWR #:

INSTRUCTIONS: Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).

PROJECT/SITE INFORMATION:

1. Project name (if any): U-6191 / Stream C
2. Date of evaluation: 4-16-2026
3. Applicant/owner name: NCDOT
4. Assessor name/organization: Steven Busbee / STV
5. County: Randolph
6. Nearest named water body on USGS 7.5-minute quad: Uwharrie River
7. River basin: Yadkin-PeeDee
8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.890646, -79.991981

STREAM INFORMATION: (depth and width can be approximations)

9. Site number (show on attached map): SC
10. Length of assessment reach evaluated (feet): 20
11. Channel depth from bed (in riffle, if present) to top of bank (feet): 1.5 ☐Unable to assess channel depth.
12. Channel width at top of bank (feet): 2.5
13. Is assessment reach a swamp steam? ☐Yes ☐No
14. Feature type: ☐Perennial flow ☒Intermittent flow ☐Tidal Marsh Stream

STREAM CATEGORY INFORMATION:

15. NC SAM Zone: ☐ Mountains (M) ☒ Piedmont (P) ☐ Inner Coastal Plain (I) ☐ Outer Coastal Plain (O)
16. Estimated geomorphic valley shape (**skip for Tidal Marsh Stream**):
☐A  (more sinuous stream, flatter valley slope)
☒B  (less sinuous stream, steeper valley slope)
17. Watershed size: (**skip for Tidal Marsh Stream**) ☒Size 1 (< 0.1 mi^2) ☐Size 2 (0.1 to < 0.5 mi^2) ☐Size 3 (0.5 to < 5 mi^2) ☐Size 4 (≥ 5 mi^2)

ADDITIONAL INFORMATION:

18. Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.
☐Section 10 water ☐Classified Trout Waters ☒Water Supply Watershed (☐I ☐II ☒III ☐IV ☐V)
☐Essential Fish Habitat ☐Primary Nursery Area ☐ High Quality Waters/Outstanding Resource Waters
☐Publicly owned property ☐NCDWR Riparian buffer rule in effect ☐Nutrient Sensitive Waters
☐Anadromous fish ☐303(d) List ☐CAMA Area of Environmental Concern (AEC)
☐Documented presence of a federal and/or state listed protected species within the assessment area.
List species:
☐Designated Critical Habitat (list species)
19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached? ☐Yes ☒No

1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)
☐A Water throughout assessment reach.
☐B No flow, water in pools only.
☐C No water in assessment reach.

2. Evidence of Flow Restriction – assessment reach metric
☐A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).
☒B Not A

3. Feature Pattern – assessment reach metric
☐A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).
☒B Not A

4. Feature Longitudinal Profile – assessment reach metric
☐A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).
☒B Not A

5. Signs of Active Instability – assessment reach metric
Consider only current instability, not past events from which the stream has currently recovered. Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).
☒A < 10% of channel unstable
☐B 10 to 25% of channel unstable
☐C > 25% of channel unstable

6. Streamside Area Interaction – streamside area metric
Consider for the Left Bank (LB) and the Right Bank (RB).

LB	RB	
☐A	☐A	Little or no evidence of conditions that adversely affect reference interaction
☒B	☒B	Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction (examples: limited streamside area access, disruption of flood flows through streamside area, leaky or intermittent bulkheads, causeways with floodplain constriction, minor ditching [including mosquito ditching])
☐C	☐C	Extensive evidence of conditions that adversely affect reference interaction (little to no floodplain/intertidal zone access [examples: causeways with floodplain and channel constriction, bulkheads, retaining walls, fill, stream incision, disruption of flood flows through streamside area] or too much floodplain/intertidal zone access [examples: impoundments, intensive mosquito ditching]) or floodplain/intertidal zone unnaturally absent or assessment reach is a man-made feature on an interstream divide

7. Water Quality Stressors – assessment reach/intertidal zone metric
Check all that apply.

- ☐A Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
- ☐B Excessive sedimentation (burying of stream features or intertidal zone)
- ☐C Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
- ☐D Odor (not including natural sulfide odors)
- ☐E Current published or collected data indicating degraded water quality in the assessment reach. Cite source in "Notes/Sketch" section.
- ☐F Livestock with access to stream or intertidal zone
- ☐G Excessive algae in stream or intertidal zone
- ☐H Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
- ☐I Other: _____ (explain in "Notes/Sketch" section)
- ☒J Little to no stressors

8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)
For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- ☒A Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
- ☐B Drought conditions and rainfall exceeding 1 inch within the last 48 hours
- ☐C No drought conditions

9. Large or Dangerous Stream – assessment reach metric
☐Yes ☒No Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

10. Natural In-stream Habitat Types – assessment reach metric
10a. ☐Yes ☐No Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) **(evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)**

10b. **Check all that occur** (occurs if > 5% coverage of assessment reach) **(skip for Size 4 Coastal Plain streams)**

- ☐A Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
- ☐B Multiple sticks and/or leaf packs and/or emergent vegetation
- ☐C Multiple snags and logs (including lap trees)
- ☐D 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter
- ☒E Little or no habitat
- ☐F 5% oysters or other natural hard bottoms
- ☐G Submerged aquatic vegetation
- ☐H Low-tide refugia (pools)
- ☐I Sand bottom
- ☐J 5% vertical bank along the marsh
- ☐K Little or no habitat

************************************REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS*******************************

11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)

11a. ☐Yes ☒No Is assessment reach in a natural sand-bed stream? **(skip for Coastal Plain streams)**

11b. Bedform evaluated. **Check the appropriate box(es).**

- ☒A Riffle-run section **(evaluate 11c)**
- ☐B Pool-glide section **(evaluate 11d)**
- ☐C Natural bedform absent **(skip to Metric 12, Aquatic Life)**

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. **Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**. Not Present (NP) = absent, Rare (R) = present but < 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

NP	R	C	A	P	
☒	☐	☐	☐	☐	Bedrock/saprolite
☒	☐	☐	☐	☐	Boulder (256 – 4096 mm)
☒	☐	☐	☐	☐	Cobble (64 – 256 mm)
☒	☐	☐	☐	☐	Gravel (2 – 64 mm)
☐	☐	☐	☒	☐	Sand (.062 – 2 mm)
☐	☐	☐	☒	☐	Silt/clay (< 0.062 mm)
☐	☒	☐	☐	☐	Detritus
☒	☐	☐	☐	☐	Artificial (rip-rap, concrete, etc.)

11d. ☐Yes ☐No Are pools filled with sediment? (**skip for Size 4 Coastal Plain streams and Tidal Marsh Streams**)

12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)

12a. ☒Yes ☐No Was an in-stream aquatic life assessment performed as described in the User Manual?
If No, select one of the following reasons and skip to Metric 13. ☐No Water ☐Other: _____

12b. ☒Yes ☐No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

1	>1	Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.
☐	☐	Adult frogs
☐	☐	Aquatic reptiles
☐	☐	Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
☐	☐	Beetles
☐	☐	Caddisfly larvae (T)
☐	☐	Asian clam (*Corbicula*)
☐	☐	Crustacean (isopod/amphipod/crayfish/shrimp)
☐	☐	Damselfly and dragonfly larvae
☐	☐	Dipterans
☐	☐	Mayfly larvae (E)
☐	☐	Megaloptera (alderfly, fishfly, dobsonfly larvae)
☐	☒	Midges/mosquito larvae
☐	☐	Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea)*
☐	☐	Mussels/Clams (not *Corbicula*)
☐	☐	Other fish
☐	☐	Salamanders/tadpoles
☐	☐	Snails
☐	☐	Stonefly larvae (P)
☐	☐	Tipulid larvae
☐	☐	Worms/leeches

13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB). Consider storage capacity with regard to both overbank flow and upland runoff.

LB	RB	
☐A	☐A	Little or no alteration to water storage capacity over a majority of the streamside area
☐B	☐B	Moderate alteration to water storage capacity over a majority of the streamside area
☐C	☐C	Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes)

14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.

LB	RB	
☐A	☐A	Majority of streamside area with depressions able to pond water ≥ 6 inches deep
☐B	☐B	Majority of streamside area with depressions able to pond water 3 to 6 inches deep
☐C	☐C	Majority of streamside area with depressions able to pond water < 3 inches deep

15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)
Consider for the Left Bank (LB) and the Right Bank (RB). Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.

LB	RB	
☒Y	☒Y	Are wetlands present in the streamside area?
☐N	☐N	

16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)
Check all contributors within the assessment reach or within view of <u>and</u> draining to the assessment reach.

☐A	Streams and/or springs (jurisdictional discharges)
☐B	Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
☐C	Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
☐D	Evidence of bank seepage or sweating (iron in water indicates seepage)
☒E	Stream bed or bank soil reduced (dig through deposited sediment if present)
☐F	None of the above

17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)
Check all that apply.

☐A	Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
☒B	Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
☐C	Urban stream (≥ 24% impervious surface for watershed)
☐D	Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
☐E	Assessment reach relocated to valley edge
☐F	None of the above

18. Shading – assessment reach metric (skip for Tidal Marsh Streams)
Consider aspect. Consider "leaf-on" condition.

☒A	Stream shading is appropriate for stream category (may include gaps associated with natural processes)
☐B	Degraded (example: scattered trees)
☐C	Stream shading is gone or largely absent

19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)

Consider "vegetated buffer" and "wooded buffer" separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
☐A	☐A	☐A	☒A	≥ 100 feet wide or extends to the edge of the watershed
☐B	☐B	☒B	☐B	From 50 to < 100 feet wide
☐C	☐C	☐C	☐C	From 30 to < 50 feet wide
☐D	☐D	☐D	☐D	From 10 to < 30 feet wide
☐E	☐E	☐E	☐E	< 10 feet wide or no trees

20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)

Consider for left bank (LB) and right bank (RB) for Metric 19 ("Vegetated" Buffer Width).

LB	RB	
☐A	☒A	Mature forest
☒B	☐B	Non-mature woody vegetation or modified vegetation structure
☐C	☐C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
☐D	☐D	Maintained shrubs
☐E	☐E	Little or no vegetation

21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)

Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).

If none of the following stressors occurs on either bank, check here and skip to Metric 22: ☒

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
☐A	☐A	☐A	☐A	☐A	☐A	Row crops
☐B	☐B	☐B	☐B	☐B	☐B	Maintained turf
☐C	☐C	☐C	☐C	☐C	☐C	Pasture (no livestock)/commercial horticulture
☐D	☐D	☐D	☐D	☐D	☐D	Pasture (active livestock use)

22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)

Consider for left bank (LB) and right bank (RB) for Metric 19 ("Wooded" Buffer Width).

LB	RB	
☒A	☒A	Medium to high stem density
☐B	☐B	Low stem density
☐C	☐C	No wooded riparian buffer or predominantly herbaceous species or bare ground

23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)

Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
☒A	☒A	The total length of buffer breaks is < 25 percent.
☐B	☐B	The total length of buffer breaks is between 25 and 50 percent.
☐C	☐C	The total length of buffer breaks is > 50 percent.

24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)

Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
☐A	☒A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
☒B	☐B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing or communities with non-native invasive species present, but not dominant, over a large portion of the expected strata or communities missing understory but retaining canopy trees.
☐C	☐C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent or communities with non-native invasive species dominant over a large portion of expected strata or communities composed of planted stands of non-characteristic species or communities inappropriately composed of a single species or no vegetation.

25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)

25a. ☐Yes ☒No Was conductivity measurement recorded?
If No, select one of the following reasons. ☐No Water ☐Other: _____

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).
☐A < 46 ☐B 46 to < 67 ☐C 67 to < 79 ☐D 79 to < 230 ☐E ≥ 230

Notes/Sketch:

Draft NC SAM Stream Rating Sheet
Accompanies User Manual Version 2.1

Stream Site Name	U-6191 / Stream C	Date of Assessment	4-16-2026
Stream Category	Pb1	Assessor Name/Organization	Steven Busbee / STV

Notes of Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	YES
Additional stream information/supplementary measurements included (Y/N)	NO
NC SAM feature type (perennial, intermittent, Tidal Marsh Stream)	Intermittent

Function Class Rating Summary	USACE/ All Streams	NCDWR Intermittent
(1) Hydrology	**HIGH**	**HIGH**
(2) Baseflow	**MEDIUM**	**MEDIUM**
(2) Flood Flow	**HIGH**	**HIGH**
(3) Streamside Area Attenuation	**MEDIUM**	**MEDIUM**
(4) Floodplain Access	**MEDIUM**	**MEDIUM**
(4) Wooded Riparian Buffer	**HIGH**	**HIGH**
(4) Microtopography	NA	NA
(3) Stream Stability	**HIGH**	**HIGH**
(4) Channel Stability	**HIGH**	**HIGH**
(4) Sediment Transport	**LOW**	**LOW**
(4) Stream Geomorphology	**HIGH**	**HIGH**
(2) Stream/Intertidal Zone Interaction	NA	NA
(2) Longitudinal Tidal Flow	NA	NA
(2) Tidal Marsh Stream Stability	NA	NA
(3) Tidal Marsh Channel Stability	NA	NA
(3) Tidal Marsh Stream Geomorphology	NA	NA
(1) Water Quality		
(2) Baseflow	**MEDIUM**	**MEDIUM**
(2) Streamside Area Vegetation		
(3) Upland Pollutant Filtration		
(3) Thermoregulation	**HIGH**	**HIGH**
(2) Indicators of Stressors	**NO**	**NO**
(2) Aquatic Life Tolerance	**OMITTED**	**NA**
(2) Intertidal Zone Filtration	NA	NA
(1) Habitat	**MEDIUM**	**MEDIUM**
(2) In-stream Habitat	**LOW**	**LOW**
(3) Baseflow	**MEDIUM**	**MEDIUM**
(3) Substrate	**LOW**	**LOW**
(3) Stream Stability	**HIGH**	**HIGH**
(3) In-stream Habitat	**LOW**	**LOW**
(2) Stream-side Habitat	**HIGH**	**HIGH**
(3) Stream-side Habitat	**HIGH**	**HIGH**
(3) Thermoregulation	**HIGH**	**HIGH**
(2) Tidal Marsh In-stream Habitat	NA	NA
(3) Flow Restriction	NA	NA
(3) Tidal Marsh Stream Stability	NA	NA
(4) Tidal Marsh Channel Stability	NA	NA
(4) Tidal Marsh Stream Geomorphology	NA	NA
(3) Tidal Marsh In-stream Habitat	NA	NA
(2) Intertidal Zone	NA	NA
Overall		**MEDIUM**

NC SAM FIELD ASSESSMENT RESULTS
Accompanies User Manual Version 2.1

USACE AID #: NCDWR #:

INSTRUCTIONS: Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).

PROJECT/SITE INFORMATION:

1. Project name (if any): U-6191 / Muddy Creek
2. Date of evaluation: 4-16-2026
3. Applicant/owner name: NCDOT
4. Assessor name/organization: Steven Busbee / STV
5. County: Randolph
6. Nearest named water body on USGS 7.5-minute quad: Muddy Creek
7. River basin: Cape Fear
8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.905863, -79.983984

STREAM INFORMATION: (depth and width can be approximations)

9. Site number (show on attached map): Muddy Creek
10. Length of assessment reach evaluated (feet): 304
11. Channel depth from bed (in riffle, if present) to top of bank (feet): 4.5 ☐Unable to assess channel depth.
12. Channel width at top of bank (feet): 10
13. Is assessment reach a swamp steam? ☐Yes ☐No
14. Feature type: ☒Perennial flow ☐Intermittent flow ☐Tidal Marsh Stream

STREAM CATEGORY INFORMATION:

15. NC SAM Zone: ☐ Mountains (M) ☒ Piedmont (P) ☐ Inner Coastal Plain (I) ☐ Outer Coastal Plain (O)
16. Estimated geomorphic valley shape (**skip for Tidal Marsh Stream**):

☐A  (more sinuous stream, flatter valley slope)

☒B  (less sinuous stream, steeper valley slope)

17. Watershed size: (**skip for Tidal Marsh Stream**) ☐Size 1 (< 0.1 mi^2) ☐Size 2 (0.1 to < 0.5 mi^2) ☒Size 3 (0.5 to < 5 mi^2) ☐Size 4 (≥ 5 mi^2)

ADDITIONAL INFORMATION:

18. Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.

☐Section 10 water ☐Classified Trout Waters ☒Water Supply Watershed (☐I ☐II ☐III ☒IV ☐V)
☐Essential Fish Habitat ☐Primary Nursery Area ☐ High Quality Waters/Outstanding Resource Waters
☐Publicly owned property ☒NCDWR Riparian buffer rule in effect ☐Nutrient Sensitive Waters
☐Anadromous fish ☐303(d) List ☐CAMA Area of Environmental Concern (AEC)
☐Documented presence of a federal and/or state listed protected species within the assessment area.
List species:
☐Designated Critical Habitat (list species)

19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached? ☐Yes ☒No

1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)

☒A Water throughout assessment reach.
☐B No flow, water in pools only.
☐C No water in assessment reach.

2. Evidence of Flow Restriction – assessment reach metric

☐A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).
☒B Not A

3. Feature Pattern – assessment reach metric

☐A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).
☒B Not A

4. Feature Longitudinal Profile – assessment reach metric

☒A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).
☐B Not A

5. Signs of Active Instability – assessment reach metric

Consider only current instability, not past events from which the stream has currently recovered. Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).

☒A < 10% of channel unstable
☐B 10 to 25% of channel unstable
☐C > 25% of channel unstable

6. Streamside Area Interaction – streamside area metric
Consider for the Left Bank (LB) and the Right Bank (RB).

LB	RB	
☐A	☐A	Little or no evidence of conditions that adversely affect reference interaction
☒B	☒B	Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction (examples: limited streamside area access, disruption of flood flows through streamside area, leaky or intermittent bulkheads, causeways with floodplain constriction, minor ditching [including mosquito ditching])
☐C	☐C	Extensive evidence of conditions that adversely affect reference interaction (little to no floodplain/intertidal zone access [examples: causeways with floodplain and channel constriction, bulkheads, retaining walls, fill, stream incision, disruption of flood flows through streamside area] or too much floodplain/intertidal zone access [examples: impoundments, intensive mosquito ditching]) or floodplain/intertidal zone unnaturally absent or assessment reach is a man-made feature on an interstream divide

7. Water Quality Stressors – assessment reach/intertidal zone metric
Check all that apply.

- ☐A Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
- ☐B Excessive sedimentation (burying of stream features or intertidal zone)
- ☐C Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
- ☐D Odor (not including natural sulfide odors)
- ☐E Current published or collected data indicating degraded water quality in the assessment reach. Cite source in "Notes/Sketch" section.
- ☐F Livestock with access to stream or intertidal zone
- ☐G Excessive algae in stream or intertidal zone
- ☐H Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
- ☐I Other: _____ (explain in "Notes/Sketch" section)
- ☒J Little to no stressors

8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)
For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- ☒A Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
- ☐B Drought conditions and rainfall exceeding 1 inch within the last 48 hours
- ☐C No drought conditions

9. Large or Dangerous Stream – assessment reach metric
☐Yes ☒No Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

10. Natural In-stream Habitat Types – assessment reach metric
10a. ☐Yes ☐No Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) **(evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)**

10b. **Check all that occur** (occurs if > 5% coverage of assessment reach) **(skip for Size 4 Coastal Plain streams)**

- ☐A Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
- ☐B Multiple sticks and/or leaf packs and/or emergent vegetation
- ☒C Multiple snags and logs (including lap trees)
- ☒D 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter
- ☐E Little or no habitat
- ☐F 5% oysters or other natural hard bottoms
- ☐G Submerged aquatic vegetation
- ☐H Low-tide refugia (pools)
- ☐I Sand bottom
- ☐J 5% vertical bank along the marsh
- ☐K Little or no habitat

**********REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS**********

11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)

11a. ☐Yes ☒No Is assessment reach in a natural sand-bed stream? **(skip for Coastal Plain streams)**

11b. Bedform evaluated. **Check the appropriate box(es).**

- ☒A Riffle-run section **(evaluate 11c)**
- ☒B Pool-glide section **(evaluate 11d)**
- ☐C Natural bedform absent **(skip to Metric 12, Aquatic Life)**

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. **Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**. Not Present (NP) = absent, Rare (R) = present but ≤ 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

NP	R	C	A	P	
☐	☒	☐	☐	☐	Bedrock/saprolite
☐	☐	☒	☐	☐	Boulder (256 – 4096 mm)
☐	☐	☒	☐	☐	Cobble (64 – 256 mm)
☐	☐	☒	☐	☐	Gravel (2 – 64 mm)
☐	☐	☒	☐	☐	Sand (.062 – 2 mm)
☐	☐	☒	☐	☐	Silt/clay (< 0.062 mm)
☐	☒	☐	☐	☐	Detritus
☒	☐	☐	☐	☐	Artificial (rip-rap, concrete, etc.)

11d. ☒Yes ☐No Are pools filled with sediment? (**skip for Size 4 Coastal Plain streams and Tidal Marsh Streams**)

12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)

12a. ☒Yes ☐No Was an in-stream aquatic life assessment performed as described in the User Manual?
If No, select one of the following reasons and skip to Metric 13. ☐No Water ☐Other: _____

12b. ☒Yes ☐No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

1	>1	Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.
☐	☐	Adult frogs
☐	☐	Aquatic reptiles
☐	☐	Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
☒	☐	Beetles
☐	☐	Caddisfly larvae (T)
☐	☐	Asian clam (*Corbicula*)
☐	☐	Crustacean (isopod/amphipod/crayfish/shrimp)
☐	☐	Damselfly and dragonfly larvae
☐	☐	Dipterans
☐	☐	Mayfly larvae (E)
☐	☐	Megaloptera (alderfly, fishfly, dobsonfly larvae)
☒	☐	Midges/mosquito larvae
☒	☐	Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea)*
☐	☐	Mussels/Clams (not *Corbicula*)
☒	☐	Other fish
☐	☐	Salamanders/tadpoles
☒	☐	Snails
☐	☐	Stonefly larvae (P)
☐	☐	Tipulid larvae
☒	☐	Worms/leeches

13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB). Consider storage capacity with regard to both overbank flow and upland runoff.

LB	RB	
☐A	☐A	Little or no alteration to water storage capacity over a majority of the streamside area
☐B	☐B	Moderate alteration to water storage capacity over a majority of the streamside area
☐C	☐C	Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes)

14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.

LB	RB	
☐A	☐A	Majority of streamside area with depressions able to pond water ≥ 6 inches deep
☐B	☐B	Majority of streamside area with depressions able to pond water 3 to 6 inches deep
☐C	☐C	Majority of streamside area with depressions able to pond water < 3 inches deep

15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)
Consider for the Left Bank (LB) and the Right Bank (RB). Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.

LB	RB	
☒Y	☒Y	Are wetlands present in the streamside area?
☐N	☐N	

16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)
Check all contributors within the assessment reach or within view of <u>and</u> draining to the assessment reach.

☐A Streams and/or springs (jurisdictional discharges)
☐B Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
☐C Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
☐D Evidence of bank seepage or sweating (iron in water indicates seepage)
☒E Stream bed or bank soil reduced (dig through deposited sediment if present)
☐F None of the above

17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)
Check all that apply.

☐A Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
☐B Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
☒C Urban stream (≥ 24% impervious surface for watershed)
☒D Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
☐E Assessment reach relocated to valley edge
☐F None of the above

18. Shading – assessment reach metric (skip for Tidal Marsh Streams)
Consider aspect. Consider "leaf-on" condition.

☐A Stream shading is appropriate for stream category (may include gaps associated with natural processes)
☒B Degraded (example: scattered trees)
☐C Stream shading is gone or largely absent

19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)
Consider "vegetated buffer" and "wooded buffer" separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
☐A	☐A	☐A	☐A	≥ 100 feet wide or extends to the edge of the watershed
☐B	☐B	☐B	☐B	From 50 to < 100 feet wide
☐C	☐C	☒C	☐C	From 30 to < 50 feet wide
☐D	☐D	☐D	☒D	From 10 to < 30 feet wide
☒E	☒E	☐E	☐E	< 10 feet wide or no trees

20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)
Consider for left bank (LB) and right bank (RB) for Metric 19 ("Vegetated" Buffer Width).

LB	RB	
☐A	☐A	Mature forest
☒B	☒B	Non-mature woody vegetation or modified vegetation structure
☐C	☐C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
☐D	☐D	Maintained shrubs
☐E	☐E	Little or no vegetation

21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)
Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).
If none of the following stressors occurs on either bank, check here and skip to Metric 22: ☐

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
☐A	☐A	☐A	☐A	☐A	☐A	Row crops
☐B	☐B	☒B	☒B	☐B	☐B	Maintained turf
☐C	☐C	☐C	☐C	☐C	☐C	Pasture (no livestock)/commercial horticulture
☐D	☐D	☐D	☐D	☐D	☐D	Pasture (active livestock use)

22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)
Consider for left bank (LB) and right bank (RB) for Metric 19 ("Wooded" Buffer Width).

LB	RB	
☐A	☐A	Medium to high stem density
☒B	☒B	Low stem density
☐C	☐C	No wooded riparian buffer or predominantly herbaceous species or bare ground

23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)
Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
☐A	☐A	The total length of buffer breaks is < 25 percent.
☒B	☒B	The total length of buffer breaks is between 25 and 50 percent.
☐C	☐C	The total length of buffer breaks is > 50 percent.

24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)
Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
☐A	☐A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
☒B	☒B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing or communities with non-native invasive species present, but not dominant, over a large portion of the expected strata or communities missing understory but retaining canopy trees.
☐C	☐C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent or communities with non-native invasive species dominant over a large portion of expected strata or communities composed of planted stands of non-characteristic species or communities inappropriately composed of a single species or no vegetation.

25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)
25a. ☐Yes ☒No Was conductivity measurement recorded?
If No, select one of the following reasons. ☐No Water ☐Other: _____

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).
☐A < 46 ☐B 46 to < 67 ☐C 67 to < 79 ☐D 79 to < 230 ☐E ≥ 230

Notes/Sketch:

Draft NC SAM Stream Rating Sheet
Accompanies User Manual Version 2.1

Stream Site Name	U-6191 / Muddy Creek	Date of Assessment	4-16-2026
Stream Category	Pb3	Assessor Name/Organization	Steven Busbee / STV

Notes of Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	YES
Additional stream information/supplementary measurements included (Y/N)	NO
NC SAM feature type (perennial, intermittent, Tidal Marsh Stream)	Perennial

Function Class Rating Summary	USACE/ All Streams	NCDWR Intermittent
(1) Hydrology	**LOW**	
(2) Baseflow	**HIGH**	
(2) Flood Flow	**LOW**	
(3) Streamside Area Attenuation	**LOW**	
(4) Floodplain Access	**MEDIUM**	
(4) Wooded Riparian Buffer	**LOW**	
(4) Microtopography	NA	
(3) Stream Stability	**MEDIUM**	
(4) Channel Stability	**HIGH**	
(4) Sediment Transport	**LOW**	
(4) Stream Geomorphology	**MEDIUM**	
(2) Stream/Intertidal Zone Interaction	NA	
(2) Longitudinal Tidal Flow	NA	
(2) Tidal Marsh Stream Stability	NA	
(3) Tidal Marsh Channel Stability	NA	
(3) Tidal Marsh Stream Geomorphology	NA	
(1) Water Quality	**MEDIUM**	
(2) Baseflow	**HIGH**	
(2) Streamside Area Vegetation	**LOW**	
(3) Upland Pollutant Filtration	**LOW**	
(3) Thermoregulation	**MEDIUM**	
(2) Indicators of Stressors	**NO**	
(2) Aquatic Life Tolerance	**MEDIUM**	
(2) Intertidal Zone Filtration	NA	
(1) Habitat	**LOW**	
(2) In-stream Habitat	**LOW**	
(3) Baseflow	**HIGH**	
(3) Substrate	**LOW**	
(3) Stream Stability	**MEDIUM**	
(3) In-stream Habitat	**MEDIUM**	
(2) Stream-side Habitat	**MEDIUM**	
(3) Stream-side Habitat	**MEDIUM**	
(3) Thermoregulation	**MEDIUM**	
(2) Tidal Marsh In-stream Habitat	NA	
(3) Flow Restriction	NA	
(3) Tidal Marsh Stream Stability	NA	
(4) Tidal Marsh Channel Stability	NA	
(4) Tidal Marsh Stream Geomorphology	NA	
(3) Tidal Marsh In-stream Habitat	NA	
(2) Intertidal Zone	NA	
Overall	**LOW**	

NC SAM FIELD ASSESSMENT RESULTS
Accompanies User Manual Version 2.1

USACE AID #: NCDWR #:

INSTRUCTIONS: Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).

PROJECT/SITE INFORMATION:

1. Project name (if any): U-6191 / Stream D
2. Date of evaluation: 4-17-2026
3. Applicant/owner name: NCDOT
4. Assessor name/organization: Steven Busbee / STV
5. County: Randolph
6. Nearest named water body on USGS 7.5-minute quad: Muddy Creek
7. River basin: Cape Fear
8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.911867, -79.979356

STREAM INFORMATION: (depth and width can be approximations)

9. Site number (show on attached map): SD
10. Length of assessment reach evaluated (feet): 385
11. Channel depth from bed (in riffle, if present) to top of bank (feet): 3 ☐Unable to assess channel depth.
12. Channel width at top of bank (feet): 10
13. Is assessment reach a swamp steam? ☐Yes ☐No
14. Feature type: ☒Perennial flow ☐Intermittent flow ☐Tidal Marsh Stream

STREAM CATEGORY INFORMATION:

15. NC SAM Zone: ☐ Mountains (M) ☒ Piedmont (P) ☐ Inner Coastal Plain (I) ☐ Outer Coastal Plain (O)
16. Estimated geomorphic valley shape (**skip for Tidal Marsh Stream**):
☐A  (more sinuous stream, flatter valley slope)
☒B  (less sinuous stream, steeper valley slope)
17. Watershed size: (**skip for Tidal Marsh Stream**) ☐Size 1 (< 0.1 mi^2) ☒Size 2 (0.1 to < 0.5 mi^2) ☐Size 3 (0.5 to < 5 mi^2) ☐Size 4 (≥ 5 mi^2)

ADDITIONAL INFORMATION:

18. Were regulatory considerations evaluated? ☒Yes ☐No If Yes, check all that apply to the assessment area.
☐Section 10 water ☐Classified Trout Waters ☒Water Supply Watershed (☐I ☐II ☐III ☒IV ☐V)
☐Essential Fish Habitat ☐Primary Nursery Area ☐ High Quality Waters/Outstanding Resource Waters
☐Publicly owned property ☒NCDWR Riparian buffer rule in effect ☐Nutrient Sensitive Waters
☐Anadromous fish ☐303(d) List ☐CAMA Area of Environmental Concern (AEC)
☐Documented presence of a federal and/or state listed protected species within the assessment area.
List species:
☐Designated Critical Habitat (list species)
19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached? ☐Yes ☒No

1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)
☒A Water throughout assessment reach.
☐B No flow, water in pools only.
☐C No water in assessment reach.

2. Evidence of Flow Restriction – assessment reach metric
☒A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).
☐B Not A

3. Feature Pattern – assessment reach metric
☐A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).
☒B Not A

4. Feature Longitudinal Profile – assessment reach metric
☒A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).
☐B Not A

5. Signs of Active Instability – assessment reach metric
Consider only current instability, not past events from which the stream has currently recovered. Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).
☒A < 10% of channel unstable
☐B 10 to 25% of channel unstable
☐C > 25% of channel unstable

6. Streamside Area Interaction – streamside area metric
Consider for the Left Bank (LB) and the Right Bank (RB).

LB	RB	
☐A	☐A	Little or no evidence of conditions that adversely affect reference interaction
☒B	☒B	Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction (examples: limited streamside area access, disruption of flood flows through streamside area, leaky or intermittent bulkheads, causeways with floodplain constriction, minor ditching [including mosquito ditching])
☐C	☐C	Extensive evidence of conditions that adversely affect reference interaction (little to no floodplain/intertidal zone access [examples: causeways with floodplain and channel constriction, bulkheads, retaining walls, fill, stream incision, disruption of flood flows through streamside area] or too much floodplain/intertidal zone access [examples: impoundments, intensive mosquito ditching]) or floodplain/intertidal zone unnaturally absent or assessment reach is a man-made feature on an interstream divide

7. Water Quality Stressors – assessment reach/intertidal zone metric
Check all that apply.

- ☐A Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
- ☐B Excessive sedimentation (burying of stream features or intertidal zone)
- ☐C Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
- ☐D Odor (not including natural sulfide odors)
- ☐E Current published or collected data indicating degraded water quality in the assessment reach. Cite source in "Notes/Sketch" section.
- ☐F Livestock with access to stream or intertidal zone
- ☐G Excessive algae in stream or intertidal zone
- ☐H Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
- ☐I Other: _____ (explain in "Notes/Sketch" section)
- ☒J Little to no stressors

8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)
For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- ☒A Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
- ☐B Drought conditions and rainfall exceeding 1 inch within the last 48 hours
- ☐C No drought conditions

9. Large or Dangerous Stream – assessment reach metric
☐Yes ☒No Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

10. Natural In-stream Habitat Types – assessment reach metric
10a. ☐Yes ☐No Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) **(evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)**

10b. **Check all that occur** (occurs if > 5% coverage of assessment reach) **(skip for Size 4 Coastal Plain streams)**

- ☐A Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
- ☐B Multiple sticks and/or leaf packs and/or emergent vegetation
- ☒C Multiple snags and logs (including lap trees)
- ☒D 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter
- ☐E Little or no habitat
- ☐F 5% oysters or other natural hard bottoms
- ☐G Submerged aquatic vegetation
- ☐H Low-tide refugia (pools)
- ☐I Sand bottom
- ☐J 5% vertical bank along the marsh
- ☐K Little or no habitat

************************************REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS*******************************

11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)

11a. ☐Yes ☒No Is assessment reach in a natural sand-bed stream? **(skip for Coastal Plain streams)**

11b. Bedform evaluated. **Check the appropriate box(es).**

- ☒A Riffle-run section **(evaluate 11c)**
- ☒B Pool-glide section **(evaluate 11d)**
- ☐C Natural bedform absent **(skip to Metric 12, Aquatic Life)**

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. **Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**. Not Present (NP) = absent, Rare (R) = present but < 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

NP	R	C	A	P	
☒	☐	☐	☐	☐	Bedrock/saprolite
☒	☐	☐	☐	☐	Boulder (256 – 4096 mm)
☒	☐	☐	☐	☐	Cobble (64 – 256 mm)
☒	☐	☐	☐	☐	Gravel (2 – 64 mm)
☐	☐	☒	☐	☐	Sand (.062 – 2 mm)
☐	☐	☒	☐	☐	Silt/clay (< 0.062 mm)
☐	☒	☐	☐	☐	Detritus
☒	☐	☐	☐	☐	Artificial (rip-rap, concrete, etc.)

11d. ☒Yes ☐No Are pools filled with sediment? (**skip for Size 4 Coastal Plain streams and Tidal Marsh Streams**)

12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)

12a. ☒Yes ☐No Was an in-stream aquatic life assessment performed as described in the User Manual?
If No, select one of the following reasons and skip to Metric 13. ☐No Water ☐Other: _____

12b. ☒Yes ☐No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

1	>1	Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.
☐	☐	Adult frogs
☐	☐	Aquatic reptiles
☐	☐	Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
☒	☐	Beetles
☐	☐	Caddisfly larvae (T)
☐	☐	Asian clam (*Corbicula*)
☐	☐	Crustacean (isopod/amphipod/crayfish/shrimp)
☐	☐	Damselfly and dragonfly larvae
☐	☐	Dipterans
☐	☐	Mayfly larvae (E)
☐	☐	Megaloptera (alderfly, fishfly, dobsonfly larvae)
☒	☐	Midges/mosquito larvae
☒	☐	Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea)*
☐	☐	Mussels/Clams (not *Corbicula*)
☐	☐	Other fish
☐	☐	Salamanders/tadpoles
☐	☐	Snails
☐	☐	Stonefly larvae (P)
☐	☐	Tipulid larvae
☒	☐	Worms/leeches

13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB). Consider storage capacity with regard to both overbank flow and upland runoff.

LB	RB	
☐A	☐A	Little or no alteration to water storage capacity over a majority of the streamside area
☐B	☐B	Moderate alteration to water storage capacity over a majority of the streamside area
☐C	☐C	Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes)

14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)
Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.

LB	RB	
☐A	☐A	Majority of streamside area with depressions able to pond water ≥ 6 inches deep
☐B	☐B	Majority of streamside area with depressions able to pond water 3 to 6 inches deep
☐C	☐C	Majority of streamside area with depressions able to pond water < 3 inches deep

15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)
Consider for the Left Bank (LB) and the Right Bank (RB). Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.

LB	RB	
☒Y	☐Y	Are wetlands present in the streamside area?
☐N	☒N	

16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)
Check all contributors within the assessment reach or within view of <u>and</u> draining to the assessment reach.

- ☒A Streams and/or springs (jurisdictional discharges)
- ☐B Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
- ☐C Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
- ☒D Evidence of bank seepage or sweating (iron in water indicates seepage)
- ☒E Stream bed or bank soil reduced (dig through deposited sediment if present)
- ☐F None of the above

17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)
Check all that apply.

- ☐A Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
- ☐B Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
- ☒C Urban stream (≥ 24% impervious surface for watershed)
- ☒D Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
- ☐E Assessment reach relocated to valley edge
- ☐F None of the above

18. Shading – assessment reach metric (skip for Tidal Marsh Streams)
Consider aspect. Consider "leaf-on" condition.

- ☐A Stream shading is appropriate for stream category (may include gaps associated with natural processes)
- ☒B Degraded (example: scattered trees)
- ☐C Stream shading is gone or largely absent

19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)

Consider "vegetated buffer" and "wooded buffer" separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
☐A	☐A	☐A	☐A	≥ 100 feet wide or extends to the edge of the watershed
☐B	☐B	☐B	☐B	From 50 to < 100 feet wide
☒C	☐C	☐C	☐C	From 30 to < 50 feet wide
☐D	☒D	☐D	☐D	From 10 to < 30 feet wide
☐E	☐E	☒E	☒E	< 10 feet wide or no trees

20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)

Consider for left bank (LB) and right bank (RB) for Metric 19 ("Vegetated" Buffer Width).

LB	RB	
☐A	☐A	Mature forest
☒B	☐B	Non-mature woody vegetation or modified vegetation structure
☐C	☒C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
☐D	☐D	Maintained shrubs
☐E	☐E	Little or no vegetation

21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)

Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).

If none of the following stressors occurs on either bank, check here and skip to Metric 22: ☐

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
☐A	☐A	☐A	☐A	☐A	☐A	Row crops
☒B	☒B	☐B	☐B	☐B	☐B	Maintained turf
☐C	☐C	☐C	☐C	☐C	☐C	Pasture (no livestock)/commercial horticulture
☐D	☐D	☐D	☐D	☐D	☐D	Pasture (active livestock use)

22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)

Consider for left bank (LB) and right bank (RB) for Metric 19 ("Wooded" Buffer Width).

LB	RB	
☐A	☐A	Medium to high stem density
☒B	☐B	Low stem density
☐C	☒C	No wooded riparian buffer or predominantly herbaceous species or bare ground

23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)

Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
☒A	☒A	The total length of buffer breaks is < 25 percent.
☐B	☐B	The total length of buffer breaks is between 25 and 50 percent.
☐C	☐C	The total length of buffer breaks is > 50 percent.

24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)

Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
☐A	☐A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
☐B	☐B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing or communities with non-native invasive species present, but not dominant, over a large portion of the expected strata or communities missing understory but retaining canopy trees.
☒C	☒C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent or communities with non-native invasive species dominant over a large portion of expected strata or communities composed of planted stands of non-characteristic species or communities inappropriately composed of a single species or no vegetation.

25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)

25a. ☐Yes ☒No Was conductivity measurement recorded?
If No, select one of the following reasons. ☐No Water ☐Other: _____

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).
☐A < 46 ☐B 46 to < 67 ☐C 67 to < 79 ☐D 79 to < 230 ☐E ≥ 230

Notes/Sketch:

Draft NC SAM Stream Rating Sheet
Accompanies User Manual Version 2.1

Stream Site Name	U-6191 / Stream D	Date of Assessment	4-17-2026
Stream Category	Pb2	Assessor Name/Organization	Steven Busbee / STV

Notes of Field Assessment Form (Y/N)	NO
Presence of regulatory considerations (Y/N)	YES
Additional stream information/supplementary measurements included (Y/N)	NO
NC SAM feature type (perennial, intermittent, Tidal Marsh Stream)	Perennial

Function Class Rating Summary	USACE/ All Streams	NCDWR Intermittent
(1) Hydrology	**LOW**	
(2) Baseflow	**HIGH**	
(2) Flood Flow	**LOW**	
(3) Streamside Area Attenuation	**LOW**	
(4) Floodplain Access	**MEDIUM**	
(4) Wooded Riparian Buffer	**LOW**	
(4) Microtopography	NA	
(3) Stream Stability	**MEDIUM**	
(4) Channel Stability	**HIGH**	
(4) Sediment Transport	**LOW**	
(4) Stream Geomorphology	**MEDIUM**	
(2) Stream/Intertidal Zone Interaction	NA	
(2) Longitudinal Tidal Flow	NA	
(2) Tidal Marsh Stream Stability	NA	
(3) Tidal Marsh Channel Stability	NA	
(3) Tidal Marsh Stream Geomorphology	NA	
(1) Water Quality	**LOW**	
(2) Baseflow	**HIGH**	
(2) Streamside Area Vegetation	**LOW**	
(3) Upland Pollutant Filtration	**LOW**	
(3) Thermoregulation	**MEDIUM**	
(2) Indicators of Stressors	**NO**	
(2) Aquatic Life Tolerance	**LOW**	
(2) Intertidal Zone Filtration	NA	
(1) Habitat	**LOW**	
(2) In-stream Habitat	**LOW**	
(3) Baseflow	**HIGH**	
(3) Substrate	**LOW**	
(3) Stream Stability	**MEDIUM**	
(3) In-stream Habitat	**MEDIUM**	
(2) Stream-side Habitat	**LOW**	
(3) Stream-side Habitat	**LOW**	
(3) Thermoregulation	**MEDIUM**	
(2) Tidal Marsh In-stream Habitat	NA	
(3) Flow Restriction	NA	
(3) Tidal Marsh Stream Stability	NA	
(4) Tidal Marsh Channel Stability	NA	
(4) Tidal Marsh Stream Geomorphology	NA	
(3) Tidal Marsh In-stream Habitat	NA	
(2) Intertidal Zone	NA	
Overall	**LOW**	

Attachment E

Representative Photographs



Photo 1 – View of Stream A (SA) downstream of NC 62 looking downstream.



Photo 2 – View of Stream A (SA) looking upstream at the NC 62 culvert.



Photo 3 – View of Stream A (SA) looking downstream at the NC 62 culvert.



Photo 4 – View of Stream A (SA) looking upstream at the SR 3252 culvert.



Photo 5 – View of Stream A (SA) looking downstream at the SR 3252 culvert.



Photo 6 – View of Stream A (SA) looking upstream from the SR 3252 culvert.



Photo 7 – View of Uwharrie River downstream of NC 62 looking downstream.



Photo 8 – View of Uwharrie River looking upstream at the NC 62 culvert.



Photo 9 – View of Uwharrie River looking downstream at the NC 62 culvert.




Photo 10 – View of Uwharrie River looking upstream from the NC 62 culvert.



Photo 11 – View of Stream B (SB) downstream section looking upstream.



Photo 12 – View of Stream B (SB) upstream section looking downstream.



Photo 13 – View of Stream C (SC) looking downstream.



Photo 14 – View of Muddy Creek looking upstream from the NC 62 culvert.



Photo 15 – View of Muddy Creek looking downstream at the NC 62 culvert.



Photo 16 – View of Muddy Creek looking upstream at the NC 62 culvert.



Photo 17 – View of Muddy Creek looking downstream from the NC 62 culvert.



Photo 18 – View of Stream D (SD) upstream of NC 62 looking upstream.



Photo 19 – View of Stream D (SD) upstream of NC 62 looking downstream.



Photo 20 – View of Stream D (SD) looking upstream at the NC 62 culvert.



Photo 21 – View of Stream D (SD) downstream of NC 62 looking downstream.



Photo 22 – View of Wetland A (WA).



Photo 23 – View of Wetland B (WB).



Photo 24 – View of Wetland C (WC).



Photo 25 – View of Wetland D (WD).



Photo 26 – View of Wetland E (WE).

Attachment F


Aquatic Resources Summary Table/ORM Upload Sheet

Waters_Name	State	Cowardin_Code	HGM_Code	Meas_Type	Amount	Units	Waters_Type	Latitude	Longitude	Local_Waterway
Stream A	NORTH CAROLINA	R5UB		Linear	445	FOOT	DELIN.PJD-404	35.88059900	-80.00565600	
Uwharrie River	NORTH CAROLINA	R2UB		Linear	345	FOOT	DELIN.PJD-404	35.88233100	-80.00193600	Uwharrie River
Stream B	NORTH CAROLINA	R4		Linear	189	FOOT	DELIN.PJD-404	35.89013700	-79.99310800	
Stream C	NORTH CAROLINA	R4		Linear	20	FOOT	DELIN.PJD-404	35.89064500	-79.99198200	
Muddy Creek	NORTH CAROLINA	R5		Linear	304	FOOT	DELIN.PJD-404	35.90584600	-79.98399400	Muddy Creek
Stream D	NORTH CAROLINA	R5UB		Linear	385	FOOT	DELIN.PJD-404	35.91164900	-79.97920700	
Wetland A	NORTH CAROLINA	PFO		Area	0.01	ACRE	DELIN.PJD-404	35.88264600	-80.00208300	
Wetland B	NORTH CAROLINA	PFO		Area	0.06	ACRE	DELIN.PJD-404	35.89100600	-79.99227000	
Wetland C	NORTH CAROLINA	PFO		Area	0.23	ACRE	DELIN.PJD-404	35.90539900	-79.98391600	
Wetland D	NORTH CAROLINA	PFO		Area	0.03	ACRE	DELIN.PJD-404	35.90572000	-79.98363100	
Wetland E	NORTH CAROLINA	PEM		Area	0.07	ACRE	DELIN.PJD-404	35.91205700	-79.97923100	

Attachment G

Antecedent Precipitation Tool Report

Antecedent Precipitation vs Normal Range based on NOAA's Daily Global Historical Climatology Network



Coordinates	35.89724, -79.98839
Observation Date	2026-04-17
Elevation (ft)	825.916
Drought Index (PDSI)	Severe drought (2026-03)

30 Days Ending	30th %ile (in)	70th %ile (in)	Observed (in)	Wetness Condition	Condition Value	Month Weight	Product
2026-04-17	2.959843	4.327953	0.929134	Dry	1	3	3
2026-03-18	2.894882	3.914961	3.937008	Wet	3	2	6
2026-02-16	2.679134	4.344488	2.775591	Normal	2	1	2
Result							Normal Conditions - 11

Figures and tables made by the Antecedent Precipitation Tool Version 2.9

US Army Corps of Engineers.
ERDC

Developed by:
U.S. Army Corps of Engineers and
U.S. Army Engineer Research and Development Center

Weather Station Name	Coordinates	Elevation (ft)	Distance (mi)	Elevation Δ	Weighted Δ	Days Normal	Days Antecedent
HIGH PT	35.9675, -79.9708	899.934	4.953	74.018	2.596	11210	75
HIGH POINT 0.4 E	35.9823, -79.9905	841.864	1.503	58.07	0.764	8	0
HIGH POINT 1.5 SW	35.9676, -80.0187	920.932	2.679	20.998	1.262	6	15
HIGH POINT 1.9 SW	35.9621, -80.0218	888.123	2.876	11.811	1.328	1	0
HIGH POINT 1.9 NW	36.0008, -80.021	863.845	3.629	36.089	1.764	1	0
HIGH POINT 3.7 NE	36.0234, -79.9572	893.045	3.936	6.889	1.798	11	0
JAMESTOWN 2.8 NNE	36.034, -79.9185	867.126	5.446	32.808	2.629	1	0
KERNERSVILLE 6.6 S	36.0232, -80.0899	923.885	7.69	23.951	3.645	19	0
GREENSBORO 7.1 S	35.9761, -79.8367	836.942	7.522	62.992	3.859	1	0
TRINITY 2.6 SW	35.8589, -80.0439	875.0	8.546	24.934	4.059	3	0
GREENSBORO AP	36.0969, -79.9431	901.903	9.074	1.969	4.101	92	0