



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

J. R. "JOEY" HOPKINS
SECRETARY

January 5, 2024

ATTN: N.C. Division of Coastal Management
Mr. Greg Daisey, NCDOT Coordinator
401 South Griffin St, Ste 300
Elizabeth City, NC 27909

SUBJECT: **Request for Permit Modification of CAMA Major Development Permit** for the Proposed Replacement of the Lindsay C. Warren Bridge (Tyrrell County Bridge No. 7) on U.S. 64 over the Alligator River/Atlantic Intracoastal Waterway in Tyrrell and Dare Counties, North Carolina. STIP Project No. HB-0001; Federal Aid Project No. NHPB-0001.

REFERENCE: CAMA Major Development Permit, Permit No. 136-23. Issued November 30, 2023.

Dear Sir:

The North Carolina Department of Transportation (NCDOT) proposes to replace the Lindsay C. Warren Bridge (Tyrrell County Bridge No. 7) on U.S. 64 over the Alligator River portion of the Atlantic Intracoastal Waterway in Tyrrell and Dare Counties, North Carolina (at Atlantic Intracoastal Waterway Mile 84.2). The project will replace the existing 2.83-mile-long swing-span drawbridge with a modern 3.32-mile, two-lane, fixed-span, high-rise bridge north of the existing alignment. The new structure will be comprised of either driven piles or drilled piers, Florida I-beam concrete girders, concrete deck panels, and a drivable wearing surface will provide a vertical navigable channel clearance of 65 feet and a navigational channel horizontal clearance of 140 feet.

An application was submitted for the project on June 27, 2023 and a CAMA Major Development Permit was subsequently issued on November 30, 2023. Since that time, additional activities have been proposed as part of the project. These additions include:

- Installation of exploratory test piles at multiple proposed in-water bent locations to collect pile driving data and to validate proposed installation options.
- Use of mooring piles for securing barges in place for test pile study and bridge construction.

The purpose of this letter is to request modification of the existing CAMA Major Development Permit to include these activities. In addition to this letter, revised permit drawings showing test pile locations and impacts, mapping and a construction detail of mooring pile locations, and a construction detail of test piles are also included.

Test Pile Program

The purpose of the test pile program is to install exploratory test piles at multiple proposed in-water bent locations along the proposed bridge alignment. These test piles would be installed to collect pile driving data and to validate proposed installation options.

Test piles will be driven at 15 locations and will consist of either 36-inch square precast concrete piles (listed as 36" Pile below) or a combination of 36-inch concrete piles and 48-inch steel pipe piles (listed as 48" P-Pile below). The test piles being installed at each location are listed below; proposed pile installation locations are both listed below and shown on the attached detail. Some piles would be driven within a temporary 60-inch steel casing; test piles driven in casings will be selected based on pile driving data collected during the operation. Due to the upcoming in-water work moratorium (from July 15 – September 30 for the entire river; February 15 – June 30 for the deepwater channel), the test piles at Bent 47 will be driven first. A variety of diesel and hydraulic hammers will be assessed during the program.

Test pile locations and types of pile at each location are as follows (locations also shown on attached revised permit drawings):

- **Bent 6:** 1 ea. 36" Pile Station 51+62 @ CL
- **Bent 8:** 1 ea. 36" Pile Station 54+12 @ CL
- **Bent 19:** 1 ea. 36" Pile Station 67+87 @ CL
- **Bent 30:** 1 ea. 36" Pile Station 81+62 @ CL
- **Bent 37:** 1 ea. 36" Pile Station 90+37 @ CL
1 ea. 36" Pile Station 90+37 @ 8' LT of CL
1 ea. 48" P-Pile Station 90+37 @ 16' LT of CL
- **Bent 47:** 1 ea. 36" Pile Station 106+13.25 @ CL
1 ea. 36" Pile Station 106+13.25 @ 8' LT of CL
1 ea. 48" P-Pile Station 106+13.25 @ 16' LT of CL
- **Bent 62:** 1 ea. 36" Pile Station 131+07 @ CL
- **Bent 66:** 1 ea. 36" Pile Station 136+07 @ CL
- **Bent 73:** 1 ea. 36" Pile Station 144+82 @ CL
- **Bent 91:** 1 ea. 36" Pile Station 167+32 @ CL
- **Bent 95:** 1 ea. 36" Pile Station 172+32 @ CL
1 ea. 36" Pile Station 172+32 @ 8' LT of CL
- **Bent 100:** 1 ea. 36" Pile Station 177+32 @ CL
- **Bent 102:** 1 ea. 36" Pile Station 181+07 @ CL
- **Bent 108:** 1 ea. 36" Pile Station 188+57 @ CL
- **Bent 119:** 1 ea. 36" Pile Station 202+32 @ CL

Test piles will be cut below mudline after use. The test piles will result in an increase in **permanent surface water impacts of 0.004 acres.**

Mooring Piles

The use of temporary mooring piles is proposed for securing barges in place for test pile study and bridge construction. Thirty-inch steel pipe piles will be installed approximately 60 feet apart, from coordinates 35.91082, -76.01831 to 35.91320, -76.01610, total 19 mooring piles. The pile installation will span approximately 1,080 linear feet. Please see attached mapping showing the proposed mooring pile locations and mooring pile detail.

The mooring location has sufficient water depths for barges and tugboats and is outside any navigation channels that could conflict with boat traffic. Once the project is complete, these mooring piles will be removed.


Regulatory Approvals

CAMA: NCDOT requests a modification to the CAMA Major Development Permit, Permit No. 136-23, to include the above-described activities. Authorization to debit the \$475.00 Permit Application Fee from WBS Element 49475.1.1 is hereby given.

A copy of this permit modification request and its distribution list will be posted on the NCDOT website at: <https://connect.ncdot.gov/resources/Environmental>

Thank you for your assistance with this project. If you have any questions or need additional information, please contact Paul Williams at pcwilliams2@ncdot.gov or (252) 482-1861.

Sincerely,

A handwritten signature in black ink that reads "Jason L Dilday". The signature is written in a cursive, flowing style.

Jason L Dilday
NCDOT ECAP Eastern Region Lead

09/08/19

See Sheet 1A For Index of Sheets
See Sheet 1B For Conventional Symbols
See Sheet 1C-1 For Survey Control Sheet

STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

TYRRELL & DARE COUNTY

LOCATION: REPLACE BRIDGE #7 ON US 64 IN TYRRELL AND
DARE COUNTIES OVER THE ALLIGATOR RIVER


TYPE OF WORK: STRUCTURE, GRADING, PAVING, DRAINAGE

WETLAND AND SURFACE WATER IMPACTS PERMIT

PERMIT DRAWING
SHEET 1 OF 79


STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	HB-0001	1	
STATE PROJ. NO.	F.A. PROJ. NO.	DESCRIPTION	
49475.1.1	NHPB-0001(156)	PE	
49475.2.1	NHPB-0001(156)	ROW	

ROW PLAN SET




VICINITY MAP

THIS PROJECT IS NOT WITHIN ANY MUNICIPAL BOUNDARIES.



CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY METHOD II.

CONTRACT:



DESIGN DATA
ADT 2023 = 5734/9645**
ADT 2043 = 10400/13200**
K = 10 %
D = 60 %
T = 7 % *
V = 60 MPH
* TTST = 4% DUAL 3%
FUNC CLASS =
PRINCIPAL ARTERIAL
REGIONAL TIER
**WEEKDAY/WEEKEND

PROJECT LENGTH

TIP PROJECT HB-0001 ROADWAY LENGTH = 0.924 MILES
TIP PROJECT HB-0001 STRUCTURES LENGTH = 3.322 MILES
TIP PROJECT HB-0001 TOTAL PROJECT LENGTH = 4.246 MILES

NCDOT CONTACT: JOHN CONFORTI, REM
PROJECT MANAGER



2018 STANDARD SPECIFICATIONS

RIGHT OF WAY DATE:
DECEMBER 16, 2022

LETTING DATE:
OCTOBER 2024

NEIL J. DEAN, PE
PROJECT ENGINEER


FAITH E. JAHNKE, PE
PROJECT DESIGN ENGINEER

HYDRAULICS ENGINEER

SIGNATURE: P.E.

ROADWAY DESIGN
ENGINEER

SIGNATURE: P.E.



28-DEC-2023 12:55
HB-0001-hyd-prm-tsh.dgn
patrik.hartnett

PROJECT REFERENCE NO.
HB-0001

SHEET NO.
4

RW SHEET NO.

ROADWAY DESIGN ENGINEER

HYDRAULICS ENGINEER


Prepared in the Office of:
SUMMIT
SUMMIT ENGINEERING & CONSULTING, INC.
320 Executive Ct.
Hillsborough, NC 27278
(919) 752-3883
(919) 752-6676 (FAX)

NC FIRM LICENSE No. P-0339

320 Executive Ct.
Hillsborough, NC 27278
(919) 752-3883
(919) 752-6676 (FAX)

PERMIT DRAWING
SHEET 3 OF 79

MATCHLINE -L- STATION 28+00.00 (SEE SHEET 5)



-L-
PI Sta 14+43.80
 $\Delta = 17^{\circ}10'13.3''$ (RT)
D = 157' 30.0"
L = 876.78'
T = 441.70'
SE = EXIST.
DS = EXIST.

BEGIN TIP PROJECT HB-0001
-L- STA 17+50.00

EXISTING FIBER OPTIC CABLES
TO REMAIN IN PLACE

THE CONSERVATION FUND
DB 214 PG 699

SITE 2

SITE 3

SITE 4

SITE 5

MUTUAL GN COMPANY
DB 164 PG 100

-L- PT Sta. 18+78.88

STATE OF NORTH CAROLINA
DB 192 PG 595

DETAIL 4-1
BANK STABILIZATION
(Profile Scale)

1.0' max

1'

Place Geotextile Under
Riprap in Locations
Directed by Engineer


Place Riprap into
Channel Bottom
Until Refusal

Type of Liner - 205 TONS, CL B Rip-Rap, Keyed-In

FROM STA. TO STA.

- FILL IN WETLAND
- MECHANIZED CLEARING (GRUBBING)
- HAND CLEARING (NON-GRUBBING)
- SURFACE WATER IMPACTS
- TEMPORARY SURFACE WATER IMPACTS
- PAVEMENT REMOVAL

SEE SHEET 24 FOR -L- PROFILE



8/17/99
28-DEC-2023 12:55
28-0001-Path-3.dgn
Network Path

PERMIT DRAWING
SHEET 4 OF 79

-  FILL IN WETLAND
-  MECHANIZED CLEARING (GRUBBING)
-  HAND CLEARING (NON-GRUBBING)

MATCHLINE -L- STATION 28+00.00
(SEE SHEET 4)

MATCHLINE -L- STATION 40+00.00
(SEE SHEET 6)

-YI-	-L-	-YI-
PI Sta 12+41.04	PI Sta 39+10.22	PI Sta 41+60.16
$\Delta = 68^{\circ} 52' 21''$ (LT)	$\Delta = 1^{\circ} 50' 39.4''$	$\Delta = 9^{\circ} 48' 34.0''$ (RT)
$D = 19^{\circ} 05' 54.9''$	$L_s = 150.00'$	$D = 2^{\circ} 27' 32.6''$
$L = 360.62'$	$L_t = 100.00'$	$L = 398.91'$
$T = 205.69'$	$ST = 50.00'$	$T = 199.94'$
$R = 300.00'$		$R = 2,330.00'$
$SE = 04'$		$SE = 05'$
$RO = 60'$		$RO = 150'$




 PAVEMENT REMOVAL

SEE SHEET 24 & 25
FOR -L- PROFILE
SEE SHEET 33
FOR -YI- PROFILE

8/17/99

REVISIONS

28-DEC-2023 12:55
28-0001-sh-4.dgn
28-0001-sh-4.dgn



MATCHLINE -L- STATION 28 + 00.00
(SEE SHEET 4)

MATCHLINE -L- STATION 40+00.00
(SEE SHEET 6)

 PAVEMENT REMOVAL

SEE SHEET 24 & 25
FOR -L- PROFILE
SEE SHEET 33
FOR -Y1- PROFILE

8/17/99

REVISIONS

28-DEC-2023 12:55
HB-0001_Hyd-prm-psh-5.dgn
atrick.hartnett

8/17/99

Prepared by the
Office of:
SUMMIT
NC FIRM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6816 (Fax)

PROJECT REFERENCE NO.	SHEET NO.
HB-0001	6


RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.

PERMIT DRAWING
SHEET 6 OF 78


MATCHLINE -L- STATION 40+00.00
(SEE SHEET 5)

MATCHLINE -L- STATION 52+50.00
(SEE SHEET 7)



- SURFACE WATER IMPACTS (TEST PILES)
- TEMPORARY WORK TRESTLE
- FILL IN WETLAND
- SURFACE WATER IMPACTS
- MECHANIZED CLEARING (GRUBBING)
- HAND CLEARING (NON-GRUBBING)
- PAVEMENT REMOVAL

SEE SHEET 25
FOR -L- PROFILE



PI Sta 41+60.16
 $\Delta = 9' 48'' 34.0''$ (RT)
 $D = 2' 27'' 32.6''$
 $L = 398.91'$
 $T = 199.94'$
 $R = 2,330.00'$
 $SE = 05$
 $RO = 150'$

PIs Sta 44+09.13
 $\Delta_s = 1' 50'' 39.4''$
 $L_s = 150.00'$
 $LT = 100.01'$
 $ST = 50.00'$

REVISIONS

28-DEC-2023 12:55
28-0001-sh-6.dgn
D:\PROJECTS\28-0001\28-0001.dgn

MATCHLINE -L- STATION 52 + 50.00
(SEE SHEET 7)

MATCHLINE -L- STATION 40 + 00.00
(SEE SHEET 5)

Bent #6 Test Pile
Sta. 51+62.00

PERMANENT STREAM IMPACTS,
SEE PERMIT SHEET 42


40' WIDE TREESTLE —
FOR DEMOLITION
OF EXIST. BRIDGE,
EXTENDS TO 8FT
DEEP WATER

Pi Sta 41+60.16 Pis Sta 44+09.13
 $\Delta = 9^\circ 48' 34.0''$ (RT) $\oslash s = 1^\circ 50' 39.4''$
 $D = 2^\circ 27' 32.6''$ $Ls = 150.00'$
 $L = 398.91'$ $LT = 100.01'$
 $T = 199.94'$ $ST = 50.00'$
 $R = 2,330.00'$
 $SE = 05$
 $RO = 150'$

HARRY MCMULLAN FAMILY LTD PART
NO DEED

SEE SHEET 25
FOR -L- PROFILE

- | | |
|---|---|
|  | SURFACE WATER IMPACTS (TEST PILES) |
|  | TEMPORARY WORK TRESTLE |
|  | FILL IN WETLAND |
|  | SURFACE WATER IMPACTS |
|  | MECHANIZED CLEARING (GRUBBING) |
|  | HAND CLEARING (NON-GRUBBING) |
|  | PAVEMENT REMOVAL |




REVISIONS

28-DEC-2023 12:55 HB-0001-Hyd.prm-psn.7.dgn patrick.bartlett	8/17/99
--	---------

PERMIT DRAWING
SHEET 9 OF 79


-  SURFACE WATER IMPACTS
-  SURFACE WATER IMPACTS (TEST PILES)

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.



MATCHLINE -L- STATION 52 + 50.00 (SEE SHEET 6)

**MATCHLINE -L- STATION 66 + 00.00
(SEE SHEET 8)**




SEE SHEET 25 FOR -L- PROFILE

PERMIT DRAWING
SHEET 11 OF 79

	SURFACE WATER IMPACTS
	SURFACE WATER IMPACTS (TEST PILES)

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.




MATCHLINE -L- STATION 66+00.00 (SEE SHEET 7)

**MATCHLINE -L- STATION 79 + 50.00
(SEE SHEET 9)**

PERMANENT STREAM IMPACTS,
SEE PERMIT SHEET 42

SITE 18

Bent #19 Test Pile
Sta. 67+87.00



SEE SHEET 26 FOR -L- PROFILE

REVISIONS



8/17/99

28-DEC-2023 12:55
HB-0001_Hyd-prm-psh-11.dgn
patrick.bartolett

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.

PERMIT DRAWING
SHEET 12 OF 79


	SURFACE WATER IMPACTS
	SURFACE WATER IMPACTS (TEST PILES)



PERMIT DRAWING
SHEET 13 OF 79


 SURFACE WATER IMPACTS

 SURFACE WATER IMPACTS (TEST PILES)



MATCHLINE -L- STATION 79 + 50.00 (SEE SHEET 8)

MATCHLINE -L- STATION 93 + 00.00
(SEE SHEET 10)




SEE SHEET 26 FOR -L- PROFILE

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.



PERMIT DRAWING
SHEET 14 OF 79

	SURFACE WATER IMPACTS
	SURFACE WATER IMPACTS (TEST PILES)



MATCHLINE -L- STATION 93+00.00 (SEE SHEET 9)


MATCHLINE -L- STATION 106 + 50.00
(SEE SHEET 11)

Bent #47 Test Piles
Sta. 106+13.25

PROPOSED BRIDGE

PERMANENT STREAM IMPACTS,
SEE PERMIT SHEET 42 & 43

SITE 18



SEE SHEET 26 & 27 FOR -L- PROFILE



ALLIGATOR RIVER



1

100


8/17/99

02-JAN-2024 10:49
hg-0000-17.dgn
psh-17.dgn
psh-17.dgn

REVISIONS



MATCHLINE -L- STATION 106+50.00 (SEE SHEET 10)



6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.

PROJECT REFERENCE NO. HB-0001		SHEET NO. 11
RW SHEET NO.		
ROADWAY DESIGN ENGINEER		HYDRAULICS ENGINEER
Prepared in the Office of:		NC FIRM LICENSE, Nov P-0359 320 Executive Ct. Hillsborough, NC 27278 (919) 732-3883 (919) 732-6676 (FAX)
 SUMMIT ENGINEERING AND CONSULTANTS, INC.		

PERMIT DRAWING
SHEET 17 OF 79

SURFACE WATER IMPACTS



MATCHLINE -L- STATION 120+00.00
(SEE SHEET 12)

SEE SHEET 27 & 28 FOR -L- PROFILE

PERMIT DRAWING
SHEET 18 OF 79

 SURFACE WATER IMPACTS

 SURFACE WATER IMPACTS (TEST PILES)





SEE SHEET 28 & 29 FOR -L- PROFILE

8/17/99

02-JAN-2024 10:19
16-0000-19-psh-19.dgn
pstrack\pstrack

REVISIONS

MATCHLINE -L- STATION 120+00.00 (SEE SHEET 11)



6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.

PROJECT REFERENCE NO. <i>HB-0001</i>		SHEET NO. <i>12</i>	
RW SHEET NO.			
ROADWAY DESIGN ENGINEER		HYDRAULICS ENGINEER	
Prepared in the Office of:		NC FIRM LICENSE Nos P-0339 320 Executive Ct. Hillsborough, NC 27278 (919) 732-3883 (919) 732-6876 (FAX)	

PERMIT DRAWING
SHEET 19 OF 79

-  SURFACE WATER IMPACTS
-  SURFACE WATER IMPACTS (TEST PILES)

MATCHLINE -L- STATION 133+50.00
(SEE SHEET 13)



SEE SHEET 28 & 29 FOR -L- PROFILE

PERMIT DRAWING
SHEET 20 OF 79

 SURFACE WATER IMPACTS

 SURFACE WATER IMPACTS (TEST PILES)

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.



Bent #73 Test Pile
Sta. 144+82.00

SITE 18
ALLIGATOR



**MATCHLINE -L- STATION 147 + 00.00
(SEE SHEET 14)**

REVISIONS

28-DEC-2023 12:56 HB-0001-Hyd-prm-psn.21.dgm patrick.bartlett	8/17/99
---	---------

PROJECT REFERENCE NO.		SHEET NO.	
HB-0001		14	
RW SHEET NO.			
ROADWAY DESIGN ENGINEER		HYDRAULICS ENGINEER	
Prepared in the Office of:		NC FIRM LICENSE Nos P-0339	
		320 Executive Ct. Hillsborough, NC 27278 (919) 732-3883 (919) 732-6876 (FAX)	

PERMIT DRAWING
SHEET 22 OF 79


 SURFACE WATER IMPACTS

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.



MATCHLINE -L- STATION 147+00.00 (SEE SHEET 13)

MATCHLINE -L- STATION 160+50.00
(SEE SHEET 15)




PROPOSED BRIDGE

PERMANENT STREAM IMPACTS,
SEE PERMIT SHEET 42

SITE 18

ALLIGATOR RIVER



SEE SHEET 29 & 30 FOR -L- PROFILE

REVISIONS

8/17/99

28-DEC-2023 12:56
28-0001-14-sh-22.dgn
28-0001-14-sh-22.dgn

PROJECT REFERENCE NO. HB-0001		SHEET NO. 14	
RW SHEET NO.			
ROADWAY DESIGN ENGINEER		HYDRAULICS ENGINEER	
Prepared in the Office of:		NC FIRM LICENSE Nos P-0339 320 Executive Ct Hillsborough, NC 27278 (919) 732-3883 (919) 732-6876 (FAX)	

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.





PERMIT DRAWING
SHEET 23 OF 79

SURFACE WATER IMPACTS

MATCHLINE -L- STATION 147+00.00 (SEE SHEET 13)

MATCHLINE -L- STATION 160+50.00
(SEE SHEET 15)



SEE SHEET 29 & 30 FOR -L- PROFILE

REVISIONS

8/17/99

28-DEC-2023 12:56
28-0001-14-sh-23.dgn
28-0001-14-sh-23.dgn

PERMIT DRAWING
SHEET 24 OF 79

 SURFACE WATER IMPACTS


 SURFACE WATER IMPACTS (TEST PILES)

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.

NIAD 83/2011

MATCHLINE -L- STATION 160 + 50.00 (SEE SHEET 14)

**MATCHLINE -L- STATION 174+00.00
(SEE SHEET 16)**



Bent #91 Test Pile
Sta. 167+32.00


Bent #95 Test Piles
Sta. 172+32.00

PERMANENT STREAM IMPACTS
SEE PERMIT SHEET 42

PROPOSED BRIDGE -

SITE 18

ALLIGATOR RIVER



SEE SHEET 30 FOR -L- PROFILE

PROJECT REFERENCE NO.
HB-0001

SHEET NO.
15

R/W SHEET NO.

ROADWAY DESIGN ENGINEER

HYDRAULICS ENGINEER

Prepared in the Office of:

**SUMMIT**
ENGINEERING

NC FIRM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6616 (FAX)

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.



NAD 83/2011

PERMIT DRAWING
SHEET 25 OF 79


-  SURFACE WATER IMPACTS
-  SURFACE WATER IMPACTS (TEST PILES)

MATCHLINE -L- STATION 160+50.00 (SEE SHEET 14)


MATCHLINE -L- STATION 174+00.00
(SEE SHEET 16)




SEE SHEET 30 FOR -L- PROFILE



NAD 83/2011



PERMANENT STREAM IMPACTS,
SEE PERMIT SHEET 42




28-DEC-2023 12:56
HB-0001-Hyd-prm-psb-28.dgn
patrick.bartlett

-L-

PI Sta 207+58.97
 $\Delta = 14^\circ 37' 40.0''$ (RT)
 $D = 0^\circ 28' 38.9''$
 $L = 3,063.63'$
 $T = 1,540.19'$
 $R = 12,000.00'$
SE = NC



-  SURFACE WATER IMPACTS
-  SURFACE WATER IMPACTS (TEST PILES)



MATCHLINE -L- STATION 187 + 50.00 (SEE SHEET 16)

MATCHLINE -L- STATION 200 + 50.00
(SEE SHEET 18)

SEE SHEET 31 FOR -L- PROFILE

PROJECT REFERENCE NO.
HB-0001

SHEET NO.
18

RW SHEET NO.

ROADWAY DESIGN ENGINEER

HYDRAULICS ENGINEER

Prepared in the Office of:

**SUMMIT**
Engineering & Construction

NC FIRM LICENSE Nos P-0339
320 Executive Ct
Hillsborough, NC 27578
(919) 732-3883
(919) 732-6876 (FAX)

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.

-L-
PI Sta 207+58.97
 $\Delta = 14^{\circ} 37' 40.0''$ (RT)
 $D = 0^{\circ} 28' 38.9''$
 $L = 3,063.63'$
 $T = 1,540.19'$
 $R = 12,000.00'$
SE = NC





PERMIT DRAWING
SHEET 30 OF 79

-  SURFACE WATER IMPACTS
-  SURFACE WATER IMPACTS (TEST PILES)
-  TEMPORARY WORK TRESTLE

MATCHLINE -L- STATION 200 + 50.00 (SEE SHEET 17)

MATCHLINE -L- STATION 213 + 50.00
(SEE SHEET 19)



SEE SHEET 31 & 32 FOR -L- PROFILE

REVISIONS

8/17/99

04-JAN-2024 13:48
HB-0001-18-18-sh-310.dgn
notrack:10/1/2024

8/17/99

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.

-L-
PI Sta 207+58.97
 $\Delta = 14^\circ 37' 40.0''$ (RT)
 $D = 0' 28' 39.9''$
 $L = 3,063.63'$
 $T = 1,540.19'$
 $R = 12,000.00'$
SE = NC
PI Sta 228+76.69
 $\Delta = 11^\circ 18' 46.7''$ (RT)
 $D = 0' 57' 17.7''$
 $L = 1,184.69'$
 $T = 594.28'$
 $R = 6,000.00'$
SE = 03
RO = 8'

PERMIT DRAWING
SHEET 32 OF 79

- FILL IN WETLAND
- SURFACE WATER IMPACTS
- MECHANIZED CLEARING (GRUBBING)
- HAND CLEARING (NON-GRUBBING)
- TEMPORARY WORK TRESTLE

MATCHLINE -L- STATION 213+50.00
(SEE SHEET 18)

MATCHLINE -L- STATION 226+50.00
(SEE SHEET 20)

MATCHLINE EX US 64 (SEE SHEET 23)

SEE SHEET 32 FOR -L- PROFILE



PLANS

8/17/99
04-JAN-2024 13:48
HB-0001-19-sh-32.dgn
C:\Users\johnd\OneDrive\Documents\HB-0001-19-sh-32.dgn

8/17/99

04-JAN-2024 13:48
HB-0001-psh-33.dgn
psh-33.dgn

6" DIAMETER CIRCULAR DRAINS
ON 12' CENTERS
FROM -L- STA. 51+78 TO -L- STA 213+96 LT.
FROM -L- STA. 51+78 TO -L- STA 213+96 RT.

PROJECT REFERENCE NO. HB-0001		SHEET NO. 19	
RW SHEET NO.		HYDRAULICS ENGINEER	
ROADWAY DESIGN ENGINEER			

Prepared in the Office of: **SUMMIT**

NC FIRM LICENSE Nos P-0339
320 Executive Ctr
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6876 (FAX)

**PERMIT DRAWING
SHEET 33 OF 79**

- FILL IN WETLAND
- SURFACE WATER IMPACTS
- MECHANIZED CLEARING (GRUBBING)
- HAND CLEARING (NON-GRUBBING)
- TEMPORARY WORK TRESTLE

MATCHLINE -L- STATION 213+50.00
(SEE SHEET 18)

MATCHLINE -L- STATION 226+50.00
(SEE SHEET 20)

MATCHLINE EX US 64 (SEE SHEET 23)



SEE SHEET 32 FOR -L- PROFILE



PLANS

PERMIT DRAWING
SHEET 34 OF 79


- FILL IN WETLAND
- SURFACE WATER IMPACTS
- TEMPORARY SURFACE WATER IMPACTS
- MECHANIZED CLEARING (GRUBBING)
- HAND CLEARING (NON-GRUBBING)
- WETLAND EXCAVATION



-L-	-Y2-	-Y2-
PI Sta 228+76.69 Δ = 1° 18' 46.7" (RT) D = 0° 57' 17.7" L = 1184.69' T = 594.28' R = 6000.00' SE = 03 RO = 8"	PI Sta 237+92.08 Δ = 3° 06' 08.8" (LT) D = 0° 28' 38.9" L = 649.78' T = 324.97' R = 12000.00' SE = NC	PI Sta 14+14.13 Δ = 1° 05' 07.5" (RT) D = 24° 54' 40.4" L = 293.38' T = 170.46' R = 230.00' SE = 04 RO = 60"

MATCHLINE -L- STATION 226 + 50.00
(SEE SHEET 19)



MATCHLINE -L- STATION 239 + 00.00
(SEE SHEET 21)




SEE SHEET 32 & 33 FOR -L- PROFILE
SEE SHEET 34 FOR -Y2- PROFILE

PERMIT DRAWING
SHEET 35 OF 79

- FILL IN WETLAND
- SURFACE WATER IMPACTS
- TEMPORARY SURFACE WATER IMPACTS
- MECHANIZED CLEARING (GRUBBING)
- HAND CLEARING (NON-GRUBBING)
- WETLAND EXCAVATION




SEE SHEET 32 & 33 FOR -L- PROFILE
SEE SHEET 34 FOR -Y2- PROFILE




 PAVEMENT REMOVAL

SEE SHEET 32 FOR -L- PROFILE





 TEMPORARY WORK TRESTLE
 PAVEMENT REMOVAL
 NO PROFILE, PAVEMENT REMOVAL ONLY



PROJECT REFERENCE NO.		SHEET NO.	
HB-0001		23	
R/W SHEET NO.			
ROADWAY DESIGN ENGINEER		HYDRAULICS ENGINEER	
		NC FIRM LICENSE No. P-0339 320 Executive Ct. Hillsborough, NC 27618 919/752-5881 (919) 752-6616 (FAX)	
		 	
Prepared in the Office of:			

832017 MAD

Prepared in the
Office of:

 **SUMMIT**
SOLID AND INSURANCE SERVICE

NC FIRM LICENSE No: P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)

MITIGATION

NO PROFILE, PAVEMENT REMOVAL ONLY

8/17/99

REVISIONS

28-DEC-2023 12:56
28-0001-TYP_psh_42.dgn
notrack notprint

BENT TYPICAL IMPACTS



FILL IN WETLAND




SURFACE WATER IMPACTS

PROJECT REFERENCE NO. <i>HB-0001</i>		SHEET NO.	
RW SHEET NO.			
ROADWAY DESIGN ENGINEER		HYDRAULICS ENGINEER	
Prepared in the Office of:		NC FIRM LICENSE No. P-0339	
		320 Executive Ct. Hillsborough, NC 27278 (919) 732-3883 (919) 732-6676 (FAX)	


PERMIT DRAWING
SHEET 42 OF 79




BENTS 1-3, 133-134
44'-6" x 5'-0"
36" PRESTRESSED CONCRETE PILE



BENTS 4-39, 62-132
44'-6" x 5'-0"
36" PRESTRESSED CONCRETE PILE



BENTS 40 & 61
26'-0" x 18'-0"
36" PRESTRESSED CONCRETE PILE



BENTS 41-43, 58-60
33'-0" x 18'-0"
36" PRESTRESSED CONCRETE PILE




PROJECT REFERENCE NO.		SHEET NO.	
HB-0001			
RW SHEET NO.			
ROADWAY DESIGN ENGINEER		HYDRAULICS ENGINEER	
Prepared in the Office of:		NC FIRM LICENSE No. P-0339	
		320 Executive Ct. Hillsborough, NC 27578 (919) 732-3883 (919) 732-6876 (FAX)	

PERMIT DRAWING
SHEET 43 OF 79


BENT TYPICAL IMPACTS




SURFACE WATER IMPACTS




BENTS 44-46, 55-57
46'-0" x 16'-0"
36" PRESTRESSED CONCRETE PILE



BENTS 47-48, 53-54
51'-0" x 28'-6"
36" PRESTRESSED CONCRETE PILE



BENTS 49 & 52
58'-6" x 28'-6"
36" PRESTRESSED CONCRETE PILE



BENTS 50 & 51
88'-6" x 21'-0"
36" PRESTRESSED CONCRETE PILE



PLANS



REVISIONS

8/17/99
28-DEC-2023 12:56
28-0001-TYP-psb-43.dgn
pattack haddad

HB-00
ROADWAY DESIGN
ENGINEER

24
HYDRAULICS
ENGINEER

PERMIT DRAWING
SHEET 44 OF 79





BRIDGE HYDRAULIC DATA

DESIGN DISCHARGE	=	N/A ^D	CFS
DESIGN FREQUENCY	=	100	YRS
DESIGN HW ELEVATION	=	7.2	FT
BASE DISCHARGE	=	N/A ^D	CFS
BASE FREQUENCY	=	100	YRS
BASE HW ELEVATION	=	7.2	FT
OVERTOPPING DISCHARGE	=	N/A	CFS
OVERTOPPING FREQUENCY	=	500+	YRS
OVERTOPPING ELEVATION	=	N/A ^E	FT

D REFERENCE HYDRODYNAMIC REPORT

^E BRIDGE DOES NOT OVERTOP

(+10.0000%

PROPOSED BRIDGE :

-L-

FOR -L- PLAN, SEE SHEET 8 & 9

BRIDGE HYDRAULIC DATA

DESIGN DISCHARGE	=	N/A ^D	CFS
DESIGN FREQUENCY	=	100	YRS
DESIGN HW ELEVATION	=	7.2	FT
BASE DISCHARGE	=	N/A ^D	CFS
BASE FREQUENCY	=	100	YRS
BASE HW ELEVATION	=	7.2	FT
OVERTOPPING DISCHARGE	=	N/A	CFS
OVERTOPPING FREQUENCY	=	500+	YRS
OVERTOPPING ELEVATION	=	N/A ^E	FT

^D REFERENCE HYDRODYNAMIC REPORT

^E BRIDGE DOES NOT OVERTOP

$PI = 91 + 80.00$
 $EL = 24.50'$
 $VC = 500'$
 $K = 169$
 $DS = 65 \text{ MPH}$


(+)0.0000% (+)2.9675%

(+) 2.9675%

PROPOSED BRIDGE

— L —

FOR -L- PLAN, SEE SHEET 9 & 10



BRIDGE HYDRAULIC DATA

DESIGN DISCHARGE	=	N/A^D	CFS
DESIGN FREQUENCY	=	100	YRS
DESIGN HW ELEVATION	=	7.2	FT
BASE DISCHARGE	=	N/A^D	CFS
BASE FREQUENCY	=	100	YRS
BASE HW ELEVATION	=	7.2	FT
OVERTOPPING DISCHARGE	=	N/A	CFS
OVERTOPPING FREQUENCY	=	500+	YRS
OVERTOPPING ELEVATION	=	N/A^E	FT

^D REFERENCE HYDRODYNAMIC REPORT
^E BRIDGE DOES NOT OVERTOP

$PI = III + 82.00$
 $EL = 83.91'$
 $VC = 1200'$
 $K = 203$
 $DS = 65 \text{ MPH}$

~~(+)2.9675% (-)2.9440%~~

PROPOSED BRIDGE

-L-

FOR -L- PLAN, SEE SHEETS 11 & 12

PERMIT DRAWING
SHEET 49 OF 79

^D REFERENCE HYDRODYNAMIC REPORT
^E BRIDGE DOES NOT OVERTOP

^D REFERENCE HYDRODYNAMIC REPORT
^E BRIDGE DOES NOT OVERTOP

^D REFERENCE HYDRODYNAMIC REPORT
^E BRIDGE DOES NOT OVERTOP

(+10.0000%)

PROPOSED BRIDGE

—L—

FOR -L- PLAN, SEE SHEET 12 & 13

FOR -L- PLAN, SEE SHEET 13 & 14

28-DEC-2023 12:57
HB-0001-Hyd-prm-pshpf1-50.dgn
carrick hartnett

BRIDGE HYDRAULIC DATA

DESIGN DISCHARGE	=	N/A ^D	CFS
DESIGN FREQUENCY	=	100	YRS
DESIGN HW ELEVATION	=	7.2	FT
BASE DISCHARGE	=	N/A ^D	CFS
BASE FREQUENCY	=	100	YRS
BASE HW ELEVATION	=	7.2	FT
OVERTOPPING DISCHARGE	=	N/A	CFS
OVERTOPPING FREQUENCY	=	500+	YRS
OVERTOPPING ELEVATION	=	N/A ^E	FT

^D REFERENCE HYDRODYNAMIC REPORT
^E BRIDGE DOES NOT OVERTOP

(+10.0000%

PROPOSED BRIDGE ↓

-L-

FOR -L- PLAN, SEE SHEETS 16 & 17

BRIDGE HYDRAULIC DATA

DESIGN DISCHARGE	=	N/A ^D	CFS
DESIGN FREQUENCY	=	100	YRS
DESIGN HW ELEVATION	=	7.2	FT
BASE DISCHARGE	=	N/A ^D	CFS
BASE FREQUENCY	=	100	YRS
BASE HW ELEVATION	=	7.2	FT
OVERTOPPING DISCHARGE	=	N/A	CFS
OVERTOPPING FREQUENCY	=	500+	YRS
OVERTOPPING ELEVATION	=	N/A ^E	FT

^D REFERENCE HYDRODYNAMIC REPORT
^E BRIDGE DOES NOT OVERTOP

(+10.0000%

PROPOSED BRIDGE

-L-

FOR -L- PLAN, SEE SHEETS 17 & 18

32
HYDRAULICS
ENGINEER

30

^D REFERENCE HYDRODYNAMIC REPORT
^E BRIDGE DOES NOT OVERTOP

PROPOSED BRIDGE

FOR -L- PLAN, SEE SHEETS 18 & 19

^D REFERENCE HYDRODYNAMIC REPORT
^E BRIDGE DOES NOT OVERTOP

CLASS II RIP RAP
KEYED IN 3.5 FT.


FOR -L- PLAN, SEE SHEET 19 & 20

HB-0001

ROADWAY DESIGN
ENGINEER

HYDRAULICS
ENGINEER

PERMIT DRAWING
SHEET 54 OF 79




-Y2-

FOR -Y2- PLAN, SEE SHEET 21

28-DEC-2023 12:57
HB-0001_Hyd_xpl_L-17+00-50+00.dgn
patrick.hartnett

PERMIT DRAWING
SHEET 55 OF 79



PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION
INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

Note: "Quantities are approximate only. The Resident Engineer will re-cross-section the work accurately when the project is staked out. These cross-section notes will be used in computing the final quantities for which the contractor will be paid."

28-DEC-2023 12:57
HB-0001_Hyd_xpl_L17+00-50+00.dgn
patrick.hartnett

Prepared in the
Office of:



NC PBM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-2

PERMIT DRAWING
SHEET 56 OF 79



28-DEC-2023 12:57
HB-0001_Hyd_xpl_L17+00-50+00.dgn
patrick.hartnett

Prepared in the
Office of:



NC PERM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-3

PERMIT DRAWING
SHEET 57 OF 79



28-DEC-2023 12:57
HB-0001_Hyd_xpl_L17+00-50+00.dgn
patric.karrett

Prepared in the
Office of:



NC PERM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-4

PERMIT DRAWING
SHEET 58 OF 79



28-DEC-2023 12:57
HB-0001_Hyd_xpl_L17+00-50+00.dgn
patrick.hartnett

Prepared in the
Office of:



NC FIRM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-5

PERMIT DRAWING
SHEET 59 OF 79



28-DEC-2023 12:57
HB-0001_Hyd_xpl_L17+00-50+00.dgn
patrick.hartnett

Prepared in the
Office of:



NC PERM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-6

PERMIT DRAWING
SHEET 60 OF 79



28-DEC-2023 12:57
HB-0001_Hyd_xpl_L17+00-50+00.dgn
patrick.hartnett

Prepared in the
Office of:



NC PERM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-7

PERMIT DRAWING
SHEET 61 OF 79



28-DEC-2023 12:57
HB-0001_Hyd_xpl_L17+00-50+00.dgn
patrick.hartnett

Prepared in the
Office of:



NC FIRM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-8

PERMIT DRAWING
SHEET 62 OF 79



28-DEC-2023 12:57
HB-0001_Hyd_xpl_L17+00-50+00.dgn
patrick.hartnett

Prepared in the
Office of:



NC PERM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-9

PERMIT DRAWING
SHEET 63 OF 79



28-DEC-2023 12:57
HB-0001_Hyd_xpl_L17+00-50+00.dgn
patrick.hartnett

Prepared in the
Office of:



NC PERM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-10

PERMIT DRAWING
SHEET 64 OF 79




BEGIN BRIDGE -L- STA. $45 + 64 \pm$

END UNDERCUT -L- STA. $45 + 85$


-L-

28-DEC-2023 12:57
HB-0001_Hyd_xpl_L-214+00-242+00.dgn
patrick.hartnett





PERMIT DRAWING
SHEET 65 OF 79

28-DEC-2023 12:57
HB-0001_Hyd_xpl_L-214+00-242+00.dgn
patrick.hartnett



28-DEC-2023 12:57
HB-0001_Hyd_xpl_L-214+00-242+00.dgn
patric.karim@sumit.com



PERMIT DRAWING
SHEET 68 OF 79

28-DEC-2023 12:57
HB-0001_Hyd_xpl_L_214+00-242+00.dgn
patrick.hartnett

Prepared in the
Office of:



NC PERM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.


X-19

PERMIT DRAWING
SHEET 69 OF 79




28-DEC-2023 12:57
HB-0001_Hyd_xpl_L-214+00-242+00.dgn
patrick.hartnett


PERMIT DRAWING
SHEET 70 OF 79



28-DEC-2023 12:57
HB-0001_Hyd_xpl_L_214+00-242+00.dgn
patrick.hartnett



28-DEC-2023 12:57
HB-0001_Hyd_xp1_L-214+00-242+00.dgn
ootrick.hartnett

PERMIT DRAWING
SHEET 73 OF 79

28-DEC-2023 12:57
HB-0001_Hyd_xpl_Y1.dgn
patrick.hartnett

Prepared in the
Office of:



NC FIRM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-24

PERMIT DRAWING
SHEET 74 OF 79



BEGIN CONSTRUCTION - STA. 10+18.00
BEGIN UNDERCUT -Y1- STA. 10+18.00

-Y/-

28-DEC-2023 12:57
HB-0001_Hyd_xpl_Y1.dgn
patric.karim@net

Prepared in the
Office of:



NC PERM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)




PROJ. REFERENCE NO.

HB-0001

SHEET NO.

X-25

PERMIT DRAWING
SHEET 75 OF 79



28-DEC-2023 12:57
HB-0001_Hyd_xpl_Y2.dgn
patriciarhett

Prepared in the
Office of:




NC FIRM LICENSE No. P-0339
320 Executive Ct.
Hillsborough, NC 27278
(919) 732-3883
(919) 732-6676 (FAX)



PROJ. REFERENCE NO.
HB-0001


SHEET NO.
X-26



28-DEC-2023 12:57
HB-0001_Hyd_xpl_Y2.dgn
patrick.hartnett

PERMIT DRAWING
SHEET 77 OF 79


150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150



 TEMPORARY WORK TRESTLE

 PAVEMENT REMOVAL


SEE SHEET 25
FOR -L- PROFILE




PLANS

28-DEC-2023 12:58
HB-0001-Hyd-prm-psh-6A dan

Test Pile Detail






NCDOT GIS Unit, Esri Community Maps Contributors, State of North Carolina DOT, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, NC OneMap, NC Center for Geographic Information and Analysis, NC 911 Board



HB-0001 Alligator River Bridge Project
Proposed Mooring Pile Locations
Aerial Map

Date: 12/28/2023
Imagery: NCOneMap
Orthoimagery Latest
Drawn By: Paul Williams
Scale: 1:10,000




NCDOT GIS Unit, Public domain data from the Massachusetts Office of Coastal Zone Management (CZM), an agency of the Commonwealth of Massachusetts Executive Office of Energy and Environmental Affairs (EEA), are freely redistributable with proper metadata and source attribution. Please recognize the Massachusetts Office of Coastal Zone Management as the source of these data. You are not permitted to use CZM's name or to suggest that CZM endorses your project or product, without its express written consent. While efforts have been made to ensure that these data are accurate and reliable within the state of the art, CZM cannot assume liability for any damages or misrepresentation caused by any inaccuracies in the data or as a result of changes to the data caused by system transfers. The user must be aware of data conditions and bear responsibility for the appropriate use of these data with respect to possible errors, original map scale, collection methodology, currency of data, and other conditions specific to these data. NOAA mandated language per federal Data Quality Act (DQA): These environmental data and related items of information have not been formally disseminated by NOAA and do not represent and should not be construed to represent any agency determination, view, or policy., State of North Carolina DOT, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, NC OneMap, NC Center for Geographic Information and Analysis, NC 911 Board

Statute mile 85



HB-0001 Alligator River Bridge Project Proposed Mooring Pile Locations Nautical Map

Date: 12/28/2023
Imagery: NOAA
Nautical Chart
Drawn By: Paul Williams
Scale: 1:24,000



HB-0001 Alligator River Bridge Project
Proposed Mooring Pile Locations
Nautical Map


Date: 12/28/2023
Imagery: NOAA
Nautical Chart
Drawn By: Paul Williams
Scale: 1:10,000

NOTES:

1.) THE MOORING IS DESIGNED FOR MAX 8 TONS HORIZONTAL PULL AT TOP ON EACH PILE.


SPECIFICATIONS:

- MOORING PILE: GRADE 42 KSI MIN.
- WELDING ELECTRODES: E70XX PER AWS D1.1




TEMPORARY MOORING – PLAN
N.T.S.


Top of Pile is 5' to 6' above water



MOORING PILE DETAIL
DWG: GA-01



SECTION A-A
DWG: GA-01



APPROVED FOR CONSTRUCTION
BY SKANSKA SE ENGINEERING DEPT

0	06/30/17	JXZ	DER	FOR CONSTRUCTION
A	09/12/16	JXZ	DER	FOR REVIEW
REV.	DATE	DESIGN	DRAWN	REMARKS
FLORIDA DEPARTMENT OF TRANSPORTATION ESCAMBA COUNTY, FLORIDA				
SR 30 (US 98) PENSACOLA BAY BRIDGE REPLACEMENT PROJECT #40933415201 & 40933415202 GENERAL ARRANGEMENT TEMPORARY MOORING PLAN				
Skanska USA Civil Southeast Engineering Department 295 Bendix Rd. - Virginia Beach, VA 23452 Phone: 757-420-4140				
SCALE	JOB	DRAWING NUMBER		Approved
AS NOTED	04-2299	GA-01		JBH