

Bridge Approach Speed Investigation

Bridge # 630136 over Pig Basket Creek on SR 1435 (Womble Rd)
Nash County
WBS Element # 17BP.4.R.9



Document Prepared By:

HNTB North Carolina, P.C.
343 E. Six Forks Rd
Raleigh NC, 27609
NC License No: C-1554

August 2, 2012



Principal Investigator

Elizabeth A. Harris


Elizabeth A. Harris, PhD, EI
Principal Investigator

Project Manager

Bradley Reynolds

Bradley A. Reynolds, PE
Project Manager

Bridge locations plotted based on coordinates provided by Bridge Management



Division	County	Structure Number	Structure Description	Latitude	Longitude
4	Nash	630136	Bridge #136 over Pig Basket Creek on SR 1435	35.997474	-77.960122



1" = 5000'
SCALE

Bridge and Approach Investigation Checklist

Project 17BP.4.R.9

Description Bridge #136 over Pig Basket Creek on SR 1435

Route SR 1435 (Womble Rd)

Division 4

County Nash

Existing Speed Limit 45 ☒ Posted ☐ Statutory

Reasonable & Comfortable
Passenger Car Speed 45-50 mph

Speed Data None collected

Ball Bank Speed Study NB: 11 at 50 mph, 9 at 45 mph, 7 at 40 mph
SB: 8 at 50 mph, 5 at 45 mph, 4 at 40 mph

Warning Signs at Bridge Object Markers (OM-3L & OM-3R) - 2x NB approach, 1x SB approach
Weight Limit Signs (Single Vehicle 21 tons, TTST 28 tons) - 1x each Appr.
Curve (W1-2) with 35 mph advisory - 1x each Appr.
Curve (W1-2) - NB departure (for curve N of Bridge #135)
Chevrons (W1-8) - 5x NB approach & SB departure

Roadside Development Rural/Residential/Agricultural

ADT History 1100 vpd from 2009 AADT map
1550 vpd from Crash Analysis Request (attached)

Pedestrian/Bicycle Traffic Minimal expected.

Bridge and Approach
Digital Photos Attached

Approach Lane Width 10'

Approach Shoulder Width: ±12'
Shoulder Type Grass

Lane Width (existing bridge) 9.5'

Shoulder width (existing bridge) 3' / 2'

Strategic Corridor / Thoroughfare
Designation and Recommended
Cross Section Local Secondary

Crash History and
Safety Considerations Six crashes have been reported in the vicinity of the bridge from
5/1/2002 to 4/30/2012 (10 years). Four of the crashes occurred on the
bridge. Nearby collisions included drivers hitting a highway sign, tree,
and ditch. One fatality occurred 0.1 mile S of bridge included speeding
and hitting a highway sign.

Comments Bridge #135 is 350' north of Bridge #136.
Guardrail is present at each bridge corner and is continuous between
bridges 135 and 136. One object marker missing on the SB approach
to bridge (east side).

Reasonable Bridge Speed 50 mph

Investigated by: Elizabeth Harris, PhD, EI 4/26/12 Reviewed by: Bradley Reynolds, PE

County: Nash

Description: Bridge #136 over Pig Basket Creek

Route: SR 1435

SR 1435 (Womble Rd) Northbound $\pm 250'$ from Bridge #136

SR 1435 (Womble Rd) Northbound $\pm 50'$ from Bridge #136



SR 1435 (Womble Rd) Southbound $\pm 250'$ from Bridge #136

SR 1435 (Womble Rd) Southbound $\pm 50'$ from Bridge #136



County: Nash

Description: Bridge #136 over Pig Basket Creek

Route:SR 1435

Southbound view of Bridge #136 structure



Southbound view toward Bridge #136 from Bridge #135



Southbound view of curve south of Bridge #136



Bridge Approach Speed Crash Analysis Request

Order # 41000020232

**500 feet on Both Sides of Bridge Number 136 on Secondary Route 1435 (Womble Road)
over Basket Creek in Nash County**

Document Prepared By:

Safety Planning Group
Traffic Safety Systems Management Unit
Transportation Mobility and Safety Division
North Carolina Department of Transportation

Note: The crash statistics have been generated and are available through North Carolina's Crash Database. This database provides an inventory of **reported** crashes on record that have occurred at this location. Please note that many traffic crashes go unreported for a variety of reasons, and this report simply provides a listing of all crashes on record that occurred within 0 feet of the section described above.

**North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Strip Analysis Report**

Study Criteria Summary

County: NASH **City:** All and Rural
Date: 05/01/2002 to 04/30/2012 **Study:** 41000020232
Location: 500 feet on Both Sides of Bridge Number 136 on Secondary Route 1435 (Womble Road) over Basket Creek

Report Details

Acc No	Crash ID	Milepost	Date	Accident Type	Total Damage	Injuries				Condition			Road		Trfc Ctl	
						F	A	B	C	R	L	W	Ch	Ci	Dv	Op
1	101360798	1.540	12/13/2004 23:17	ANIMAL	\$ 500	0	0	0	0	1	5	1	1	0		
Unit	1 : 1	Alchl/Drgs:	0	Speed: 40 MPH Dir: N		Veh Mnvr/Ped Actn:				4			Obj Strk:		17	
2	102249980	1.540	02/08/2008 06:28	FIXED OBJECT	\$ 6000	1	0	0	0	1	5	1	7	0	13	1
Unit	1 : 1	Alchl/Drgs:	0	Speed: 75 MPH Dir: N		Veh Mnvr/Ped Actn:				4			Obj Strk:		37	
3	102034274	1.630	05/09/2007 18:06	FIXED OBJECT	\$ 6000	0	0	0	0	1	1	2	3	0	0	
Unit	1 : 1	Alchl/Drgs:	0	Speed: 65 MPH Dir: S		Veh Mnvr/Ped Actn:				4			Obj Strk:		33	
4	101496538	1.640	06/12/2005 03:00	FIXED OBJECT	\$ 12060	0	0	0	1	1	5	1	7	0	13	1
Unit	1 : 4	Alchl/Drgs:	1	Speed: 70 MPH Dir: N		Veh Mnvr/Ped Actn:				4			Obj Strk:		37	
5	101859164	1.640	10/17/2006 16:33	FIXED OBJECT	\$ 0	0	0	0	1	2	1	3	1	0	13	1
Unit	1 : 2	Alchl/Drgs:	0	Speed: 55 MPH Dir: S		Veh Mnvr/Ped Actn:				4			Obj Strk:		58	
6	102976226	1.650	10/01/2010 00:18	MOVABLE OBJECT	\$ 4000	0	0	0	1	2	5	3	3	6	0	
Unit	1 : 1	Alchl/Drgs:	0	Speed: 45 MPH Dir: N		Veh Mnvr/Ped Actn:				4			Obj Strk:		33	

Legend for Report Details:

- Acc No - Accident Number
- Injuries: F - Fatal, A - Class A, B - Class B, C - Class C
- Condition: R - Road Surface, L - Ambient Light, W - Weather
- Rd Ch - Road Character
- Rd Ci - Roadway Contributing Circumstances
- Trfc Ctl - Traffic Control: Dv - Device, Op - Operating
- Alchl/Drgs - Alcohol Drugs Suspected
- Veh Mnvr/Ped Actn - Vehicle Maneuver/Pedestrian Action
- Obj Strk - Object Struck

North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Strip Analysis Report

Summary Statistics

High Level Crash Summary

Crash Type	Number of Crashes	Percent of Total
Total Crashes	6	100.00
Fatal Crashes	1	16.67
Non-Fatal Injury Crashes	3	50.00
Total Injury Crashes	4	66.67
Property Damage Only Crashes	2	33.33
Night Crashes	4	66.67
Wet Crashes	2	33.33
Alcohol/Drugs Involvement Crashes	1	16.67

Crash Severity Summary

Crash Type	Number of Crashes	Percent of Total
Total Crashes	6	100.00
Fatal Crashes	1	16.67
Class A Crashes	0	0.00
Class B Crashes	0	0.00
Class C Crashes	3	50.00
Property Damage Only Crashes	2	33.33

Vehicle Exposure Statistics

Annual ADT = 1200

Total Length = 0.2 (Miles)

0.322 (Kilometers)

Total Vehicle Exposure = 0.88 (MVMT)

1.41 (MVKMT)

Crash Rate	Crashes Per 100 Million Vehicle Miles	Crashes Per 100 Million Vehicle Kilometers
Total Crash Rate	684.37	425.25
Fatal Crash Rate	114.06	70.87
Non Fatal Crash Rate	342.18	212.62
Night Crash Rate	456.25	283.50
Wet Crash Rate	228.12	141.75
EPDO Rate	11862.40	7370.95

**North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Strip Analysis Report**

Miscellaneous Statistics

Severity Index =	17.33
EPDO Crash Index =	104.00
Estimated Property Damage Total = \$	28560.00

Accident Type Summary

Accident Type	Number of Crashes	Percent of Total
ANIMAL	1	16.67
FIXED OBJECT	4	66.67
MOVABLE OBJECT	1	16.67

Injury Summary

Injury Type	Number of Injuries	Percent of Total
Fatal Injuries	1	25.00
Class A Injuries	0	0.00
Class B Injuries	0	0.00
Class C Injuries	3	75.00
Total Non-Fatal Injuries	3	75.00
Total Injuries	4	100.00

North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Strip Analysis Report

Monthly Summary

Month	Number of Crashes	Percent of Total
Jan	0	0.00
Feb	1	16.67
Mar	0	0.00
Apr	0	0.00
May	1	16.67
Jun	1	16.67
Jul	0	0.00
Aug	0	0.00
Sep	0	0.00
Oct	2	33.33
Nov	0	0.00
Dec	1	16.67

Daily Summary

Day	Number of Crashes	Percent of Total
Mon	1	16.67
Tue	1	16.67
Wed	1	16.67
Thu	0	0.00
Fri	2	33.33
Sat	0	0.00
Sun	1	16.67

North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Strip Analysis Report

Hourly Summary

Hour	Number of Crashes	Percent of Total
0000-0059	1	16.67
0100-0159	0	0.00
0200-0259	0	0.00
0300-0359	1	16.67
0400-0459	0	0.00
0500-0559	0	0.00
0600-0659	1	16.67
0700-0759	0	0.00
0800-0859	0	0.00
0900-0959	0	0.00
1000-1059	0	0.00
1100-1159	0	0.00
1200-1259	0	0.00
1300-1359	0	0.00
1400-1459	0	0.00
1500-1559	0	0.00
1600-1659	1	16.67
1700-1759	0	0.00
1800-1859	1	16.67
1900-1959	0	0.00
2000-2059	0	0.00
2100-2159	0	0.00
2200-2259	0	0.00
2300-2359	1	16.67

North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Strip Analysis Report

Light and Road Conditions Summary

Condition	Dry	Wet	Other	Total
Day	1	1	0	2
Dark	3	1	0	4
Other	0	0	0	0
Total	4	2	0	6

Object Struck Summary

Object Type	Times Struck	Percent of Total
ANIMAL	1	16.67
DITCH	1	16.67
OFFICIAL HIGHWAY SIGN NON-BREAKAWAY	2	33.33
TREE	2	33.33

Vehicle Type Summary

Vehicle Type	Number Involved	Percent of Total
PASSENGER CAR	4	66.67
PICKUP	1	16.67
SPORT UTILITY	1	16.67

North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Strip Analysis Report

Yearly Totals Summary

Accident Totals

Year	Total Accidents	Fatal Accidents	Injury Accidents	Property Damage Only Accidents
2002	0	0	0	0
2003	0	0	0	0
2004	1	0	0	1
2005	1	0	1	0
2006	1	0	1	0
2007	1	0	0	1
2008	1	1	0	0
2009	0	0	0	0
2010	1	0	1	0
2011	0	0	0	0
2012	0	0	0	0
Total	6	1	3	2

Injury Totals

Year	Fatal Injuries	Class A, B, or C Injuries
2002	0	0
2003	0	0
2004	0	0
2005	0	1
2006	0	1
2007	0	0
2008	1	0
2009	0	0
2010	0	1
2011	0	0
2012	0	0
Total	1	3

Miscellaneous Totals

Year	Property Damage	EPDO Index
2002	\$ 0	0.00
2003	\$ 0	0.00
2004	\$ 500	1.00

**North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Strip Analysis Report**

Year	Property Damage	EPDO Index
2005	\$ 12060	8.40
2006	\$ 0	8.40
2007	\$ 6000	1.00
2008	\$ 6000	76.80
2009	\$ 0	0.00
2010	\$ 4000	8.40
2011	\$ 0	0.00
2012	\$ 0	0.00
Total	\$ 28560	104.00

Type of Accident Totals

Year	Left Turn	Right Turn	Rear End	Run Off Road & Fixed Object	Angle	Side Swipe	Other
2002	0	0	0	0	0	0	0
2003	0	0	0	0	0	0	0
2004	0	0	0	0	0	0	1
2005	0	0	0	1	0	0	0
2006	0	0	0	1	0	0	0
2007	0	0	0	1	0	0	0
2008	0	0	0	1	0	0	0
2009	0	0	0	0	0	0	0
2010	0	0	0	0	0	0	1
2011	0	0	0	0	0	0	0
2012	0	0	0	0	0	0	0
Total	0	0	0	4	0	0	2

North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Strip Analysis Report

Strip Diagram

Features	Milepost	Crash IDs
	1.54	101360798 102249980
	1.55	
	1.56	
	1.57	
	1.58	
	1.59	
	1.60	
	1.61	
	1.62	
BEGIN BRIDGE STRUCTURE	1.63	102034274
Structure:630136	1.64	101496538 101859164
END BRIDGE STRUCTURE	1.65	102976226
	1.66	
	1.67	
	1.68	
	1.69	
	1.70	
	1.71	
	1.72	
	1.73	
Structure:630135	1.74	

**North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Strip Analysis Report**

Study Criteria

Study Name	Log No.	PH No.	TIP No.	K/A Cf.	B/C Cf.	ADT	ADT Route
41000020232	41000020232			76.8	8.4	1200	40001435

Request Date	Courier Service	Phone No.	Ext.	Fax No.
07/02/2012		(252)237-6164		

County			Municipality					
Name	Code	Div.	Name	Code	Y-Line Ft.	Begin Date	End Date	Years
NASH	63	4	All and Rural		0	05/01/2002	04/30/2012	10.00

Location Text	Requestor
500 feet on Both Sides of Bridge Number 136 on Secondary Route 1435 (Womble Road) over Basket Creek	MR. Daughtry III, PE Eastern & OBX Region Wilson NC

Included Accidents	Old MP	New MP	Type
101360798		1.54	I

Fiche Roads	
Name	Code
SR 1435	40001435
WOMBLE	50033490

Strip Road					
Name	Code	Begin MP	End MP	Miles	Kilometers
SR 1435	40001435	1.536	1.736	0.200	0.322

**North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Fiche, Intersection, and Strip Reports Code Index**

T - Type of Accident Codes

0 = UNKNOWN
1 = RAN OFF ROAD - RIGHT
2 = RAN OFF ROAD - LEFT
3 = RAN OFF ROAD - STRAIGHT
4 = JACKKNIFE
5 = OVERTURN/ROLLOVER
13 = OTHER NON-COLLISION
14 = PEDESTRIAN
15 = PEDALCYCLIST
16 = RR TRAIN, ENGINE
17 = ANIMAL
18 = MOVABLE OBJECT
19 = FIXED OBJECT
20 = PARKED MOTOR VEHICLE
21 = REAR END, SLOW OR STOP
22 = REAR END, TURN
23 = LEFT TURN, SAME ROADWAY
24 = LEFT TURN, DIFFERENT ROADWAYS
25 = RIGHT TURN, SAME ROADWAY
26 = RIGHT TURN, DIFFERENT ROADWAYS
27 = HEAD ON
28 = SIDESWIPE, SAME DIRECTION
29 = SIDESWIPE, OPPOSITE DIRECTION
30 = ANGLE
31 = BACKING UP
32 = OTHER COLLISION WITH VEHICLE

F - Road Feature Codes

0 = NO SPECIAL FEATURE
1 = BRIDGE
2 = BRIDGE APPROACH
3 = UNDERPASS
4 = DRIVEWAY, PUBLIC
5 = DRIVEWAY, PRIVATE
6 = ALLEY INTERSECTION
7 = FOUR-WAY INTERSECTION
8 = T-INTERSECTION
9 = Y-INTERSECTION
10 = TRAFFIC CIRCLE/ROUNDBOUT
11 = FIVE-POINT, OR MORE
12 = RELATED TO INTERSECTION
13 = NON-INTERSECTION MEDIAN CROSSING
14 = END OR BEGINNING - DIVIDED HIGHWAY
15 = OFF RAMP ENTRY
16 = OFF RAMP PROPER
17 = OFF RAMP TERMINAL ON CROSSROAD
18 = MERGE LANE BETWEEN ON AND OFF RAMP
19 = ON RAMP ENTRY
20 = ON RAMP PROPER
21 = ON RAMP TERMINAL ON CROSSROAD
22 = RAILROAD CROSSING
23 = TUNNEL
24 = SHARED-USE PATHS OR TRAILS
25 = OTHER

R - Road Condition Codes

1 = DRY
2 = WET
3 = WATER (STANDING, MOVING)
4 = ICE
5 = SNOW
6 = SLUSH
7 = SAND, MUD, DIRT, GRAVEL
8 = FUEL, OIL
9 = OTHER
10 = UNKNOWN

L - Light Condition Codes

1 = DAYLIGHT
2 = DUSK
3 = DAWN
4 = DARK - LIGHTED ROADWAY
5 = DARK - ROADWAY NOT LIGHTED
6 = DARK - UNKNOWN LIGHTING
7 = OTHER
8 = UNKNOWN

W - Weather Condition Codes

1 = CLEAR
2 = CLOUDY
3 = RAIN
4 = SNOW
5 = FOG, SMOG, SMOKE
6 = SLEET, HAIL, FREEZING RAIN/DRIZZLE
7 = SEVERE CROSSWINDS
8 = BLOWING SAND, DIRT, SNOW
9 = OTHER

S - Accident Severity Codes

K = FATAL
A = A-LEVEL INJURY
B = B-LEVEL INJURY
C = C-LEVEL INJURY
O = PROPERTY DAMAGE ONLY

Ch - Road Character

1 = STRAIGHT, LEVEL
2 = STRAIGHT, HILLCREST
3 = STRAIGHT, GRADE
4 = STRAIGHT, BOTTOM (SAG)
5 = CURVE, LEVEL
6 = CURVE, HILLCREST
7 = CURVE, GRADE
8 = CURVE, BOTTOM (SAG)
9 = OTHER

Op - Traffic Control Operating

1 = YES
2 = NO
3 = UNKNOWN

**North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Fiche, Intersection, and Strip Reports Code Index**

Veh Mnvr - Vehicle Maneuver Codes

1 = STOPPED IN TRAVEL LANE
2 = PARKED OUT OF TRAVEL LANES
3 = PARKED IN TRAVEL LANES
4 = GOING STRAIGHT AHEAD
5 = CHANGING LANES OR MERGING
6 = PASSING
7 = MAKING RIGHT TURN
8 = MAKING LEFT TURN
9 = MAKING U-TURN
10 = BACKING
11 = SLOWING OR STOPPING
12 = STARTING IN ROADWAY
13 = PARKING
14 = LEAVING PARKED POSITION
15 = AVOIDING OBJECT IN ROAD

Dv - Traffic Control Device

0 = NO CONTROL PRESENT
1 = STOP SIGN
2 = YIELD SIGN
3 = STOP AND GO SIGNAL
4 = FLASHING SIGNAL WITH STOP SIGN
5 = FLASHING SIGNAL WITHOUT STOP SIGN
6 = RR GATE AND FLASHER
7 = RR FLASHER
8 = RR CROSSBUCKS ONLY
9 = HUMAN CONTROL
10 = WARNING SIGN
11 = SCHOOL ZONE SIGNS
12 = FLASHING STOP AND GO SIGNAL
13 = DOUBLE YELLOW LINE, NO PASSING ZONE
14 = OTHER

Alchl/Drugs - Driver Alcohol/Drugs Suspected Status Codes

0 = NO
1 = YES - ALCOHOL, IMPAIRMENT SUSPECTED
2 = YES - ALCOHOL, NO IMPAIRMENT DETECTED
3 = YES - OTHER DRUGS, IMPAIRMENT SUSPECTED
4 = YES - OTHER DRUGS, NO IMPAIRMENT DETECTED
5 = YES - ALCOHOL AND OTHER DRUGS, IMPAIRMENT SUSPECTED
6 = YES - ALCOHOL AND OTHER DRUGS, NO IMPAIRMENT DETECTED
7 = UNKNOWN

Ped Actn - Pedestrian Action Codes

1 = ENTERING OR CROSSING SPECIFIED LOCATION
2 = WALKING, RIDING, RUNNING/JOGGING WITH TRAFFIC
3 = WALKING, RIDING, RUNNING/JOGGING AGAINST TRAFFIC
4 = WORKING
5 = PUSHING VEHICLE
6 = APPROACHING OR LEAVING VEHICLE
7 = PLAYING
8 = STANDING
9 = OTHER

Ci - Roadway Contributing Circumstances

0 = NONE (NO UNUSUAL CONDITIONS)
1 = ROAD SURFACE CONDITION
2 = DEBRIS
3 = RUT, HOLES, BUMPS
4 = WORK ZONE (CONSTRUCTION, MAINTENANCE, UTILITY)
5 = WORN TRAVEL-POLISHED SURFACE
6 = OBSTRUCTION IN ROADWAY
7 = TRAFFIC CONTROL DEVICE INOPERATIVE, NOT VISIBLE OR MISSING
8 = SHOULDERS LOW, SOFT OR HIGH
9 = NO SHOULDERS
10 = NON-HIGHWAY WORK
11 = OTHER
12 = UNKNOWN

**North Carolina Department of Transportation
Traffic Engineering Accident Analysis System
Fiche, Intersection, and Strip Reports Code Index**

Obj Strk - Object Struck Codes

14 = PEDESTRIAN
15 = PEDALCYCLIST
17 = ANIMAL
18 = MOVABLE OBJECT
20 = PARKED MOTOR VEHICLE
33 = TREE
34 = UTILITY POLE
35 = LUMINAIRE POLE NON-BREAKAWAY
36 = LUMINAIRE POLE BREAKAWAY
37 = OFFICIAL HIGHWAY SIGN NON-BREAKAWAY
38 = OFFICIAL HIGHWAY SIGN BREAKAWAY
39 = OVERHEAD SIGN SUPPORT
40 = COMMERCIAL SIGN
41 = GUARDRAIL END ON SHOULDER
42 = GUARDRAIL FACE ON SHOULDER
43 = GUARDRAIL END IN MEDIAN
44 = GUARDRAIL FACE IN MEDIAN
45 = SHOULDER BARRIER END
46 = SHOULDER BARRIER FACE
47 = MEDIAN BARRIER END
48 = MEDIAN BARRIER FACE
49 = BRIDGE RAIL END
50 = BRIDGE RAIL FACE
51 = OVERHEAD PART UNDERPASS
52 = PIER ON SHOULDER OF UNDERPASS
53 = PIER IN MEDIAN OF UNDERPASS
54 = ABUTMENT OF UNDERPASS
55 = TRAFFIC ISLAND CURB OR MEDIAN
56 = CATCH BASIN OR CULVERT ON SHOULDER
57 = CATCH BASIN OR CULVERT ON MEDIAN
58 = DITCH
59 = EMBANKMENT
60 = MAILBOX
61 = FENCE OR FENCE POST
62 = CONTRUCTION BARRIER
63 = CRASH CUSHION
64 = OTHER FIXED OBJECT

Unit # - Vehicle Style Codes

1 = PASSENGER CAR
2 = PICKUP
3 = LIGHT TRUCK (MINI-VAN, PANEL)
4 = SPORT UTILITY
5 = VAN
6 = COMMERCIAL BUS
7 = SCHOOL BUS
8 = ACTIVITY BUS
9 = OTHER BUS
10 = SINGLE UNIT TRUCK (2-AXLE, 6-TIRE)
11 = SINGLE UNIT TRUCK (3 OR MORE AXLES)
12 = TRUCK/TRAILER
13 = TRUCK/TRACTOR
14 = TRACTOR/SEMI-TRAILER
15 = TRACTOR/DOULBES
16 = UNKNOWN HEAVY TRUCK
17 = TAXICAB
18 = FARM EQUIPMENT
19 = FARM TRACTOR
20 = MOTORCYCLE
21 = MOPED
22 = MOTOR SCOOTER OR MOTOR BIKE
23 = PEDALCYCLE
24 = PEDESTRIAN
25 = MOTOR HOME/RECREATIONAL VEHICLE
26 = OTHER
27 = ALL TERRAIN VEHICLE (ATV)
28 = FIRETRUCK
29 = EMS VEHICLE, AMBULANCE, RESCUE SQUAD
30 = MILITARY
31 = POLICE
32 = UNKNOWN