

# AREA II I-95



PROJ. REFERENCE NO. R-0513BB/C	SHEET NO. TCP-18
-----------------------------------	---------------------

STA. 6+30 +/- LP"D"

STA. 30+65 +/- -Y2-

LOOP D @  
PROP. US 74

STA. 31+50 +/- -Y2-  
TEMP. CABLE GUIDERAIL 5.5m  
FROM TRAVEL LANE ON 6:1 OR  
FLATTER SLOPE. OTHERWISE,  
ON SHOULDER POINT

STA. 31+58 +/- -Y2-  
TEMP. ANCHOR UNIT

I-95 NB

MATCH SHEET TCP-17  
STA. 30+60 -Y2-

STA. 30+80 +/- -Y2-

STA. 31+10 +/- -Y2-

32+00

33+00

MATCH SHEET STA. 19  
BREAKLINE STA. 33+90 -Y2-

I-95 NB

-COBC-

INSTALL TEMP. DOUBLE FACE  
CABLE GUIDERAIL 5.5m FROM  
TRAVEL LANE ON 6:1 OR  
FLATTER SLOPE. OTHERWISE,  
INSTALL ON SHOULDER POINT.  
REFER TO ROADWAY STANDARD  
DRAWING 865.01 AND 862.05.


LOOP C @  
PROP. US 74

INSTALL PERMANENT  
PROTECTION FOR BRIDGE  
PIER (BENT # 1) ON  
-COAD- SIDE OF PIER

STA. 31+18 +/- -Y2-  
INSTALL TEMP. DOUBLE FACE  
GUIDERAIL ON SHOULDER POINT


STA. 31+10 +/- -Y2-  
TEMP. ANCHOR UNIT  
END PCB

APPROVED: *Julia...* DATE: 6/25/04



## PHASE I -Y2- CONSTRUCTION

SCALE: 1:500  
DATE: 01-30-04  
DWG. BY: SBC  
DESIGN BY: CLM  
REVIEWED BY: CLM



REVISIONS

24-JUN-2004 11:29  
 F:\TCP\FINAL TCP\5135\10-TCP018.dgn  
 ms:feilmon AT 10:11:23