

METRIC

5 0 10

CONST. REV.
R/W REV.


PROJECT REFERENCE NO.	SHEET NO.
EC-48/CONST.49	EC-48/CONST.49
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

-Y3-

Pls Sta 40+41.722	Pl Sta 41+44.231	Pls Sta 42+44.590
$\theta_s = 4' 35'' 01.2''$	$\Delta = 22' 56'' 50.4''$ (RT)	$\theta_s = 4' 35'' 01.2''$
$L_s = 64.000$	$L = 160.203$	$L_s = 64.000$
$LT = 42.681$	$T = 81.190$	$LT = 42.681$
$ST = 21.346$	$R = 400.000$	$ST = 21.346$
	$SE = 8\%$	

CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 49

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE-B
AND TEMPORARY ROCK SILT CHECKS TYPE-A AT
DRAINAGE OUTLETS.



MATCHLINE STA. 40 + 80.000 MATCH TO SHT. NO. 48

42
CECIL L. THOMPSON
DB IOR PG 640

42
CECIL L. THOMPSON
DB IOR PG 640

DENOTES REMOVAL OF EXIST. PAVEMENT

SEE SHEET NO. 117 FOR LINE -Y3- GRADE AND PROFILE.

12-APP-2004 09568
d:\au\lucy\p\12-48\12-48.dwg
masg\sch