

METRIC

5 0 10

CONST. REV.

R/W REV.


PROJECT REFERENCE NO. R-513C	SHEET NO. EC-7/CONST.8
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

-L-

Pls Sta 265+16.448 θs = 0° 59' 41.0" Ls = 125.000 LT = 83.335 ST = 41.668	PI Sta 266+70.438 Δ = 3° 34' 27.3" (LT) L = 224.576 T = 112.325 R = 3,600.000 SE = 2.5%	Pls Sta 268+24.358 θs = 0° 59' 41.0" Ls = 125.000 LT = 83.335 ST = 41.668
---	--	---

CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 8

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE-B
AND TEMPORARY ROCK SILT CHECKS TYPE-A AT
DRAINAGE OUTLETS.



7 x 3 x 1
1.5 weir

6 x 2 x 1
1.5 weir

6 x 2 x 1
1.5 weir

-L- RT LN TRANS

Pls Sta 265+52.888 θs = 0° 59' 41.0" Ls = 125.000 LT = 83.335 ST = 41.668	PI Sta 267+06.878 Δ = 3° 34' 27.3" (LT) L = 224.577 T = 112.325 R = 3,600.000 SE = 2.5%	Pls Sta 268+60.798 θs = 0° 59' 41.0" Ls = 125.000 LT = 83.335 ST = 41.668
---	--	---

SEE SHEET NO.54 FOR LINE
-L- RT LN TRANS GRADE AND PROFILE.
SEE SHEET NO. 54 FOR LINE
-L- LT LN TRANS GRADE AND PROFILE.

6/10/08
 08-APP-2004-10-AT
 d:\re\ref\ref\10-AT\curr-plans\R513C08.PSH
 mbaughsch