

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL.	PL. I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS 86	61.8 Lt	13+73.7	1.50-1.95	A-7-5(19)	63	30	17.3	26.3	10.9	45.5	83.4	83.1	63.5	26	NS
SS 87	61.8 Lt	13+73.7	2.60-3.05	A-3(0)	19	NP	62.6	29.9	3.5	4.0	100.0	78.8	8.3	24	NS
SS 88	61.8 Lt	13+73.7	4.10-4.55	A-2-4(0)	21	NP	64.8	25.6	4.6	5.0	99.0	64.8	10.8	42	NS
SS 89	61.8 Lt	13+73.7	8.60-9.05	A-7-5(3)	43	12	49.3	10.5	30.2	10.0	93.9	62.5	44.1	15	NS
SS 90	45.0 Lt	14+76.6	1.50-1.95	A-2-6(0)	32	16	20.6	60.5	0.8	18.1	98.2	92.6	20.4	19	NS
SS 91	45.0 Lt	15+76.6	0.80-1.25	A-6(1)	35	12	12.2	55.0	7.9	24.9	95.4	93.9	36.4	25	NS
SS 92	45.0 Lt	15+76.6	1.50-1.95	A-2-4(0)	25	NP	30.4	53.7	1.4	14.5	99.7	94.3	17.0	23	NS
SS 93	45.0 Lt	15+76.6	0.80-1.25	A-2-4(0)	33	9	54.1	21.4	4.2	20.3	91.8	58.1	26.3	66	NS
SS 94	45.0 Lt	16+76.6	0.00-0.45	A-2-4(0)	18	NP	27.4	57.4	2.3	12.9	96.7	88.1	16.8	17	NS
SS 95	45.0 Lt	16+76.6	1.50-1.95	A-2-4(0)	27	NP	1.3	82.9	2.6	13.2	100.0	99.7	16.7	22	NS
SS 96	45.0 Lt	16+76.6	2.60-3.05	A-2-4(0)	27	6	49.8	34.6	4.1	11.5	93.6	74.7	17.7	33	NS

DESCRIPTION:
US 74 FROM SR 1003 TO I-95

PROJECT NO.: G. 469002T
TIP NO.: R-0513C
COUNTY: ROBESON

ROADWAY DESIGN ENGINEER
HYDRAULICS ENGINEER



PREPARED BY:
CATLIN
ENGINEERS and SCIENTISTS
WILMINGTON, NORTH CAROLINA

DATE: 06/00

CONST. REV. _____
RW REV. _____

ADAPTED FROM:
TGS ENGINEERS
975 WALNUT STREET
CARY, NC 27511
PH (919) 319-8850

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION
INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION



Prol4.DGN