

SOIL TEST RESULTS

SAMPLE NUMBER	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	PL. I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-48	0	36+20	0.0 - 0.45	A-4(5)	27	10	4.0	36.4	36.6	23.0	100	98	70	17	NA
SS-49	0	38+60	0.0 - 0.45	A-4(4)	23	9	4.3	35.1	25.9	34.7	100	98	72	16	NA
SS-50	0	38+60	1.2 - 1.65	A-7-6(24)	55	36	7.4	25.7	24.6	42.3	100	96	70	26	NA

DESCRIPTION:
US 74 From West of SR 1157 (Henry Berry Rd.) to West of SR 1164 (Back Swamp Rd.)

PREPARED BY:
CALIN
ENGINEERS and SCIENTISTS
WILMINGTON, NORTH CAROLINA

1m 0 2m

PROJ. NO.: 6.4690021 SHEET NO. 56

T.I.P. NO.: R-0513BB TOTAL SHEETS: 65

F.A. NO.: N/A RW SHEET NO.:

COUNTY: Robeson

ROADWAY DESIGN ENGINEER

HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

