


SOIL TEST RESULTS

SAMPLE NUMBER	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.L. I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-39	0	200+27	0.0 - 0.45	A-6(8)	32	12	1.6	29.4	43.0	26.0	100	99	77	34	NA
SS-40	0	200+27	2.7 - 3.15	A-6(7)	40	17	0.4	55.3	17.3	27.0	100	100	54	29	NA
SS-41	0	200+27	5.8 - 6.25	A-2-4(0)	20	NP	27.3	61.4	7.1	4.2	100	93	14	18	NA
SS-42	0	202+00	0.0 - 0.45	A-7-6(19)	42	24	2.3	26.6	40.7	30.4	100	98	81	24	NA
SS-43	0	202+00	2.7 - 3.15	A-6(8)	36	18	0.7	52.9	17.9	28.5	100	100	57	38	NA
SS-44	0	205+00	1.2 - 1.65	A-7-6(26)	49	30	0.5	23.6	40.6	35.3	100	100	85	22	NA
ST-06	0	205+00	3.0 - 3.60	A-7-6(16)	43	24	0.2	39.2	22.5	38.0	100	100	71	35	NA

DESCRIPTION:
US 74 From West of SR 1157
(Henry Berry Rd.) to West of
SR 1164 (Back Swamp Rd.)


PREPARED BY:
CAELIN
ENGINEERS and SCIENTISTS
WILMINGTON, NORTH CAROLINA



PROJ. NO.: 6.469002T SHEET NO.: 39
T.I.P. NO.: R-0513BB TOTAL SHEETS: 65
F.A. NO.: N/A RW SHEET NO.:
COUNTY: Robeson

ROADWAY DESIGN ENGINEER
HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION
INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION



CONST. REV.
RW REV.

