


150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
S-42	70' LT	35+00	0.0-3.0	A-7-6(48)	75	55	3.5	21.0	26.6	48.9	100	99	82	-	-
S-43	70' LT	35+00	3.0-5.5	A-7-6(16)	41	20	1.6	25.7	40.1	32.6	100	100	80	-	-

LEGEND	
A:	RESIDUAL, BROWN, MEDIUM-STIFF, HIGHLY PLASTIC, DRY TO MOIST, SILTY CLAY
B:	RESIDUAL, RED-BROWN AND RED-PURPLE, MEDIUM STIFF TO HARD, MODERATELY PLASTIC, DRY TO MOIST, SILTY CLAY
C:	WEATHERED ROCK (SANDSTONE)
D:	NON-CRYSTALLINE ROCK (SANDSTONE)



SYSTEMS *****
 DONSON *****
 USERNAME *****