



STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY  
GOVERNOR

LYNDO TIPPETT  
SECRETARY

October 27, 2004

**Addendum No. 1**

RE: Contract ID: C201238  
WBS # 36691.3.1  
F. A. # IMS-95-3 (82) 107  
Johnston-Wilson Counties  
I-95 From US-301 (MP 107) in Johnston County  
To SR-1116 (Governor Hunt Road) in Wilson County.

**November 16, 2004 Letting**

To Whom It May Concern:

Reference is made to the proposal form recently furnished to you on the above-mentioned project.

The following revision has been made to the proposal form:

On Page No. 23 the project special provision entitled "Wetland Avoidance" has been added. Please void Page No. 23 in your proposal and staple the revised Page No. 23 thereto.

Page No. 42 the project special provision entitled "Clearing and Grubbing" has been revised. Please void Page No. 42 in your proposal and staple the revised Page No. 42 thereto.

On Page No. 93 under Division 8. Details 842.01 and 842.02 were added. Please void Page No. 93 in your proposal and staple the revised Page No. 93 thereto.

The first page of the Table of Contents has been revised to reflect the above revisions. Please void the first page of the Table of Contents and staple the revised Table of Contents thereto.


On Page No. 2 of the Item Sheets, by copy of this addendum, the following quantity changes have been made:

<u>Item Number</u>	<u>Old Quantity</u>	<u>New Quantity</u>
19-1493000000-E Asphalt Conc Base Course, Type B37.5C	63,000 TON	71,000 TON
20-1508000000-E Asphalt Conc Intermediate Course, Type I19.0D	78,500 TON	124,000 TON
21-1550000000-E Asphalt Conc Surface Course, Type S12.5D	117,000 TON	90,000 TON
22-1560000000-E Asphalt Binder for Plant Mix Grade PG 64-22	2,710 TON	3,037 TON
23-1565000000-E Asphalt Binder for Plant Mix Grade PG 70-22	3,690 TON	5,828 TON
24-1570000000-E Asphalt Binder for Plant Mix Grade PG 76-22	5,616 TON	4,950 TON

The Contractor's bid price must be based on these revised pay item quantities. The Contract will be prepared accordingly.

The Expedite file has been updated to reflect these revisions. Please download the Expedite addendum file and follow the instructions for applying the addendum. Bid Express will not accept your bid unless the addendum has been applied.

Page No. 3 (C201238)  
Johnston-Wilson Counties

Sincerely,  
  
for R. A. Garris, PE  
Contract Officer

RAG/jag/pa  
Attachments

cc: Mr. W. S. Varnedoe, PE  
Mr. S. D. DeWitt, PE  
Mr. E. C. Powell, PE  
Mr. J. H. Trogdon., PE  
Ms. D. M. Barbour, PE  
Mr. Art McMillan, PE  
Mr. J. V. Barbour, PE  
Mr. Mark Staley (2)  
Mr. Aydren Flowers  
Mr. R. E. Davenport, Jr. PE  
Ms. Marsha Byrd  
Ms. Taylor Mishoe  
Project File (2)

TABLE OF CONTENTS

COVER SHEET

PROPOSAL SHEETS

PROJECT SPECIAL PROVISIONS (GREEN SHEETS)

PAGE NO.

Contract Time and Liquidated Damages.....	1
Intermediate Contract Time (s).....	1-2
Safety Index Rating.....	3
Major Contract Items.....	3
Specialty Items.....	3
Fuel Price Adjustment.....	3-4
Schedule of Estimated Completion Progress.....	4
Electronic Bidding.....	4-7
Disadvantaged Business Enterprise.....	7-16
Retainage and Prompt Payment.....	16-17
Certification for Federal-Aid Contracts.....	17
Domestic Steel and Iron Products.....	18
U.S. Department of Transportation Hotline.....	18
Submission of Records - Federal-Aid Projects.....	19
Compensation and Record Keeping.....	19
Contractor Borrow Source.....	19-20
Subsurface Information.....	20
Plant Pest Quarantines.....	20-21
Safety Vests.....	21
Director of Construction in Lieu of Chief Engineer.....	21
Twelve Month Guarantee.....	21-22
Outsourcing Outside the USA.....	22
Disqualification of Bidders.....	22-23
Notes to Contractor and Wetland Avoidance.....	23
Roadway.....	24-79
Traffic Control.....	80-92
List of Standard Drawings .....	93

Sketch Maps .....

STANDARD SPECIAL PROVISIONS (YELLOW SHEETS)

Availability of Funds.....	1
Seed Quality Requirements.....	2-4
Errata.....	5-6
Award of Contract.....	7
Minority and Female Employment Requirements.....	8-10
Required Contract Provs.-Federal-Aid Construction Contracts Exclusive of Appalachian Contracts (FHWA-1273).....	11-21
Federal Wage Rates.....	22-25

Page 1-18 Article 102-16, add the following after Number 15.

- 16. False information submitted on any application, statement, certification, report, records and/or reproduction.

Conviction of any employee of company, of any applicable state or federal law, may be fully imputed to the business firm with which he is or was associated or by whom he was employed or with the knowledge or approval of the business firm or thereafter ratified by it.

- 17. Being debarred from performing work with other city, state, and federal agencies.
- 18. Failure to perform guaranty work within the terms of the contract.

SP1G155

**NOTES TO CONTRACTOR:**

- 1. The Contractor is cautioned to the fact that he will not be allowed to work in any jurisdictional wetland areas along the project. Some of these areas have been previously flagged, however others may exist.
- 2. The Contractor shall utilize pipe for subdrain which is produced by the manufacturer with a fabric covering.
- 3. The grade lines shown denote the finished elevation of the proposed surfacing at grade points shown on the typical sections. Where no grade lines are shown. The profiles shown denote the top elevation of the existing pavement along the center line of survey on which the proposed resurfacing will be placed. Grade lines may be adjusted by the Engineer in order to secure a proper tie-in.
- 4. The Contractor's attention is directed to the fact that the areas for "Safety Clearing" are not designated. Limits are to be as directed by the Engineer.
- 5. Underdrains shall be constructed in accordance with STD. No. 815.03 at locations directed by the Engineer.
- 6. The guardrail locations will be as directed by the Engineer. The Contractor should consult with the Engineer prior to ordering guardrail material.

**WETLAND AVOIDANCE:**

The Contractor may be required to construct concrete retaining walls, in areas directed by the Engineer in order to eliminate fill encroachment on wetlands. Such walls shall be constructed as required by Standard Specifications. Additionally, where these areas occur, clearing and grubbing shall be performed as directed.

Measurement and payment for the retaining walls will be made as provided in Section 842 of the Standard Specifications.

No direct payment will be made for clearing and grubbing, as the cost of same shall be included in the lump sum price bid for "Clearing and Grubbing."

Materials:

The filter fabric shall meet the requirements of Section 1056 for Type 2 Fabric.

Stone shall be Class A Stone and shall meet the requirements of Section 1042 for Stone for Erosion Control, Class A.

Construction:

The Contractor shall install a Gravel Construction Entrance in accordance with the details in the plans and at locations as directed by the Engineer.

**Opening Burning:**

Open burning is not permitted on any portion of the right-of-way limits established for this project. Do not burn the clearing, grubbing or demolition debris designated for disposal and generated from the project at locations within the project limits, off the project limits or at any waste or borrow sites in this county. Dispose of the clearing, grubbing and demolition debris by means other than burning, according to state or local rules and regulations.

**BASIS OF PAYMENT:**

All work covered by this provision will be paid for at the contract lump sum price for the "Design and Construction for Traffic Control and Erosion Control." Such price and payment will be full compensation for all design, design drawings, equipment, labor, tools, materials, traffic control devices, including all needs for the 'Smart Zone' work zone system, and installation of all traffic control and erosion control related work.

**CLEARING AND GRUBBING:**

9-17-02

Perform clearing on this project to the limits established by Method "II" shown on Standard No. 200.02 of the Roadway Standards.

The 2002 Standard Specifications shall be revised as follows:

Page 2-3, Article 200-5

Delete the first sentence of this article and insert the following:

The property owner will have no right to use or reserve for his use any timber on the project. All timber cut during the clearing operations is to become the property of the Contractor, and shall be either removed from the project by him, or else shall be satisfactorily disposed of as hereinafter provided.

SP2R01

EFF. 01-15-02

I-3605  
Johnston-Wilson Counties

**ROADWAY ENGLISH STANDARD DRAWINGS**

The following Roadway Standards as appear in "Roadway Standard Drawings" Highway Design Branch - N. C. Department of Transportation - Raleigh, N. C., Dated January 15, 2002 are applicable to this project and by reference hereby are considered a part of these plans:

STD.NO.                      TITLE

**DIVISION 2 - EARTHWORK**

- 200.02 Method of Clearing - Method II
- 225.01 Guide for Grading Subgrade - Interstate and Freeway
- 225.05 Method of Obtaining Superelevation - Divided Highways

**DIVISION 5 - SUBGRADE, BASES AND SHOULDERS**

- 560.02 Method of Shoulder Construction - High Side of Superelevated Curve - Method II

**DIVISION 6 - ASPHALT BASES AND PAVEMENTS**

- 610.01 Guide for Paving Shoulders Under Bridges - Method I
- 610.02 Guide for Paving Shoulders Under Bridges - Method II
- 610.03 Guide for Paving Shoulders Under Bridges - Method III
- 665.01 Milled Rumble Strips - Asphalt Pavements

**DIVISION 8 - INCIDENTALS**

- 815.03 Pipe Underdrain and Blind Drain
- 816.04 Markers for Drainage Structure and Concrete Pad
- 842.01 Concrete and Brick Retaining Wall
- 842.02 Concrete and Brick Retaining Wall
- 862.01 Guardrail Placement