



Filter Fabric  
Type of Liner = Class 'B'  
-L- 262+05 to 262+50 LT

DETAIL  
TOE PROTECT  
(Not to Sc  
Natural Ground  
Filter Fabric  
Type of Liner = CLASS  
-L- 265+40 to 26




PROJECT REFERENCE NO. R-2206C	SHEET NO. 28
R/W SHEET NO. 28	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
<b>INCOMPLETE PLANS</b> DO NOT USE FOR R/W ACQUISITION <b>PRELIMINARY PLANS</b> DO NOT USE FOR CONSTRUCTION	
CONST. REV.	
R/W REV.	



CLIFF - BLAKE ASSOC.  
DB 1936 PG 1335

CLIFF - BLAKE ASSOC.  
DB 1936 PG 1335



MATCHLINE SEE SHEET 27  
-L- STA. 260 + 60.000

MATCHLINE SEE SHEET 29  
-L- STA. 263 + 60.000

-L-

PIs Sta 256+94.656	PI Sta 260+42.049
Os = 0° 27' 30.1"	Δ = 15° 13' 19.3" (LT)
Ls = 40.000	L = 664.186
LT = 26.667	T = 334.060
ST = 13.333	R = 2,500.000
	e = 0.02

STEVE R. HOLBROOKS  
DB 1632 PG 40

SEE SHEETS 63 & 64 FOR -L- PROFILE