


<u>Y12</u>	<u>Y12</u>
P.I. = 13+96.183	P.I. = 15+08.463
$\Delta_c = 4' 35' 42.5" (LT)$	$\Delta_c = 4' 35' 42.4" (RT)$
Rc = 1,400.000	Rc = 1,400.000
Lc = 112.281	Lc = 112.280
Tc = 56.170	Tc = 56.170
Ec = 1.126	Ec = 1.126
D.S. = 60 km/hr	D.S. = 60 km/hr

NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE-B AND TEMPORARY ROCK SILT CHECKS TYPE-A AT DRAINAGE OUTLETS.

CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 4

CONST. REV.
R/W REV.

PROJECT REFERENCE NO. R-2206B	SHEET NO. EC-3/CONST. 4
R/W SHEET NO.	HYDRAULICS ENGINEER
ROADWAY DESIGN ENGINEER	



MATCH TO SHEET 5 -L- STA. 104+80.000

- NOTES**
- FOR PROFILE OF: SEE SHEET NO:
-L- 32
-Y12- 58
 - FOR CROSS SECTIONS OF: SEE SHEET NO:
-L- X-4 THRU X-6
-Y12- X-172 THRU X-174