


CONST. REV.  
R/W REV.


**PRELIMINARY PLANS**  
DO NOT USE FOR CONSTRUCTION  
**INCOMPLETE PLANS**  
DO NOT USE FOR R/W ACQUISITION

SAMPLE NO.	STATION	OFFSET	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT			% PASSING (SIEVES)			MOISTURE %	ORGANIC %
							C.SAND	F.SAND	SILT	CLAY	2.0 mm	425 um		
SS-105	99+80	CL	0.76-1.21	A-2-4(0)	23	9	45.8	26.1	7.8	20.3	99	71	31	
SS-106	99+80	CL	1.52-1.97	A-1-9(0)	20	NP	75.8	22.0	0.2	2.0	98	47	3	
SS-102A	101+40	CL	0.30-0.45	A-3(0)	18	NP	74.4	15.8	4.8	5.1	99	52	10	
SS-103A	101+40	CL	0.76-1.21	A-4(1)	25	9	28.7	31.8	17.3	24.3	100	85	47	
SS-104A	101+40	CL	2.29-2.74	A-1-9(0)	15	NP	84.5	11.6	1.1	3	99	38	5	
S-55	103+20	CL	0.90-1.68	A-6(5)	34	14	28.6	17.6	25.4	28.4	100	83	56	30.1
SS-100A	104+40	CL	0.76-1.21	A-2-4(0)	18	4	49.6	27.2	11	12.2	98	64	26	
SS-101A	104+40	CL	1.52-1.97	A-1-9(0)	15	NP	70.9	20.1	0.9	8.1	97	49	10	
S-61	105+60	CL	0.30-0.91	A-6(2)	26	11	31.5	25.3	19.1	24.1	100	79	48	

PI = 101+00.000  
EL = 49.440 m  
VC = 100 m  
K = 166



PI = 106+07.000  
EL = 50.970 m  
VC = 100 m  
K = 165



NOTE: SEE SHEET NO.8, NO.9 & NO.10 FOR ALIGNMENT

28-DEC-2000 14:55  
R:\R0513BA\proj\0513ba.p1  
A\burney