


-X/-




**SOIL SAMPLE TEST RESULTS**

PI = 21+15.000  
EL = 60.634 m  
VC = 165 m  
K = 47

SAMPLE NO.	STATION	OFFSET	DEPTH INTERVAL	AASHTO CLASS.	LL	PI	% BY WEIGHT				% PASSING (SIEVES)			MOISTURE	ORGANIC
							C. SAND	F. SAND	SILT	CLAY	2.0 mm	425 um	75 um		
SS-32	21+60	CL	0.76-1.21	A-2-4(0)	24	10	55.9	19.8	5.1	19.1	98	59	25		
SS-33	21+60	CL	1.52-1.97	A-2-6(1)	30	14	40.1	26.2	5.5	28.2	99	77	35		
SS-34	21+60	CL	2.62-3.07	A-1-b(0)	18	NP	81.5	10.7	0.8	7	76	23	7		
SS-35	21+60	CL	5.82-6.12	A-2-4(0)	24	NP	27.8	60	2.1	10.1	98	82	14		
SS-36	21+60	CL	8.72-9.17	A-1-b(0)	21	NP	67.5	24.7	0.8	7	95	47	8		
SS-194	22+60	CL	0.76-1.21	A-2-6(2)	38	19	49.4	18.1	8.3	24.2	97	69	34		
SS-195	22+60	CL	1.67-1.97	A-2-4(0)	18	NP	47.7	35.3	2.9	14.1	83	57	17		
SS-196	22+60	CL	2.62-3.07	A-1-b(0)	17	NP	74	16.1	1.8	8.1	81	35	9		
SS-197	22+60	CL	5.67-6.12	A-2-6(0)	28	11	20.2	47.8	7.9	24.2	97	86	34		
SS-198	22+60	CL	7.19-7.64	A-3(0)	19	NP	62.3	29.2	4.4	4	97	57	9		
S-176	23+80	CL	0.15-1.06	A-6(6)	32	16	31.6	19.2	16.8	32.4	98	79	51		
S-177	23+80	CL	1.06-1.83	A-2-6(1)	32	16	43.3	24.5	7.9	24.3	97	72	34		

BEGIN GRADE  
 -SRI- STA. 21+93.460 LB =  
 -XI- STA. 21+93.460 LA  
 EL = 58.586



PI = 23+72.307  
 EL = 53.923 m  
 VC = 200 m  
 K = 69

PI = 25+30.000  
 EL = 54.396 m  
 VC = 40 m  
 K = 96

END GRADE  
 -VI- STA. 26+32.807  
 EL = 53.965

NOTE: SEE SHEET NO. 2-H & NO. 2-I FOR ALIGNMENT

09-NOV-2000 09:36  
 r:\0513a\proj\0513a.pfl  
 aburney