



-RPDY2-



-RPDY2-



- (A) LOOSE BRN SILTY SAND AND MED STIFF SANDY SILT, MOI,
- (B) MED. STIFF TO STIFF GRAY BRN SILTY SANDY CLAY, MOI TO WET
- (C) MED. DENSE TAN F - CSE. SAND, SAT
- (D) V. LOOSE TO MED. DENSE TAN GRAY CLY SAND AND F - CSE SD, SAT
- (E) V. SOFT TO MED STIFF DARK GRAY BRN. SILTY SDY CLAY AND CLY SDY SILT, WET
- (F) STIFF GRAY CLY SDY SILT AND SILTY SANDY CLAY, WRT
- (G) MED. DENSE GRAY F - CSE SAND, SAT

SOIL SAMPLE TEST RESULTS															
SAMPLE NO.	STATION	OFFSET	DEPTH INTERVAL	AASHTO CLASS	LL	PL	CSAND	FSAND	SILT	CLAY	% PASSING (SIEVES)			% MOISTURE	% ORGANIC
											2.0 mm	425 um	75 um		
SS-162	11+00	CL	0.76-1.21	A-2(40)	22	9	56.8	20.8	6.3	16.1	99	63	26		
SS-163	11+00	CL	1.53-1.97	A-1(50)	19	NP	82.6	14.9	0.5	2.0	97	42	3		
SS-169	12+80	CL	0.76-1.06	A-6(2)	33	18	44.6	17.9	8.4	28.1	98	72	38		
SS-160	12+80	CL	1.52-1.97	A-2(40)	24	8	54.4	24.6	4.9	16.1	98	66	22		
SS-161	12+80	CL	4.05-4.50	A-3(0)	19	NP	73.3	20.5	4.2	2	89	63	7		
SS-160	15+16	CL	0.76-1.21	A-6(9)	38	21	26.5	18.9	14.4	40.2	100	84	57		
SS-161	15+16	CL	1.52-1.82	A-2(6(1)	29	14	52.5	17.4	8	22.1	98	64	31		
SS-162	15+16	CL	2.63-2.98	A-6(4)	31	17	29.1	26.5	14.2	30.2	98	84	47		
SS-163	15+16	CL	4.05-4.50	A-6(10)	38	18	19.7	17.3	14.9	48.2	99	85	65		
SS-164	15+16	CL	5.78-6.23	A-1(3(0)	17	NP	85.4	11	1.6	2	90	33	4		
SS-165	15+16	CL	8.63-9.18	A-1(3(0)	20	NP	78.4	15.8	2.8	3	96	47	6		
SS-166	15+16	CL	10.15-10.60	A-1(3(0)	31	NP	71.9	13.3	5.8	9	78	34	13		
SS-167	15+16	CL	11.67-12.12	A-4(1)	19	10	28.7	31.8	19.4	20.1	100	81	46	14	
SS-168	15+16	CL	13.20-13.65	A-2(4(0)	23	7	48.3	31.2	3.4	17.1	99	75	21		
SS-167	15+16	CL	11.67-12.12	A-4(1)	19	10	28.7	31.8	19.4	20.1	100	81	46	14	
SS-168	15+16	CL	13.20-13.65	A-2(4(0)	23	7	48.3	31.2	3.4	17.1	99	75	21		

NOTE: SEE SHEET NO. 20 & NO. 19 FOR ALIGNMENT

09-NOV-2000 09:36
r:\r0513a\proj\r0513a.p1
aburnel