





PROJECT REFERENCE NO. R-0513A	SHEET NO. 47
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
<b>INCOMPLETE PLANS</b> DO NOT USE FOR R/W ACQUISITION <b>PRELIMINARY PLANS</b> DO NOT USE FOR CONSTRUCTION	
CONST. REV.	
R/W REV.	




-RPDYI-



-RPDYI-

SOIL SAMPLE TEST RESULTS

SAMPLE NO.	STATION	OFFSET	DEPTH INTERVAL	AASHTO CLASS.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE ORGANIC		
					LL	PI	C. SAND	F. SAND	SILT	CLAY	2.0 mm	425 um	75 um	MOISTURE
S-159	10+80	CL	0.30-0.61	A-6(2)	27	11	41.8	12.9	14.9	30.3	95	68	46	16.4
S-160	10+80	CL	0.61-0.91	A-6(2)	27	12	44.4	13.1	12.1	30.3	95	68	43	
S-161	10+80	CL	0.91-1.83	A-1-B(0)	14	NP	73.5	14.2	3.1	9.1	95	45	12	
S-167	12+60	CL	0.30-0.61	A-2-4(0)	35	NP	51	28.6	16.4	4	100	71	24	
S-168	12+60	CL	0.61-1.06	A-2-4(0)	18	NP	47.7	37.9	8.4	6	97	69	19	
S-169	12+60	CL	1.06-1.83	A-1-B(0)	18	NP	72.6	21.6	2.8	3	92	43	7	
S-164	14+40	CL	0.30-0.45	A-2-4(0)	35	NP	49.1	22.2	20.6	8.1	99	66	35	
S-165	14+40	CL	0.45-0.91	A-2-4(0)	18	NP	56.8	20.3	15	8.1	97	59	28	
S-166	14+40	CL	0.91-1.83	A-1-B(0)	18	NP	76.9	15.6	3.4	6	90	40	9	
SS-185	16+20	CL	0.30-0.45	A-2-4(0)	27	4	54	16.1	15.8	14.1	96	59	31	
SS-186	16+20	CL	0.76-1.21	A-2-4(0)	33	17	81.1	5.1	1.7	12.1	96	29	13	
SS-187	16+20	CL	1.52-1.97	A-1-B(0)	18	NP	68	22.9	4.1	5	79	37	9	



NOTE: SEE SHEET NO.7 & NO.6 FOR ALIGNMENT

09-NOV-2000 09:36  
r:\r0513a\proj\r0513a.pfl  
aburney