


INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

CONST. REV.
R / W REV.


-RPBYI-

SAMPLE NO.	STATION	OFFSET	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	2.0mm	425um	75um		
S-18	15+00	CL	0.46-0.76	A-2-4(0)	17	NP	36.2	37.2	11.5	12.1	100	81	27		
S-19	15+00	CL	0.76-1.06	A-2-4(0)	16	NP	44.4	36.4	7.1	12.1	98	79	21		
S-20	15+00	CL	1.06-1.83	A-1-b(0)	17	NP	81.4	13.2	1.3	4	94	35	6		



-RPBYI-

SAMPLE NO.	STATION	OFFSET	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	2.0mm	425um	75um		
SS-42	16+20	CL	0.76-1.21	A-6(1)	31	15	40.1	24.2	8.4	27.3	97	73	37	16.8	
SS-43	16+20	CL	1.52-1.97	A-2-6(0)	29	13	46.6	25.1	6.2	22.2	96	66	29		
SS-44	16+20	CL	2.62-5.07	A-1-b(0)	20	NP	77.1	16.3	1.6	6.1	78	35	6		
SS-45	16+20	CL	5.67-6.12	A-1-b(0)	20	NP	78.8	12.2	0.9	8.1	98	47	9		
SS-46	16+20	CL	7.19-7.64	A-2-4(0)	21	NP	43.9	45.1	0.9	10.1	100	77	12		
S-28	18+00	CL	0.30-0.46	A-2-4(0)	22	4	54.9	18.2	12.7	14.1	99	60	29		
S-29	18+00	CL	0.46-0.76	A-6(1)	28	12	46.3	17.0	12.5	24.2	99	68	36		
S-30	18+00	CL	0.76-1.37	A-2-6(1)	35	16	57.7	13.7	5.4	23.2	98	58	29		
S-31	18+00	CL	1.37-1.83	A-2-4(0)	24	9	56.6	21.7	3.5	18.2	98	60	23		
S-126	18+00	CL	5.49-7.62	A-6(7)	37	18	7.3	41.2	11.1	40.4	100	97	57		



SAMPLE NO.	STATION	OFFSET	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	2.0mm	425um	75um		
SS-21	19+22	11M RT	0.30-0.45	A-2-4(0)	19	5	45.3	27.0	9.6	18.1	93	63	28		
SS-22	19+22	11M RT	0.76-1.21	A-6(1)	28	11	33.6	25.6	8.6	30.2	98	78	40		
SS-23	19+22	11M RT	2.28-2.73	A-1-b(0)	17	NP	78.1	17.4	0.4	4	83	34	5		
SS-24	19+22	11M RT	5.33-5.78	A-6(3)	34	16	45.5	14.1	4.1	36.3	99	71	41		

NOTE: SEE SHEET NO. 6 & NO. 7 FOR ALIGNMENT

09-NOV-2000 09:36
r:\0513a\proj\0513a.pfl
aburney