

DATUM DESCRIPTION

THE LOCALIZED COORDINATE SYSTEM DEVELOPED FOR THIS PROJECT IS BASED ON THE STATE PLANE COORDINATES ESTABLISHED BY N.C.DOT FOR MONUMENT " R2206-12 " WITH NAD 83 STATE PLANE GRID COORDINATES OF

NORTHING: 195,442.5400 (m) EASTING: 426,951.0780 (m)
 THE AVERAGE COMBINED GRID FACTOR USED ON THIS PROJECT

(GROUND TO GRID) IS: 0.99981237

THE N.C. LAMBERT GRID BEARING AND LOCALIZED HORIZONTAL GROUND DISTANCE FROM " R2206-12 " TO -L- STATION 10+00.000 IS

S 6 28 56.86 E 11,608.5082m

ALL LINEAR DIMENSIONS ARE LOCALIZED HORIZONTAL DISTANCES
 VERTICAL DATUM USED IS NGVD 1929

METRIC

5 0 10

CONST.REV.


R/W REV.

PROJECT REFERENCE NO. R-2206AA	SHEET NO. EC-7/CONST.4
R-2206A SHEET NO. 4	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

CRESCENT LAND AND TIMBER CORP.
 DB I022 PG 765



HARLEY LAVANE ALWRAN
 DB I228 PG 764



MATCHLINE SEE SHEET 5
 -L- STA. 12 + 80.000

SEE SHEET 35 FOR -L- PROFILE