



STATE OF NORTH CAROLINA DIVISION OF HIGHWAYS INDEX OF SHEETS

0201358
RICHMOND COUNTY

INDEX OF SHEETS

SHEET NUMBER	SHEET
1	TITLE SHEET
1-A	INDEX OF SHEETS, LIST OF STANDARDS, & GENERAL NOTES
1-B	SYMBOLOLOGY SHEET
1-C TO 1-D	SURVEY CONTROL SHEETS
2 TO 2-C	TYPICAL SECTIONS, PAVEMENT SCHEDULE, DETAIL OF LEVEL SPREADER, FALSE SUMP, AND PREFORMED SCOUR HOLE
2-D TO 2-G	DETAIL OF GUARDRAIL INSTALLATION
3	SUMMARY OF QUANTITIES
3-A	EARTHWORK SUMMARY, RIGHT OF WAY AREA DATA, SUMMARY OF EXISTING ASPHALT PAVEMENT REMOVAL, SUMMARY OF BREAKING EXISTING ASPHALT PAVEMENT, GUARDRAIL SUMMARY
3-B	LIST OF PIPES, ENDWALLS, ETC. (for Pipes 1200mm & under)
3-C	LIST OF PIPES, ENDWALLS, ETC. (for Pipes 1350mm & over)
4 TO 16	PLAN/ PROFILE SHEETS
TCP-1 TO TCP-13	TRAFFIC CONTROL PLANS
PM-1 TO PM-6	PAVEMENT MARKING PLANS
EC-1 TO EC-26	EROSION CONTROL PLANS
UC-1 TO UC-6	UTILITY CONSTRUCTION PLANS
UO-1 TO UO-5	UTILITIES BY OTHERS PLANS
X-1	CROSS-SECTION INDEX SHEET
X-2	CROSS SECTION SUMMARY
X-3 TO X-56	CROSS-SECTIONS

GENERAL NOTES:

2002 SPECIFICATIONS
EFFECTIVE: 01-15-02

GRADE LINE:

GRADING AND SURFACING OR RESURFACING AND WIDENING:

THE GRADE LINES SHOWN DENOTE THE FINISHED ELEVATION OF THE PROPOSED SURFACING AT GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. WHERE NO GRADE LINES ARE SHOWN, THE PROFILES SHOWN DENOTE THE TOP ELEVATION OF THE EXISTING PAVEMENT ALONG THE CENTER LINE OF SURVEY ON WHICH THE PROPOSED RESURFACING WILL BE PLACED. GRADE LINES MAY BE ADJUSTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

CLEARING:

CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY METHOD II.

SUPERELEVATION:

ALL CURVES ON THIS PROJECT SHALL BE SUPERELEVATED IN ACCORDANCE WITH **STD. NO. 225.04** USING THE RATE OF SUPERELEVATION AND RUNOFF SHOWN ON THE PLANS. SUPERELEVATION IS TO BE REVOLVED ABOUT THE GRADE POINTS SHOWN ON THE TYPICAL SECTIONS.

SHOULDER CONSTRUCTION:

SHOULDER CONSTRUCTION ON HIGH SIDE OF SUPERELEVATED CURVES SHALL BE IN ACCORDANCE WITH **STD. NO. 560.01**.

SIDE ROADS:

THE CONTRACTOR WILL BE REQUIRED TO DO ALL NECESSARY WORK TO PROVIDE SUITABLE CONNECTIONS WITH ALL ROADS, STREETS, AND DRIVES ENTERING THIS PROJECT. THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE FOR THE PARTICULAR ITEMS INVOLVED.

BERM DITCHES:

BERM DITCHES SHALL BE CONSTRUCTED IN ACCORDANCE WITH **STD. NO. 240.01** AT LOCATIONS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER.

UNDERDRAINS:

UNDERDRAINS SHALL BE CONSTRUCTED IN ACCORDANCE WITH **STD. NO. 815.03** AT LOCATIONS DIRECTED BY THE ENGINEER.

DRIVEWAYS:

DRIVEWAYS SHALL BE CONSTRUCTED IN ACCORDANCE WITH DETAILS IN PLANS USING 3'900 MM RADIUS OR RADIUS AS SHOWN ON THE PLANS. LOCATIONS OF DRIVES WILL BE AS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER.

GUARDRAIL:

THE GUARDRAIL LOCATIONS SHOWN ON THE PLANS MAY BE ADJUSTED DURING CONSTRUCTION AS DIRECTED BY THE ENGINEER. THE CONTRACTOR SHOULD CONSULT WITH THE ENGINEER PRIOR TO ORDERING GUARDRAIL MATERIAL.

SUBSURFACE PLANS:

NO SUBSURFACE PLANS ARE AVAILABLE ON THIS PROJECT. THE CONTRACTOR SHOULD MAKE HIS OWN INVESTIGATION AS TO THE SUBSURFACE CONDITIONS.

UTILITIES:

UTILITY OWNERS ON THIS PROJECT ARE :

POWER - PROGRESS ENERGY

ANY RELOCATION OF EXISTING UTILITIES WILL BE ACCOMPLISHED BY OTHERS.

RIGHT-OF-WAY MARKERS:

ALL RIGHT-OF-WAY MARKERS ON THIS PROJECT SHALL BE PLACED BY OTHERS.

EFF. 01-15-02

ROADWAY METRIC STANDARD DRAWINGS

The following Roadway Standards as appear in "Roadway Standard Drawings" Highway Design Branch - N. C. Department of Transportation - Raleigh, N. C., Dated January 15, 2002 are applicable to this project and by reference hereby are considered a part of these plans:

STD.NO.	TITLE
DIVISION 2 - EARTHWORK	
200.02	Method of Clearing - Method II
225.02	Guide for Grading Subgrade - Secondary and Local
225.04	Method of Obtaining Superelevation - Two Lane Pavement
240.01	Guide for Berm Ditch Construction
DIVISION 3 - PIPE CULVERTS	
300.01	Method of Pipe Installation - Method 'A'
310.02	Parallel Pipe End Section - Precast Concrete Section for 375mm to 600mm Pipe
310.03	Cross Pipe End Section - Precast Concrete Section for 450mm to 750mm Pipe
310.10	Driveway Pipe Construction
DIVISION 5 - SUBGRADE, BASES AND SHOULDERS	
560.01	Method of Shoulder Construction - High Side of Superelevated Curve - Method I
DIVISION 8 - INCIDENTALS	
815.03	Pipe Underdrain and Blind Drain
816.01	Concrete Pads - for Shoulder Drain Installation
838.27	Reinforced Concrete Endwall - for Single 1500mm Pipe 90° Skew
838.33	Reinforced Concrete Endwall - for Single 1650mm Pipe 90° Skew
838.45	Notes for Reinforced Concrete Endwall - Std. Dwg.s 838.21 thru 838.40
840.18	Concrete Median Drop Inlet Type 'B' - 300mm thru 900mm Pipe
840.19	Concrete Median Drop Inlet Type 'D' - 300mm thru 900mm Pipe
840.24	Frames and Narrow Slot Sag Grates
840.27	Brick Median Drop Inlet Type 'B' - 300mm thru 900mm Pipe
840.28	Brick Median Drop Inlet Type 'D' - 300mm thru 900mm Pipe
840.34	Traffic Bearing Junction Box - for Use with Pipes 1050mm and Under
840.45	Precast Drainage Structure
840.54	Manhole Frame and Cover
840.66	Drainage Structure Steps
840.71	Concrete and Brick Pipe Plug
846.01	Concrete Curb, Gutter and Curb & Gutter
850.10	Guide for Berm Drainage Outlet - 400mm and 450mm Pipe
862.01	Guardrail Placement
862.02	Guardrail Installation
866.02	Woven Wire Fence - with Wood Post
876.01	Rip Rap in Channels
876.02	Guide for Rip Rap at Pipe Outlets
876.04	Drainage Ditches with Class 'B' Rip Rap