



TYPE "A" AND TYPE "B" GROUND MOUNTED SIGNS

NOTES

- DIMENSION "S" REPRESENTS AN INCREASE (+), OR A DECREASE (-) IN POLE LENGTH, RELATIVE TO THE ELEVATION OF THE EDGE OF PAVEMENT.
- FIELD VERIFICATIONS SHALL BE REQUIRED FOR ALL SUPPORTS, SEE (*) ARTICLE 903-3. FABRICATORS SHALL BE AISC CERTIFIED IN CATEGORY 1, SEE (*) ARTICLE 1072-1. (*) = N.C.D.O.T. STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES

SIGN NO.	SIGN TYPE	SIGN SIZE (in.) w x h	ROADWAY STATION	NO. OF SUP.	BEAM SECTION	SUPPORT TYPE BA or S	HORIZ. CLR.* (ft.)	EXIT NUMBER ATTACH METHOD	LENGTH (ft)			LEFT SUPPORT (ft)			CENTER SUPPORT (ft)			RIGHT SUPPORT (ft)			B/A SUPPORT WEIGHTS (lbs.)	SIMPLE SUPPORT WEIGHTS (lbs.)	REINF. FTGS. (c.y.)	PLAIN FTGS. (c.y.)	FIELD VERIFIED SEE NOTE 2 (mm/dd/yy)				
									SNS HT H	MTG HT C	EMBED-MENT	S	L	TOTAL LENGTH	S	L	TOTAL LENGTH	S	L	TOTAL LENGTH									
101	B	108 X36	171+00 +/-	2	S4X7.7 LB	BA	18.00	N/A	3.00	7.00	3.17	1.00	11.00	14.17	N/A	0.00	0.00	2.00	12.00	15.17	251.87	0.00	0.0000	0.2036					
											TOTAL			TOTAL			TOTAL			TOTAL									
											251.87			0.00			0.0000			0.2036									
											USE:			252			0			0			1						



SIGNS FURNISHED BY STATE

SUPPORT INFORMATION TYPE "A" AND "B" SIGNS		
SCALE NONE	N. C. DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS TRAFFIC ENGINEERING BRANCH	REVISIONS
DATE AUGUST, 2004		
DWG. BY DESIGN BY L. K. DONALDSON		
APPROVED A. I. ALGHEWANI		