PROJECT REFERENCE NO.
B-3614

SHEET NO.

2-E

DESIGN SERVICES UNIT STANDARDS AND SPECIAL DESIGN Office 919-250-4128 FAX 919-250-4119

DETAIL OF WOOD FENCE

ORIGINAL BY: DATE:

MODIFIED BY: rnbritt DATE: 04-02-04

CHECKED BY: C. D. Juny DATE: 4-5-04

FILE SPEC.: details/english/b3614woodfence.dgn

-4"X 4" TREATED SOUTHERN PINE POST -4"X 4" TREATED SOUTHERN PINE POST (TYP) (SEE NOTES 1 & 2) (TYP) (SEE NOTES 1 & 2) _1"X 6" TREATED SOUTHERN PINE RAILS MATCH EXISTING -MATCH EXISTING (TYP) (SEE NOTES 1 & 2) ELECTRICAL WIRE AND INSULATORS ELECTRICAL WIRE AND INSULATORS (TYP) (SEE NOTE 3) (TYP) (SEE NOTE 3) 1"X 6" TREATED SOUTHERN PINE RAILS ATCH EXISTING FENCE HEIGHT (TYP) (SEE NOTES 1 & 2) EXISTING GROUND LINE \\/\<u>\</u> - SET FENCE POST IN CONCRETE ∠EXISTING GROUND LINE (TYP) (SEE NOTE 4) SET FENCE POST IN CONCRETE (TYP) (SEE NOTE 4)

SECTION A-A

WOOD FENCE ELEVATION

GENERAL NOTES:

- 1. ALL TIMBER POSTS AND BRACES MUST BE OF TREATED SOUTHERN PINE MEETING THE REQUIREMENTS OF ARTICLES 1080-2 AND 1082-3, OR AS DIRECTED BY THE ENGINEER.
- 2. POSTS AND BRACES SHOULD MATCH EXISTING FENCE AS CLOSE AS POSSIBLE IN SIZE AND SHAPE. PLACE AS DIRECTED BY THE ENGINEER.
- 3. MATCH EXISTING ELECTRICAL FENCE WIRE AND INSULATORS. INSTALL AS DIRECTED BY THE ENGINEER.
- 4. SET FENCE POST IN CONCRETE OR AS DIRECTED BY THE ENGINEER.

