B-3310 BUNCOMBE CO.

TITLE SHEET

SYMBOLOGY SHEET

SURVEY CONTROL SHEETS

SUMMARY OF QUANTITIES

PARCEL INDEX SHEET

TRAFFIC CONTROL PLANS

EROSION CONTROL PLANS

REFORESTATION PLANS

UTILITIES BY OTHERS

CROSS SECTION INDEX CROSS SECTION SUMMARY

PLAN SHEETS

PROFILE SHEET

CROSS SECTIONS

STRUCTURE PLANS

INDEX OF SHEETS, GENERAL NOTES & LIST OF STANDARDS

WOVEN WIRE FENCE, DRAINAGE QUANTITIES AND GUARDRAIL

FINAL PAVT. SCHEDULE & TYPICAL SECTIONS

DETAIL FOR GUARDRAIL INSTALLATION

DETAIL FOR STRUCTURE ANCHOR UNITS

DETAIL FOR REINFORCED BRIDGE APPROACH FILLS

SUMMARIES OF EARTHWORK, SHOULDER BERM GUTTER,

ASPHALT PAVT. REMOVAL, BARBED WIRE FENCE,

INDEX OF SHEETS

1-A

1-B

3-B

RF-1

X-0 X-A

1-C & D

2-A & B 2-C - 2-F

2-G & H

TCP-1 - TCP-10

UO-1 - UO-2

X-1 - X-15

S-1 - S-29

STATE OF NORTH CAROLINA DIVISION OF HIGHWAYS

INDEX OF SHEETS

GENERAL NOTES:

2002 SPECIFICATIONS EFFECTIVE: 01-15-02

GRADE LINE: GRADING AND SURFACING OR RESURFACING AND WIDENING:

THE GRADE LINES SHOWN DENOTE THE FINISHED ELEVATION OF THE PROPOSED SURFACING AT GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. WHERE NO GRADE LINES ARE SHOWN, THE PROFILES SHOWN DENOTE THE TOP ELEVATION OF THE EXISTING PAVEMENT ALONG THE CENTER LINE OF SURVEY ON WHICH THE PROPOSED RESURFACING WILL BE PLACED. GRADE LINES MAY BE ADJUSTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

CLEARING:

CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY METHOD II

SUPERELEVATION:

ALL CURVES ON THIS PROJECT SHALL BE SUPERELEVATED IN ACCORDANCE WITH STD. NO. 225.04 USING THE RATE OF SUPERELEVATION AND RUNOFF SHOWN ON THE PLANS. SUPERELEVATION IS TO BE REVOLVED ABOUT THE GRADE POINTS SHOWN ON THE TYPICAL

SHOULDER CONSTRUCTION:

ASPHALT AND EARTH SHOULDER CONSTRUCTION ON HIGH SIDE OF SUPERELEVATED CURVES SHALL BE IN ACCORDANCE WITH STD. NO. 560.01.

SIDE ROADS:

THE CONTRACTOR WILL BE REQUIRED TO DO ALL NECESSARY WORK TO PROVIDE SUITABLE CONNECTIONS WITH ALL ROADS, STREETS, AND DRIVES ENTERING THIS PROJECT. THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE FOR THE PARTICULAR ITEMS INVOLVED.

UNDERDRAINS:

UNDERDRAINS SHALL BE CONSTRUCTED IN ACCORDANCE WITH STD. NO. 815.03 AT LOCATIONS DIRECTED BY THE ENGINEER.

DRIVEWAYS:

DRIVEWAYS SHALL BE CONSTRUCTED IN ACCORDANCE WITH STD. NO. 848.03 AT LOCATIONS SHOWN ON PLANS OR AS DIRECTED BY THE ENGINEER.

GUARDRAIL:

THE GUARDRAIL LOCATIONS SHOWN ON THE PLANS MAY BE ADJUSTED DURING CONSTRUCTION AS DIRECTED BY THE ENGINEER. THE CONTRACTOR SHOULD CONSULT WITH THE ENGINEER PRIOR TO ORDERING GUARDRAIL MATERIAL.

TEMPORARY SHORING:

SHORING REQUIRED FOR THE MAINTENANCE OF TRAFFIC WILL BE PAID FOR AS "EXTRA WORK" IN ACCORDANCE WITH SECTION 104-7.

SUBSURFACE PLANS:

NO SUBSURFACE PLANS ARE AVAILABLE ON THIS PROJECT. THE CONTRACTOR SHOULD MAKE HIS OWN INVESTIGATION AS TO THE SUBSURFACE CONDITIONS.

END BENTS:

THE ENGINEER SHALL CHECK THE STRUCTURE END BENT PLANS, DETAILS, AND CROSS-SECTION PRIOR TO SETTING OF THE SLOPE STAKES FOR THE EMBANKMENT OR EXCAVATION APPROACHING A BRIDGE

UTILITIES:

UTILITY OWNERS ON THIS PROJECT ARE POWER: CP&L, TELEPHONE: BELL SOUTH.

ANY RELOCATION OF EXISTING UTILITIES WILL BE ACCOMPLISHED BY OTHERS, EXCEPT AS SHOWN ON THE PLANS.

RIGHT-OF-WAY MARKERS:

ALL RIGHT-OF-WAY MARKERS ON THIS PROJECT SHALL BE PLACED BY CONTRACT.

EFF. 01-15-02

ROADWAY ENGLISH STANDARD DRAWINGS

The following Roadway Standards as appear in "Roadway Standard Drawings" Highway Design Branch -N. C. Department of Transportation - Raleigh, N. C., Dated January 15, 2002 are applicable to this project and by reference hereby are considered a part of these plans:

STD.NO.

DIVISION 2 - EARTHWORK

200.02 Method of Clearing - Method II

225.02 Guide for Grading Subgrade - Secondary and Local

225.04 Method of Obtaining Superelevation - Two Lane Pavement

DIVISION 3 - PIPE CULVERTS

300.01 Method of Pipe Installation - Method 'A'

310.10 Driveway Pipe Construction

DIVISION 4 - MAJOR STRUCTURES

422.10 Reinforced Bridge Approach Fills

DIVISION 5 - SUBGRADE, BASES AND SHOULDERS

560.01 Method of Shoulder Construction - High Side of Superelevated Curve - Method I DIVISION 6 - ASPHALT BASES AND PAVEMENTS

654.01 Pavement Repairs

DIVISION 8 - INCIDENTALS

806.01 Concrete Right-of-Way Marker

806.02 Granite Right-of-Way Marker

815.03 Pipe Underdrain and Blind Drain

816.04 Markers for Drainage Structure and Concrete Pad

820.04 Drain Installation in Shoulder Berm Gutter

840.00 Concrete Base Pad for Drainage Structures

840.19 Concrete Median Drop Inlet Type 'D' - 12" thru 36" Pipe

840.25 Anchorage for Frames - Brick or Concrete

840.28 Brick Median Drop Inlet Type 'D' - 12" thru 36" Pipe

840.29 Frames and Narrow Slot Flat Grates

840.45 Precast Drainage Structure

840.66 Drainage Structure Steps

862.01 Guardrail Placement

862.02 Guardrail Installation

862.03 Structure Anchor Units 866.02 Woven Wire Fence - with Wood Post

866.04 Barbed Wire Fence with Wood Posts (2 - 7 Strands)

876.02 Guide for Rip Rap at Pipe Outlets

876.04 Drainage Ditches with Class 'B' Rip Rap