

07/25/08
 144
 143
 142
 141
 140
 139
 138
 137
 136
 135
 134
 133
 132
 131
 130
 129
 128
 127
 126
 125
 124
 123
 122
 121
 120
 143
 142
 141
 140
 139
 138
 137
 136
 135
 134
 133
 132
 131
 130
 129
 128
 127
 126
 125
 124
 123
 122
 121
 120
 28 +20 +40 +60 +80 29 +20 +40 +60 +80 30 +20 +40 +60 +80 31 +20 +40 +60

PROJECT REFERENCE NO. R-2610B SHEET NO. 45
 ROADWAY DESIGN ENGINEER HYDRAULICS ENGINEER
 INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION
 PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION
 CONST. REV. _____
 R/W REV. _____

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
S-15	11M LT	24+60	0.20-1.20	A-4(0)	23	6	27.7	35.2	19	18.2	93	81	38	-	-
S-16	11M LT	25+60	0.10-2.00	A-6(6)	33	17	16.6	23.6	31.5	28.3	84	75	55	-	-
S-17	11M LT	26+60	1.40-4.30	A-6(3)	28	11	19.6	29.5	26.7	24.2	95	84	54	-	-
CBR-2A	11M LT	27+80	0.10-3.00	A-4(1)	25	7	22.2	33.5	28.1	16.2	99	87	50	-	-
S-18	11M LT	28+60	0.20-4.00	A-4(1)	26	5	13.5	33.7	32.5	20.2	99	94	59	-	-
S-19	11M LT	29+40	0.20-2.20	A-7-6(4)	72	51	7.3	15.2	25.1	52.5	93	88	77	-	-
S-20	11M LT	29+40	2.60-4.00	A-6(13)	38	16	5.5	19.2	39	36.4	100	96	84	-	-
S-21	11M LT	31+20	0.20-2.30	A-7-6(14)	43	16	13.3	6.1	48.3	32.3	100	90	82	-	-

PI = 26+32.000
 EL = 131.946 m
 VC = 320 m
 K = 87

