


- C2 BARS ARE 14 BAR RUNS. FIELD BEND C2 BARS AS NECESSARY DUE TO THE BENDS IN CULVERT.
- AT BARREL #1 EXTERIOR WALL IN THE 9°20'26" TURN, MATCH EVERY OTHER A400 BAR TO AN A4 BAR.
- AT BARREL #2 EXTERIOR WALL IN THE 55°55'06" TURN, MATCH EVERY OTHER A600 BAR TO AN A4 BAR.



PLAN - FLOOR SLAB - STAGE II


PROJECT NO. B-3157
DAVIDSON COUNTY
 STATION: 17+48.00 -Y1-

SHEET 7 OF 11

STATE OF NORTH CAROLINA
 DEPARTMENT OF TRANSPORTATION
 RALEIGH

DOUBLE 12 FT. X 9 FT. CONCRETE BOX CULVERT

(STAGE II CONSTRUCTION)



DRAWN BY: M. M. PARSONS DATE: 5/22/03
 CHECKED BY: T. L. AVERETTE DATE: 7/03

* DISTANCE TO FIRST MAIN BAR * THE 15 inch, 24 inch, & 30 inch PIPES THROUGH THE SIDE WALL OF THE CULVERT SHALL BE LOCATED BY THE ENGINEER. THE REINFORCING STEEL SHALL BE FIELD BENT AS NECESSARY TO CLEAR THE PIPES.

REVISIONS						SHEET NO. C-7
NO.	BY:	DATE:	NO.	BY:	DATE:	
1			3			TOTAL SHEETS 19
2			4			