

GENERAL NOTES:

USE CLASS 'AA' CONCRETE TO CONSTRUCT CONCRETE BARRIER TRANSITION.




SEAL ALL EXPANSION JOINTS WITH JOINT FILLER (SEE SECTION 1028 OF THE SPECIFICATIONS).

SUBMIT ALTERNATIVE METHODS FOR STEEL FABRICATION FOR REVIEW.


REFER TO PLANS AND TYPICAL SECTION FOR CONCRETE BARRIER TRANSITION LOCATIONS.

PAY FOR CONCRETE BARRIER PER EACH.

BARRIER TRANSITION LOCATED AS FIELD CONDITIONS DICTATE AND AS DIRECTED BY THE ENGINEER.



TRANSITION FROM SINGLE FACE BRIDGE RAIL TO DOUBLE FACE CONCRETE MEDIAN BARRIER



**DESIGN SERVICES UNIT
STANDARDS AND SPECIAL DESIGN**
Office 919-250-4128 FAX 919-250-4119

CONCRETE BARRIER TRANSITION

ORIGINAL BY: T.S. Spell DATE: 4-26-04
 MODIFIED BY: *Joel S. Howerton* DATE: 6/2/04
 CHECKED BY: *Joel S. Howerton* DATE: 6/2/04
 FILE SPEC.: w:\spell\details\stand\barriercover3.dgn

5/14/99
02-JUN-2004 09:53
w:\spell\details\stand\barriercover3.dgn
spell AT D5203655