


DATUM DESCRIPTION
 THE LOCALIZED COORDINATE SYSTEM DEVELOPED FOR THIS PROJECT IS BASED ON THE STATE PLANE COORDINATES ESTABLISHED BY NC'S FOR MONUMENT "GROWERS" WITH NAD 83 STATE PLANE GRID COORDINATES OF NORTHING: 2041029269(m) EASTING: 627779.3989(m) THE AVERAGE COMBINED GRID FACTOR USED ON THIS PROJECT (GROUND TO GRID) IS: 0.999874900 THE N.C. LAMBERT GRID BEARING LOCALIZED HORIZONTAL GROUND DISTANCE FROM "GROWERS" TO -L- STA 10+20.000 IS S 29° 05' 09.33" W 40.3537 m ALL LINEAR DIMENSIONS ARE LOCALIZED HORIZONTAL DISTANCES VERTICAL DATUM USED IS NGVD 29



STA. 10+30 TO 10+33 -L- LT.
 -L- POC 11+23.552 (5.4 m RT.) =
 -DRP3- POT 10+00.000
 L POT 10+54.910 =
 BL-2 PINC 6+17.469
 7.024 LT


L POT 12+06.979 =
 BL-3 PINC 7+69.838
 3.879 LT

L POT 12+21.776 =
 BY2-8 POT 5+00.000
 94.523 LT

L POT 12+88.807 =
 BY2-9 PINC 6+08.692
 8.961 LT


L POT 13+13.648 =
 BL-4 PINC 8+76.508
 4.171 LT

BEGIN TIP PROJECT B-3256
 -L- POC STA. 10+20.000



-L-
 PI = 10+61.014
 Δ = 4° 53' 12.2" (RT)
 L = 149.257
 T = 74.674
 R = 1,750.000
 SE = NC

- NOTES:**
- FOR -L- PROFILE SEE SHEET NO. 6
 - FOR STRUCTURE PLANS SEE SHEETS S-1 THRU S-31
 - ALL RADII = 2 METERS ON 200 X 450 CHANNELIZATION CURB UNLESS NOTED OTHERWISE.
 - PAVEMENT STRIPING



L POT 13+25.152 =
 BY2-10 POT 6+66.662
 36.200 RT

REVISIONS

02-JUL-2004 JHL
 8:25 AM
 8/21/2004
 8:25 AM
 8/21/2004

MATCHLINE SHEET 5 -L- 13+40.000