


PROJECT REFERENCE NO.		SHEET NO.	
U-3302		EC-3/CONST.4	
RW SHEET NO.			
ROADWAY DESIGN ENGINEER		HYDRAULICS ENGINEER	



NAD 83

CITY OF ASHEVILLE BOARD OF
DB 128 PG 5
DB 128 PG 5
DB 128 PG 5

REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.

REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.

REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.

REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.

REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.

REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.

REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.
REBAR 10# @ 12" O.C.

NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE-B AND TEMPORARY ROCK SILT CHECKS TYPE-A AT DRAINAGE OUTLETS.

CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 4

-LPD-
PI Sta 95+42.56
 $\Delta = 181' 23" 28.5" (RT)$
D = 52' 11" 12.1"
L = 347.58
T = 9,042.56
R = 109.79
SE = 08
RO = SEE PLANS

-RPD-
PI Sta 6+20.21
 $\Delta = 78' 32" 56.0" (LT)$
D = 38' 58" 36.2"
L = 201.53'
T = 120.21'
R = 147.00'
SE = 075
RO = SEE PLANS

-YI-
PI Sta 16+08.87
 $\Delta = 59' 22" 13.8" (LT)$
D = 9' 32" 57.5"
L = 621.73'
T = 342.03'
R = 600.00'
SE = SEE PLANS
RO = SEE PLANS

-L-
PI Sta 26+03.92
 $\Delta = 35' 07" 46.0" (RT)$
D = 6' 14" 53.4"
L = 562.24'
T = 290.27'
R = 917.00'

NOTE: USE 2' RADIUS ON ISLANDS

★ PROPOSED SIGNAL
FOR -YI- PROFILE SEE SHEET 5
FOR -LPD- PROFILE SEE SHEET 5
FOR -RPD- PROFILE SEE SHEET 5